S
625.7
It 3mph
1978

PLEASE RETURN

Helena, Montana

1978 MONTANA PRIMARY HIGHWAYS SUFFICIENCY RATINGS

Montana State Library
3 0864 1006 6202 5

PREPARED BY THE

STATE OF MONTANA
DEPARTMENT OF HIGHWAYS
PLANNING AND RESEARCH BUREAU

IN COOPERATION WITH THE

U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION

Cover Photo: U.S. 12
F.A.P. Rte. 8
Helena to East Helena

December 31, 1978

TABLE OF CONTENTS

	PAGE
Introduction	1
Sufficiency Compared to Age of Rural Primary System	6
Miles of Rural Federal Aid Primary Highways Year Constructed	7
Location of Deficient Sections -- Statewide - System Map	8
Miles of Rural Primary Highway by Sufficiency Rating and Financial District	10
Tabulation of Deficient Mileage by Financial Districts	11
Tabulation of Deficient Mileage by Federal Aid Routes	12
Route Maps Showing Sufficiency Ratings by Section	17
Rural Sufficiency Ratings by Section and Financial District in ascending order	
Financial District Number 1	101
Financial District Number 2	105
Financial District Number 3	108
Financial District Number 4	111
Financial District Number 5	114
Financial District Number 6	117
Financial District Number 7	120
Financial District Number 8	123
Financial District Number 9	127
Financial District Number 10	130
Financial District Number 11	133
Financial District Number 12	136
Urban Deficiency Ratings by Federal Aid Route and City	141
Rural Sufficiency Ratings by Section -- Statewide in ascending order	169

INTRODUCTION

* * *

In order to comply with the provisions of the State Financial District Law, the Montana Department of Highways has the responsibility to evaluate the condition of the Federal-aid Primary System throughout the State for the purpose of allocating construction funds to the various financial districts. In 1948, a formula was developed to determine the relative deficiency of each section of highway, which was based largely on a comparison of the existing condition of the highway with the latest design standards. The deficiency ratings thus contained were also converted to priority ratings by the application of a traffic volume factor.

During recent years, other states have developed newer formulas for appraising the sufficiency of highways in those states, and since it was apparent that these formulas provided a better basis for evaluating highway conditions, the various formulas were studied with the objective of developing a new formula for Montana that would improve our rating procedure. This study resulted in a new sufficiency rating procedure, which is used in determining the allocation of construction funds to the financial districts and as a priority-rating guide for programming of new construction projects.

This 1978 report is the sixth to be compiled by fully utilizing the Highway Information System data bank. All items used in the sufficiency formula with the exception of the condition of pavement, foundation and drainage, were extracted from the data bank.

The sufficiency rating procedure applies only to rural sections of the Federal-aid Primary System highways. It is not adaptable to urban sections of highway because of the special traffic capacity

conditions encountered in the cities, and for this reason, the urban sections of highway continue to be rated on the basis of the older formula until such time as a new urban sufficiency rating procedure can be devised.

A total of 5452.0 miles of Primary highways are rated in this report, covering the realigned Federal-aid Primary System, composed of 5266.4 miles of rural and 185.6 miles located within municipal and urban areas.

A completely adequate section of rural highway is assigned 100 points in the sufficiency rating formula. As defined for this study, a section of highway meriting a rating of 100 points must have a thoroughly sound structure, must be free from those hazards that can be eliminated by proper road design and must have adequate capacity to satisfactorily handle existing traffic demands.

The following factors are considered in the sufficiency formula.

A. Structural Adequacy - Total 50 Points

1. Foundation - 10 Points

2. Surface - 30 Points

3. Drainage - 10 Points

B. Safety - Total 20 Points

1. Number of stopping sight distances, shorter than permitted by design speed.

2. Number of horizontal curves, sharper than permitted by design speed.

3. Number of bridges narrower than the width of the traveled-way of approaches.

4. Number of accidents as related to the average traffic volume for the analysis period.

C. Hourly Service Volume (Traffic Capacity) - Total 30 Points

1. Design hour traffic volume for the current year.
2. Pavement and shoulder widths
3. Percent of commercial vehicles
4. Length of no passing zones
5. Design speed.
6. Average highway speed.

Structural adequacy was determined by a field inspection of the entire system. To insure uniformity, this inspection was made by one man who has been schooled in rating techniques. Field measurements of pavement and roadway widths were also made during this inspection, as a check on existing records. The foundation of a section of highway was assigned points in the field between a maximum of 10 if it was considered adequate, and 0 if it was totally inadequate. Surfacing was rated and assigned points between 30 if excellent, and 0 if extremely poor. Drainage was also assigned points between 10 and 0 in the same manner as foundation and surfacing.

Factors affecting the safety rating, such as inadequate stopping sight distances, narrow bridges, and excessive horizontal curves, were obtained from the road plans and straight line diagrams. The number of traffic accidents for the analysis period were obtained from the accident subsystem of Highway Information System data bank.

A maximum of 20 points for safety was assigned to a section of highway if stopping sight distance is adequate, there are no excessive curves or narrow bridges and the number of accidents was below average. Conversely, the safety rating was reduced proportionately from 20 to 0 points by existence of any of these items.

The hourly service volume (traffic capacity) of each section of rural highway has been computed by the approved method for rural highways outlined in the new Highway Capacity Manual. This method takes into consideration such items as width of pavement and shoulders, percent of trucks, length of no passing zones, and design and average highway speeds.

The capacity rating expresses the relationship between the traffic volumes presently using the section of road and the ability of the section to accommodate such traffic. The rating is best described as the relationship between the computed Service Volume (SV) and the Design Hourly Volume (DHV). A capacity rating between 15 and 30 would indicate at least a level of Service B. Ratings less than 15 would indicate that the volumes are exceeding the volume/capacity ratio that permits free flow at the desired speed.

A total basic sufficiency rating of a section is the sum of the following ratings.

Item	Range of Points
Foundation	0 to 10
Surface	0 to 30
Drainage	0 to 10
Safety	0 to 20
Capacity	0 to 30
Total Rating	0 to 100

The adjusted sufficiency rating has been computed to establish priorities for sections of highway falling into the same general sufficiency rating category. The total basic sufficiency rating is adjusted by comparing the average daily traffic carried by a rating section, with the average for the system. This adjustment gives some additional priority to a section of highway carrying above-average traffic volumes.

The curves shown on page 6 were plotted by accumulating the miles of rural primary highway in each adjusted sufficiency category and the miles of highway in each age group. The two curves are quite similar. The sharp break in the sufficency blue curve, at about 40 percent, indicates that approximately 459 miles, or 9 percent, of rural primary highways located in all sections of the State are in a critical category and should probably be constructed immediately, if funds are available. These sections are shown in red on the State map on page 8. There are approximately 2,569 miles of rural primary highway that are 60 percent or less sufficient and 2,110 miles that are rated between 40 and 60 percent. It may be assumed that 2,110 miles, or 40 percent, of our rural primary highways rated between 40 and 60 percent sufficient are approaching obsolescense and probably should be improved within the next five to ten years. The approximate location of this mileage is also shown in blue on the State map on page 8. Mileage rated between 61 and 100 percent sufficient is considered to be in tolerable to excellent condition. This category includes 2,697 miles of rural primary highways or 51 percent of the total Primary System exclusive of Interstate mileage.

ADJUSTED SUFFICIENCY RATINGS AND AGE OF RURAL PRIMARY SYSTEM



MONTANA

MILES OF RURAL PRIMARY FEDERAL AID HIGHWAYS CONSTRUCTED BY YEARS

1934 - 1978




BRITISH COLUMBIA
DOMINION OF CANADA
ALBERTA
SASKATCHEWAN
LINCOLN
FLATHEAD
SANDERS
LAKE
MINERAL
MISSOULA
GLACIER
TOOLE
LIBERTY
HILL
PONDERA
TETON
CHOUTEAU
BLAINE
PHILLIPS
VALLEY
DANIELS
SHERIDAN
ROOSEVELT
RICHLAND
McCONE
DAWSON
LEWIS AND CLARK
CASCADE
JUDITH BASIN
FERGUS
PETROLEUM
GARFIELD
PRAIRIE
WIBAUX
GRANITE
POWELL
RAVALLI
JEFFERSON
BROADWATER
GALLATIN
MEAGHER
WHEATLAND
GOLDEN VALLEY
MUSSELSHELL
TREASURE
ROSEBUD
FALLON
CUSTER
DEER LODGE
SILVER BOW
SWEET GRASS
STILLWATER
YELLOWSTONE
BEAVERHEAD
MADISON
PARK
BIG HORN
POWDER RIVER
CARTER
GARBON
WYOMING
SOUTH DAKOTA
NORTH DAKOTA
Great Falls
Missoula
Helena
Butte
Bozeman
Billings
Livingston
Lewistown
YELLOWSTONE NATIONAL PARK
PERCENT SUFFICIENT
41-60
61-100
Under Construction as of December 31, 1978
LEGEND
SUFFICIENCY RATINGS
STATE WIDE
RURAL PRIMARY SYSTEM
DECEMBER 31, 1978
SCALE

The red curve on page 6 which illustrates the age of the rural primary system, indicates that approximately 1,256 miles of highway, that were in use as of December 31,1978, are at least 40 years old. The same curve shows that 2,472 miles of highway, or about 47 percent of the total rural primary system, are now at least 25 years old.

The chart on page 7 is of historical interest in that it shows the miles of rural Federal-aid Primary highway constructed by years.

The tabulation on the following page shows the miles of rural highway in each financial district by adjusted sufficiency ratings. The tabulation on page 11 summarizes the equivalent deficient mileage by financial districts and also indicates the percentage of deficient mileage that were used to allocate State construction funds to the 12 financial districts for the fiscal year beginning July 1,1979.

A tabulation of total miles, percent deficient and equivalent deficient miles by rural Federal-aid Primary Routes appears on page 12.

Strip maps of each Federal-aid Route showing the location of each rating section and the rating assigned in all categories of the formula are included in the first section of this report. The beginning of each section has also been tied to our milepost numbering system to aid in locating any particular section. The "year built" and "year improved" have been added to each rating section. The "year built" is the date that the existing section was constructed or fully reconstructed while the "year improved" indicates

MILES OF RURAL HIGHWAY
DISTRIBUTED BY ADJUSTED SUFFICIENCY RATING
IF TEN PERCENT INCREMENTS

	FINANCIAL DISTRICTS													
	1	2	3	4	5	6	7	8	9	10	11	12	TOTALS	ACCUM. TOTALS
MILES								.2					.2	.2
%														
MILES	14.7							8.6					23.4	23.6
%	2.7							1.6					.4	.4
MILES	59.5	2.8		3.6		2.3		34.8			1.5		104.8	128.4
%	10.7	.8		1.0		.6		6.6			.4		2.0	2.4
MILES	101.3	17.9		9.9		43.6	16.3	60.8	7.3	10.5	51.5	11.7	331.2	459.7
%	18.2	4.8		2.7		10.1	6.2	11.5	2.4	2.1	11.9	2.2	6.3	8.7
MILES	146.6	51.1	30.8	68.7	26.6	104.8	34.5	137.7	33.3	29.5	83.7	49.3	797.1	1256.9
%	26.3	13.7	5.3	18.5	6.7	24.2	13.2	25.9	11.1	6.0	19.3	9.4	15.1	23.9
MILES	44.4	101.5	145.2	42.1	149.1	105.1	96.5	100.9	96.6	185.9	124.9	119.6	1312.3	2569.3
%	8.0	27.1	24.9	11.3	37.4	24.2	36.8	19.0	32.0	37.9	28.8	22.7	24.9	48.8
MILES	108.3	73.0	158.9	28.9	82.0	75.6	52.0	88.1	59.9	103.5	93.2	136.5	1060.4	3629.7
%	19.4	19.5	27.2	7.8	20.6	17.5	19.9	16.6	19.9	21.1	21.5	26.0	20.1	68.9
MILES	43.7	97.0	176.5	88.8	77.4	38.0	33.9	67.9	22.2	102.3	42.8	61.3	852.3	4482.1
%	7.9	25.9	30.3	23.9	19.4	8.8	12.9	12.8	7.4	20.8	9.9	11.7	16.2	85.1
MILES	38.4	24.8	38.0	112.5	42.7	62.7	28.3	31.5	67.5	36.3	28.6	108.4	620.3	5102.4
%	6.9	6.6	6.5	30.2	10.7	14.5	10.8	5.9	22.4	7.4	6.6	20.6	11.8	96.9
MILES		6.1	33.7	17.3	21.0	1.1	.3		14.4	22.8	7.9	38.8	163.9	5266.4
%		1.6	5.8	4.7	5.3	.3	.1		4.8	4.7	1.8	7.4	3.1	100.0
MILES	557.2	374.5	583.2	372.2	399.0	433.7	262.1	530.8	301.5	491.1	434.6	525.9	5266.4	
%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	

FEDERAL AID PRIMARY SYSTEM
DEFICIENT MILEAGE 8Y FINANCIAL OISTRICTS AND PERCENTAGES USEO IN APPORTIONING STATE CONSTRUCTION FUNDS TO FINANCIAL OISTRICTS FOR FISCAL YEAR 8EGINNING JULY 1, 1979
8ASED ON SUFFICIENCY RATING DECEM8ER 31, 1978

Financial District	Counties	Total Mileage	Deficient Mileage			Percent Oeficient	Percentage For Fund Allocation
			Rural	Urban	Total		
1.	Flathead, Lincoln, Lake	575.4	266.2	2.8	269.0	46.8	12.7440
2.	8laine, Glacier, Hill, Liberty, Toole	383.2	138.5	0.6	139.1	36.3	6.5899
3.	Oaniels, Phillips, Roosevelt, Sheridan, Valley	598.8	202.3	1.9	2D4.2	34.1	9.6741
4.	Oawson, McCone, Prairie, Richland, Wibaux	385.7	126.6	1.3	127.9	33.2	6.0593
5.	Fergus, Garfield, Petroleum	405.4	154.1	0.8	154.9	38.2	7.3385
6.	Cascade, Judith Basin, Pondera, Teton, Chouteau	456.8	180.2	4.5	184.7	40.4	8.7502
7.	Broadwater, Jefferson, Lewis and Clark	275.5	105.6	1.0	106.6	38.7	5.0502
8.	Granite, Mineral, Missoula, Powell, Ravalli, Sanders	547.5	241.8	3.4	245.2	44.8	11.6165
9.	Beaverhead, Deer Lodge, Madison, Silver Bow	319.1	110.6	3.2	113.8	35.7	5.3913
10.	Gallatin, Meagher, Park, Sweet Grass, Wheatland	505.4	18D.8	2.3	183.1	36.2	8.6744
11.	Big Horn, Carbon, Golden Valley, Musselshell, Stillwater, Treasure Yellowstone	459.9	186.4	5.1	191.5	41.6	9.0724
12.	Carter, Custer, Fallon, Powder River, Rosebud	539.3	187.0	3.8	190.8	35.4	9.0392
	TOTAL	5452.0	2D80.1	3D.7	2110.8	38.7	100.0000

SUFFICIENCY RATING RURAL PRIMARY SYSTEM

TOTAL BY RURAL PRIMARY ROUTES

ROUTE	TOTAL MILES	PERCENT DEFICIENT	EQUIVALENT DEFICIENT MILES
1	645.5	38.2	246.4
2	89.3	26.4	23.6
3	107.2	45.7	49.0
4	56.3	36.4	20.5
5	175.8	50.6	88.9
6	114.3	47.5	54.3
7	88.1	48.6	42.8
8	100.0	31.1	31.1
9	64.1	42.7	27.4
10	106.9	35.2	37.6
11	53.8	25.8	13.9
12	8.6	38.4	3.3
13	96.4	36.4	35.1
14	263.8	40.6	107.2
16	43.1	44.1	19.0
17	12.1	43.8	5.3
18	81.8	37.4	30.6
19	60.5	38.7	23.4
20	60.0	36.0	21.6
21	3.8	44.7	1.7
22	86.5	34.9	30.2
23	137.1	37.3	51.1
24	140.7	51.2	72.1
25	52.2	51.7	27.0
26	7.5	57.3	4.3
27	77.6	36.3	28.2
28	62.6	43.8	27.4
29	79.0	48.1	38.0
30	23.4	45.3	10.6
31	60.4	29.3	17.7
32	64.8	42.0	27.2
33	66.3	30.2	20.0
34	15.6	38.5	6.0
35	21.5	24.7	5.3
36	46.7	46.0	21.5
37	103.6	38.9	40.3
38	7.9	53.2	4.2
39	51.2	33.2	17.0
40	0.1	0.0	0.0
41	32.5	36.6	11.9
42	75.4	36.2	27.3
43	42.2	33.6	14.2
44	27.3	49.8	13.6
45	43.3	40.0	17.3
46	76.5	31.6	24.2
47	6.9	44.9	3.1
48	30.7	26.1	8.0
49	26.4	28.4	7.5
50	86.8	36.2	31.4
51	70.7	17.5	12.4
52	45.5	61.8	28.1
53	41.1	51.3	21.1
54	29.3	25.6	7.5
55	12.2	39.3	4.8
56	34.6	41.6	14.4
57	320.1	38.7	123.8
58	50.3	49.1	24.7
59	56.4	36.9	20.8
60	87.8	37.1	32.6
61	155.8	41.1	64.1
62	35.4	44.2	15.6
63	38.6	45.9	17.7
64	9.6	51.0	5.0
65	0.3	46.0	0.1
66	50.0	33.4	16.7
67	1.0	60.0	0.6
68	0.4	29.0	0.1
69	36.7	37.1	13.6
70	1.3	48.0	0.6
72	21.5	44.2	9.5
75	1.7	48.0	0.8
77	1.7	52.9	1.0
78	46.4	48.1	22.3
79	2.0	30.0	0.6
80	64.4	27.8	17.9
81	41.6	38.5	16.0
82	6.9	41.0	3.0
83	91.1	47.2	43.0
84	29.0	42.4	12.3
85	6.7	41.8	3.0
86	37.3	49.1	18.3
87	22.4	29.5	6.6
93	32.5	37.5	12.2
GRAND TOTAL	5266.4	39.5	2080.1

the date of the last major improvement on a section by maintenance betterment or construction.

Sufficiency ratings have been tabulated on a statewide basis by rating sections in ascending order by adjusted sufficiency ratings. These same tabulations are also included for each of the twelve financial districts along with a map of each district which shows the location of sections rated from 0 to 60 percent.

Route Maps
Sufficiency Ratings
By Section



BEGINNING MILE POST	0.0	2.6	6.9	13.9	15.2	16.9	21.5	25.4	29.8	31.8	32.7	33.3	36.6	37.3	37.8	44.2	49.2	56.1	64.8	71.5	78.2	BEGINNING MILE POST
LENGTH	2.6	4.3	6.9	1.3	1.6	4.5	3.9	4.4	2.0	0.8	0.5	3.3	0.7	0.5	6.3	5.0	6.8	8.6	6.7	6.6	2.1	LENGTH
YEAR BUILT	54	49	49	U	37	34	37	38	71	U	71	76	76	76	36	36	35	38	41	37	37	YEAR BUILT
YEAR IMPROVED	55	51	51	R	38	38	70	52	76	R	76	76	76	76	51	65	39	50	43	53	53	YEAR IMPROVED
SURFACE WIDTH	24	22	22	B	20	20	24	24	68	B	68	68	62	44	24	20	20	20	20	22	22	SURFACE WIDTH
ROADWAY WIDTH	30	28	28	A	24	24	26	24	68	A	68	68	62	44	24	24	24	26	24	24	24	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	N	RMS	RMS	RMS	RMS	PMS	N	PMS	PMS	PMS	PMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	SURFACE TYPE
ADT	1028	1227	1796		2104	1880	1954	2026	4911		7589	5165	2790	2615	1632	971	971	1004	991	962	943	ADT
OHV	133	159	233		273	244	254	263	638		910	671	362	339	212	126	126	130	128	125	122	OHV
SERVICE VOLUME	323	338	508		365	211	528	249	1720		1800	2040	272	222	515	364	228	278	234	243	187	SERVICE VOLUME
FOUNDATION - 10	4	0	0		0	0	0	0	9		8	8	8	9	0	0	0	0	0	0	0	FOUNDATION - 10
SURFACE - 30	16	12	14		10	11	10	11	28		26	27	27	28	10	9	11	13	13	14	14	SURFACE - 30
DRAINAGE - 10	9	8	8		5	3	4	3	10		10	10	10	10	7	7	4	6	7	5	6	DRAINAGE - 10
SAFETY - 20	5	2	6		7	3	7	1	8		20	7	14	10	4	5	3	6	2	2	20	SAFETY - 20
CAPACITY - 30	24	23	23		19	13	23	14	24		22	25	10	7	24	25	22	23	22	22	20	CAPACITY - 30
SUFFICIENCY RATING	58	45	51		41	30	44	29	79		86	77	69	64	65	66	60	68	64	63	60	SUFFICIENCY RATING
ADJUSTED RATING	58	44	47		36	26	39	25	71		79	69	63	58	62	66	60	68	64	63	60	ADJUSTED RATING
DEFICIENT MILEAGE	1.10	2.39	3.40		.91	3.20	2.19	3.15	.42		.07	.76	.21	.18	3.51	2.70	4.12	4.51	3.78	3.78	.85	DEFICIENT MILEAGE

FAP ROUTE NO 1
SHEET 1 OF 7

BEGINNING MILE POST	80.3	89.5	99.4	103.1	106.4	113.3	119.6	123.2	124.6	128.3	138.3	140.0	142.5	153.2	156.6	157.1	159.5	164.7	166.2	169.0	171.1	177.6	180.5	184.2	197.1	BEGINNING MILE POST
LENGTH	9.1	9.8	3.7	3.2	6.8	6.2	3.6	1.4	3.6	10.0	1.7	2.4	10.7	3.3	0.5	2.3	5.2	1.5	2.8	2.1	6.4	2.8	3.6	12.2	0.6	LENGTH
YEAR BUILT	52	36	47	40	49	49	U	67	40	34	34	29	31	48	65	48	57	57	57	75	66	69	33	67	52	YEAR BUILT
YEAR IMPROVED	52	57	61	63	63	51	R	67	64	51	66	65	34	49	65	49	59	59	59	75	66	69	35	77	70	YEAR IMPROVED
SURFACE WIDTH	28	24	24	24	24	24	B	44	30	22	24	24	20	24	24	24	26	26	26	32	32	34	18	32	26	SURFACE WIDTH
ROADWAY WIDTH	28	25	30	24	27	31	A	44	30	24	30	24	24	28	28	28	26	26	26	32	32	34	20	32	26	ROADWAY WIDTH
SURFACE TYPE	RMS	RMS	RMS	RMS	RMS	RMS	N	PMS	RMS	RMS	RMS	RMS	RMS	PMS	RMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	RMS	PMS	PMS	SURFACE TYPE
ADT	1009	1017	1323	1356	1571	2569		5700	4565	2866	4338	3947	2652	874	869	866	858	851	846	840	827	786	827	908	942	ADT
DHV	131	132	171	176	204	326		684	547	401	607	552	371	122	121	121	120	119	118	117	115	110	115	127	131	DHV
SERVICE VOLUME	187	220	292	249	198	452		731	348	716	365	469	415	162	378	194	403	403	489	539	482	514	259	725	336	SERVICE VOLUME
FOUNDATION - 10	0	0	0	0	0	3		8	0	0	0	0	0	6	6	6	5	6	5	7	6	9	0	6	6	FOUNDATION - 10
SURFACE - 30	12	12	15	13	13	14		23	12	9	13	13	11	17	19	17	16	18	17	24	17	22	11	16	17	SURFACE - 30
DRAINAGE - 10	7	6	7	8	8	8		10	8	8	8	10	5	7	10	7	8	10	10	10	10	10	3	10	10	DRAINAGE - 10
SAFETY - 20	5	1	6	4	4	8		5	3	4	4	1	1	2	0	20	7	2	1	20	20	3	0	6	0	SAFETY - 20
CAPACITY - 30	19	21	21	19	15	19		16	6	22	5	12	17	19	25	21	26	26	26	27	26	27	23	27	24	CAPACITY - 30
SUFFICIENCY RATING	43	40	49	44	40	52		62	29	43	30	36	34	51	60	71	62	62	59	88	79	71	37	65	57	SUFFICIENCY RATING
ADJUSTED RATING	43	40	47	42	37	45		50	20	36	21	27	28	52	61	72	63	63	60	88	80	72	38	66	57	ADJUSTED RATING
DEFICIENT MILEAGE	5.22	5.90	1.92	1.82	4.13	3.01		.53	2.58	5.73	1.19	1.56	7.07	1.64	.20	.68	1.98	.57	1.16	.25	1.35	.83	2.28	4.29	.26	DEFICIENT MILEAGE

FAP ROUTE NO 1
SHEET 2 OF 7

197.8	204.3	209.2	210.4	211.3	213.1	218.8	220.4	221.8	222.6	223.7	224.0	228.7	229.8	231.9	233.1	240.2	247.0	251.9	254.1	254.5	254.6	254.8	256.0	BEGINNING MILE POST
6.3	4.8	0.8	1.2	1.8	5.7	1.5	1.3	0.7	2.8	0.1	4.9	1.0	2.1	1.2	7.0	6.7	4.9	2.1	0.4	0.1	0.2	1.1	6.8	LENGTH
52	63	63	43	39	77	39	45	U	32	60	35	57	25	50	25	27	27	72	55	U	55	U	67	YEAR BUILT
70	63	63	62	63	77	63	45	R	70	60	61	57	63	63	61	60	76	72	55	R	55	R	67	YEAR IMPROVED
26	32	32	26	26	48	26	24	B	22	32	22	24	24	24	24	24	24	50	42	B	42	B	40	SURFACE WIDTH
26	32	32	30	30	48	30	24	A	24	32	24	32	24	30	24	24	24	50	42	A	42	A	40	ROADWAY WIDTH
PMS	PMS	PMS	RMS	RMS	PMS	RMS	RMS	N	RMS	PMS	RMS	RMS	RMS	RMS	RMS	RMS	PMS	PMS	PMS	N	PMS	N	PMS	SURFACE TYPE
1043	1233	1381	1384	1386	1392	1399	1503		3652	2106	1211	1208	1207	1205	1298	1327	1415	1851	2623		3192		1420	ADT
146	172	193	193	194	194	195	210		712	402	193	193	193	192	207	199	212	277	314		383		213	DHV
223	497	482	400	400	258	289	278		477	361	642	680	772	530	805	838	574	272	817		817		536	SERVICE VOLUME
4	4	5	0	0	10	0	0		3	7	0	4	0	4	0	0	8	7	4		5		5	FOUNDATION - 10
15	15	17	12	12	30	13	13		13	20	10	15	10	16	9	10	28	24	16		17		17	SURFACE - 30
10	10	10	9	8	10	7	7		9	10	8	10	5	10	7	4	7	10	10		10		10	DRAINAGE - 10
3	3	1	1	3	5	1	1		1	20	3	20	1	6	3	3	3	3	1		20		12	SAFETY - 20
20	25	24	23	23	19	20	19		8	13	25	26	26	25	26	26	24	15	24		23		24	CAPACITY - 30
52	57	57	45	46	74	41	40		34	70	46	75	42	61	45	43	70	59	55		75		68	SUFFICIENCY RATING
52	56	55	43	44	72	39	37		26	65	45	74	41	60	43	41	68	55	48		69		66	ADJUSTED RATING
3.06	2.10	.37	.66	1.00	1.48	.92	.83		1.85	.05	2.66	.26	1.22	.46	3.89	3.86	1.48	.87	.18		.05		2.17	DEFICIENT MILEAGE

262.8	263.1	271.0	278.0	278.4	278.8	279.2	280.1	291.7	299.7	BEGINNING MILE POST
0.2	7.4	7.0	0.3	0.3	0.4	0.8	11.6	8.0	7.2	LENGTH
67	65	53	60	60	56	U	54	56	57	YEAR BUILT
67	65	66	60	60	56	R	59	59	62	YEAR IMPROVED
40	32	32	68	68	60	B	32	32	32	SURFACE WIDTH
40	32	32	68	68	60	A	32	32	32	ROADWAY WIDTH
PMS	PMS	RMS	PMS	PMS	PMS	N	PMS	PMS	PMS	SURFACE TYPE
1256	1220	1210	1534	3857	4515		1190	1028	1011	ADT
188	183	181	230	539	632		154	133	131	DHV
629	666	503	3440	3240	1620		500	526	500	SERVICE VOLUME
5	8	0	0	0	3		0	0	0	FOUNDATION - 10
17	21	17	13	13	14		17	17	12	SURFACE - 30
10	10	10	10	10	9		10	10	10	DRAINAGE - 10
20	14	11	7	20	20		20	20	6	SAFETY - 20
26	26	25	29	28	24		25	26	26	CAPACITY - 30
78	79	63	59	71	70		72	73	54	SUFFICIENCY RATING
77	78	62	56	63	61		71	73	54	ADJUSTED RATING
.05	1.57	2.61	.15	.10	.13		3.26	2.16	3.34	DEFICIENT MILEAGE

FAP ROUTE NO 1
SHEET 3 OF 7

BEGINNING MILE POST	307.0	308.0	315.3	321.0	321.7	322.6	326.3	332.6	341.9	347.7	348.2	354.5	363.5	372.1	379.7	380.6	383.8	BEGINNING MILE POST
LENGTH	0.9	7.2	5.7	0.7	0.8	3.7	6.1	9.2	5.8	0.5	6.3	8.9	8.5	7.0	1.5	3.1	7.2	LENGTH
YEAR BUILT	57	47	47	77	U	77	76	71	60	U	60	36	36	60	52	U	46	YEAR BUILT
YEAR IMPROVED	62	60	60	77	R	77	76	71	60	R	60	59	70	60	52	R	54	YEAR IMPROVED
SURFACE WIDTH	32	26	26	40	B	40	40	40	32	B	32	26	28	32	40	B	24	SURFACE WIDTH
ROADWAY WIDTH	32	26	26	40	A	40	40	40	32	A	32	32	32	32	40	A	30	ROADWAY WIDTH
SURFACE TYPE	PMS	RMS	RMS	PMS	N	PMS	PMS	PMS	PMS	N	PMS	RMS	RMS	PMS	RMS	N	PMS	SURFACE TYPE
ADT	943	925	916	1174		7386	1118	1025	1268		958	1254	1432	2454	5249		3104	ADT
DHV	122	120	119	144		180	145	133	164		124	163	186	319	561		403	DHV
SERVICE VOLUME	552	387	438	214		281	281	244	666		627	530	648	648	654		565	SERVICE VOLUME
FOUNDATION - 10	4	4	6	10		10	10	9	7		8	5	7	4	0		6	FOUNDATION - 10
SURFACE - 30	17	16	17	30		30	30	27	22		22	18	18	17	12		18	SURFACE - 30
DRAINAGE - 10	10	10	10	10		10	10	10	10		10	10	10	10	10		10	DRAINAGE - 10
SAFETY - 20	10	2	4	20		19	20	4	20		5	1	5	4	8		4	SAFETY - 20
CAPACITY - 30	21	25	26	20		20	22	22	26		27	25	26	23	17		19	CAPACITY - 30
SUFFICIENCY RATING	68	57	63	90		89	92	72	85		72	59	66	58	47		57	SUFFICIENCY RATING
ADJUSTED RATING	68	58	64	89		88	91	72	84		72	57	64	52	35		49	ADJUSTED RATING
DEFICIENT MILEAGE	.31	3.13	2.14	.07		.41	.49	2.59	.87		7.78	3.67	2.92	2.94	.80		3.09	DEFICIENT MILEAGE

FAP ROUTE NO 1
SHEET 4 OF 7

BEGINNING MILE POST	391.0	393.8	403.5	404.0	408.3	413.4	414.0	421.3	423.9	424.6	424.7	428.5	429.0	435.1	440.0	446.3	453.6	454.5	457.6	466.7	471.6	472.4	481.3	489.0	499.1	500.0	BEGINNING MILE POST
LENGTH	2.8	9.7	0.5	4.2	5.0	0.5	7.3	2.5	0.7	0.1	3.8	0.5	5.2	4.6	6.4	7.3	0.7	3.1	9.0	4.9	0.6	8.9	7.6	9.9	0.9	1.5	LENGTH
YEAR BUILT	46	38	U	44	40	49	56	39	68	U	68	68	36	25	35	73	U	49	63	53	U	67	67	67	U	55	YEAR BUILT
YEAR IMPROVED	54	59	R	56	56	56	73	62	68	R	68	68	62	71	71	73	R	78	78	53	R	67	67	67	R	55	YEAR IMPROVED
SURFACE WIDTH	24	24	B	28	28	32	32	26	40	B	40	40	28	22	24	40	B	26	30	24	B	40	40	40	B	24	SURFACE WIDTH
ROADWAY WIDTH	31	30	A	30	30	32	32	31	40	A	40	40	30	24	24	40	A	26	30	30	A	40	40	40	A	28	ROADWAY WIDTH
SURFACE TYPE	PMS	RMS	N	PMS	PMS	PMS	PMS	RMS	PMS	N	PMS	PMS	RMS	RMS	BST	PMS	N	RMS	PMS	RMS	N	PMS	PMS	PMS	N	RMS	SURFACE TYPE
AOT	2424	3006		1938	1617	1587	1552	1508	1640		2076	1092	988	860	876	1058		1167	1238	1292		1522	1187	1300		1214	AOT
DHV	315	390		251	210	206	201	196	213		269	141	128	111	113	137		151	160	167		197	154	175		163	DHV
SERVICE VOLUME	565	663		612	612	629	666	612	281		281	244	453	324	469	281		500	576	554		266	281	569		586	SERVICE VOLUME
FOUNDATION - 10	5	5		5	6	5	8	6	8		7	9	0	0	0	6		3	8	0		8	8	6		0	FOUNDATION - 10
SURFACE - 30	18	18		17	16	16	27	16	25		24	26	12	14	13	21		19	30	16		23	23	18		11	SURFACE - 30
DRAINAGE - 10	10	10		10	10	10	10	10	10		10	10	10	4	6	10		8	10	10		10	10	10		10	DRAINAGE - 10
SAFETY - 20	6	12		8	4	1	18	13	16		4	20	2	1	8	20		7	6	20		18	20	18		15	SAFETY - 20
CAPACITY - 30	22	21		24	25	25	25	25	19		16	21	26	25	26	23		25	26	25		19	22	25		26	CAPACITY - 30
SUFFICIENCY RATING	61	66		64	61	57	88	70	78		61	86	50	44	53	80		62	80	71		78	83	77		62	SUFFICIENCY RATING
ADJUSTED RATING	55	59		60	58	54	86	67	75		56	85	50	45	54	80		61	79	69		76	82	76		61	ADJUSTED RATING
DEFICIENT MILEAGE	1.11	3.30		1.52	1.98	.25	.87	.77	.17		1.48	.07	2.62	2.62	3.03	1.47		1.19	1.80	1.43		1.97	1.30	2.29		.57	DEFICIENT MILEAGE

FAP ROUTE NO 1
SHEET 5 OF 7

BEGINNING MILE POST	501.4	508.0	515.6	521.4	526.5	537.6	540.9	541.0	541.4	542.4	543.8	546.2	554.6	555.1	555.8	555.9	556.1	564.8	571.7	BEGINNING MILE POST
LENGTH	6.5	7.5	5.7	5.1	11.1	3.3	0.1	0.3	1.0	1.3	2.4	8.4	0.5	0.7	0.1	0.1	8.6	6.9	9.3	LENGTH
YEAR BUILT	55	66	50	50	50	U	U	U	U	62	62	53	56	U	56	U	56	61	58	YEAR BUILT
YEAR IMPROVED	55	66	55	55	55	N	R	R	R	62	62	53	70	R	70	R	70	61	76	YEAR IMPROVED
SURFACE WIDTH	24	40	24	24	24	O C	B	O C	B	68	36	24	32	B	32	B	32	32	24	SURFACE WIDTH
ROADWAY WIDTH	28	40	27	27	27	E O	A	E O	A	68	36	30	32	A	32	A	32	32	32	ROADWAY WIDTH
SURFACE TYPE	RMS	PMS	PMS	PMS	PMS	R N	N	R N	N	PMS	PMS	RMS	PMS	N	PMS	N	PMS	PMS	PMS	SURFACE TYPE
ADT	1219	1243	1215	1198	1378	S		S		3211	1787	1433	1298		1578		1003	1043	1264	ADT
DHV	164	167	164	161	186	I		I		433	241	189	175		213		135	140	170	DHV
SERVICE VOLUME	500	296	526	471	308	X		P		3600	616	631	544		528		696	720	720	SERVICE VOLUME
FOUNDATION - 10	0	5	4	3	2	U		U		6	5	0	7		9		7	7	4	FOUNDATION - 10
SURFACE - 30	12	22	17	18	14	C		C		18	17	14	24		25		23	28	24	SURFACE - 30
DRAINAGE - 10	9	10	10	10	10	I		I		10	10	10	10		10		10	10	10	DRAINAGE - 10
SAFETY - 20	20	5	14	4	2	I		I		6	3	10	20		20		5	8	20	SAFETY - 20
CAPACITY - 30	25	22	25	25	21	O		O		28	24	26	25		24		27	27	26	CAPACITY - 30
SUFFICIENCY RATING	66	64	70	60	49	N		N		68	59	60	86		88		72	80	84	SUFFICIENCY RATING
ADJUSTED RATING	65	63	69	59	47					61	55	58	85		86		72	80	83	ADJUSTED RATING
DEFICIENT MILEAGE	2.23	2.73	1.73	2.04	5.66					.44	.99	3.36	.07		.01		2.43	1.38	1.49	DEFICIENT MILEAGE

BEGINNING MILE POST	581.0	590.3	591.4	597.2	601.7	611.5	611.9	625.6	626.1	629.4	634.7	639.1	642.5	644.2	645.0	648.0	656.3	661.5	BEGINNING MILE POST
LENGTH	9.3	1.0	5.7	4.5	9.7	0.3	13.6	0.5	3.2	5.3	4.4	3.3	1.7	0.7	3.0	8.2	5.2	5.6	LENGTH
YEAR BUILT	57	U	58	58	60	U	U	U	43	46	52	52	56	U	56	61	55	55	YEAR BUILT
YEAR IMPROVED	61	R	58	58	60	R	N	R	57	50	52	52	61	R	61	61	62	62	YEAR IMPROVED
SURFACE WIDTH	32	B	32	32	32	B	D C	B	24	24	24	24	32	B	32	32	32	32	SURFACE WIDTH
ROADWAY WIDTH	32	A	32	32	32	A	E D	A	30	32	30	30	32	A	32	32	32	32	ROADWAY WIDTH
SURFACE TYPE	PMS	N	PMS	PMS	PMS	N	R N	N	RMS	RMS	RMS	RMS	PMS	N	PMS	PMS	PMS	PMS	SURFACE TYPE
ADT	1452		2473	1814	2017		S		1092	1086	1011	967	991		1114	820	843	866	ADT
DHV	196		296	217	242		T		141	141	131	125	128		150	110	113	116	DHV
SERVICE VOLUME	616		648	648	680		R		414	302	442	414	428		629	629	536	352	SERVICE VOLUME
FOUNDATION - 10	3		6	6	5		U		0	0	0	0	0		6	3	7	7	FOUNDATION - 10
SURFACE - 30	17		17	18	18		C		16	16	15	12	13		16	14	17	17	SURFACE - 30
DRAINAGE - 10	10		10	10	10		T		10	9	10	10	10		10	10	10	10	DRAINAGE - 10
SAFETY - 20	9		4	7	11		I		3	2	10	20	20		5	20	4	9	SAFETY - 20
CAPACITY - 30	25		23	25	25		O		25	23	26	25	26		26	27	27	25	CAPACITY - 30
SUFFICIENCY RATING	64		60	66	69		N		54	50	61	67	69		63	74	65	68	SUFFICIENCY RATING
ADJUSTED RATING	62		54	62	65				53	49	61	67	65		62	75	66	69	ADJUSTED RATING
DEFICIENT MILEAGE	3.35		2.31	1.55	3.02				1.49	2.68	1.71	1.10	.53		1.11	2.15	1.83	1.79	DEFICIENT MILEAGE

FAP ROUTE NO 1
SHEET 7 OF 7



BEGINNING MILE POST	0.0	0.9	4.8	6.7	6.8	13.1	20.9	27.4	34.0	45.8	51.7	57.7	70.1	70.8	82.6	84.0	89.0	BEGINNING MILE POST
LENGTH	0.9	3.9	1.5	0.6	6.3	7.7	6.5	6.2	11.7	5.8	6.0	12.3	0.7	11.7	1.3	5.0	6.4	LENGTH
YEAR BUILT	62	U	50	62	50	70	75	73	65	67	67	58	U	39	U	68	68	YEAR BUILT
YEAR IMPROVED	62	R	50	62	50	70	75	73	65	67	67	72	R	39	R	68	68	YEAR IMPROVED
SURFACE WIDTH	32	B	20	32	20	34	34	34	40	40	40	32	B	24	B	40	40	SURFACE WIDTH
ROADWAY WIDTH	32	A	24	32	24	34	34	34	40	40	40	32	A	30	A	40	40	ROADWAY WIDTH
SURFACE TYPE	PMS	N	RMS	PMS	RMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	N	RMS	N	PMS	PMS	SURFACE TYPE
ADT	2054		1649	638	638	600	481	415	399	405	432	542		857		985	602	ADT
DHV	232		274	82	82	78	62	53	51	52	56	70		110		128	78	DHV
SERVICE VOLUME	488		551	235	228	448	425	448	569	406	431	592		286		599	629	SERVICE VOLUME
FOUNDATION - 10	6		3	7	0	7	10	10	5	6	6	6		0		3	3	FOUNDATION - 10
SURFACE - 30	16		13	19	13	24	30	30	17	16	16	24		14		16	17	SURFACE - 30
DRAINAGE - 10	10		10	10	9	70	10	10	10	10	10	10		10		10	10	DRAINAGE - 10
SAFETY - 20	2		4	14	1	20	20	20	10	20	20	15		2		3	10	SAFETY - 20
CAPACITY - 30	23		24	25	25	27	28	28	29	28	28	28		24		27	28	CAPACITY - 30
SUFFICIENCY RATING	57		54	75	48	88	98	98	71	80	80	83		50		59	68	SUFFICIENCY RATING
ADJUSTED RATING	52		50	71	51	89	98	98	76	84	84	85		51		59	71	ADJUSTED RATING
DEFICIENT MILEAGE	-.39		-.70	-.17	3.28	-.92	-.13	-.12	3.41	1.17	1.21	2.10		5.86		2.07	2.06	DEFICIENT MILEAGE

FAP ROUTE NO 2

SHEET 1 OF 1



BEGINNING MILE POST	0.0	1.8	8.1	15.3	16.8	18.0	20.1	23.1	24.0	25.5	28.2	40.4	41.9	54.9	59.6
LENGTH	1.4	6.2	7.1	1.4	1.2	2.1	2.9	0.8	1.4	2.6	12.2	1.4	12.9	4.6	8.5
YEAR BUILT	55	36	36	42	62	21	21	U	21	21	40	U	21	32	32
YEAR IMPROVED	71	48	61	42	62	32	32	R	32	32	40	R	61	53	53
SURFACE WIDTH	28	24	24	24	35	22	20	B	20	20	24	B	20	20	20
ROADWAY WIDTH	32	31	31	30	35	22	22	A	22	22	30	A	22	24	24
SURFACE TYPE	RMS	RMS	RMS	RMS	BST	BST	BST	N	BST	BST	RMS	N	RMS	RMS	RMS
ADT	4367	3621	1025	966	976	999	1600		1088	1013	918		933	657	450
DHV	567	470	133	125	126	129	208		141	131	119		224	158	108
SERVICE VOLUME	264	631	469	600	616	420	397		420	429	600		397	364	246
FOUNDATION - 10	5	3	0	4	4	0	0		0	0	0		0	0	0
SURFACE - 30	18	18	13	16	17	11	12		12	12	15		13	11	9
DRAINAGE - 10	10	8	8	8	10	4	4		3	3	7		5	6	6
SAFETY - 20	5	12	7	20	20	8	2		0	7	9		1	2	1
CAPACITY - 30	0	19	26	27	27	25	22		25	25	27		22	23	23
SUFFICIENCY RATING	38	60	54	75	78	48	40		40	47	58		41	42	39
ADJUSTED RATING	28	51	54	75	78	48	37		39	47	59		42	45	44
DEFICIENT MILEAGE	.86	2.49	3.28	.36	.27	1.09	1.77		.89	1.42	5.16		7.63	2.69	5.23

FAP ROUTE NO 3
SHEET 1 OF 2

BEGINNING MILE POST	68.2	75.2	83.6	84.3	89.2	95.0	101.0	103.3	BEGINNING MILE POST
LENGTH	6.9	8.3	0.7	4.8	5.8	5.9	2.1	7.2	LENGTH
YEAR BUILT	32	28	66	66	68	66	51	60	YEAR BUILT
YEAR IMPROVED	32	52	66	66	68	66	51	60	YEAR IMPROVED
SURFACE WIDTH	20	22	34	34	34	34	26	32	SURFACE WIDTH
ROADWAY WIDTH	24	24	34	34	34	34	28	32	ROADWAY WIDTH
SURFACE TYPE	BST	RMS	PMS	PMS	PMS	PMS	RMS	RMS	SURFACE TYPE
ADT	470	475	521	692	692	692	692	692	ADT
DHV	113	114	125	166	166	166	166	166	DHV
SERVICE VOLUME	391	672	544	640	529	504	454	485	SERVICE VOLUME
FOUNDATION - 10	0	0	9	8	9	9	4	4	FOUNDATION - 10
SURFACE - 30	6	8	26	24	26	26	16	17	SURFACE - 30
DRAINAGE - 10	4	4	10	10	10	10	10	10	DRAINAGE - 10
SAFETY - 20	1	1	14	5	13	5	5	20	SAFETY - 20
CAPACITY - 30	26	27	27	26	25	25	25	25	CAPACITY - 30
SUFFICIENCY RATING	37	40	86	73	83	75	60	76	SUFFICIENCY RATING
ADJUSTED RATING	42	45	88	75	84	77	63	78	ADJUSTED RATING
DEFICIENT MILEAGE	4.35	5.02	.09	1.31	.99	1.48	.85	1.73	DEFICIENT MILEAGE

FAP ROUTE NO 3

SHEET 2 OF 2



BEGINNING MILE POST	0.0	0.5	13.4	19.2	23.2	24.7	25.6	26.2	32.7	33.1	33.7	42.7	42.9	50.8	52.2	53.8	54.3	54.5	BEGINNING MILE POST
LENGTH	0.5	12.9	5.7	4.0	1.5	0.9	0.6	6.4	0.4	0.5	8.9	0.1	7.9	1.3	1.5	0.4	0.2	0.7	LENGTH
YEAR BUILT	49	56	59	72	72	72	U	23	U	54	68	68	49	49	22	64	64	U	YEAR BUILT
YEAR IMPROVED	49	63	59	72	72	72	R	51	R	54	68	68	70	65	39	64	64	R	YEAR IMPROVED
SURFACE WIDTH	24	32	32	40	40	40	8	22	8	24	40	40	28	28	24	68	68	8	SURFACE WIDTH
ROADWAY WIDTH	30	32	32	40	40	40	A	24	A	32	40	40	32	32	30	68	68	A	ROADWAY WIDTH
SURFACE TYPE	RMS	PMS	PMS	PMS	PMS	PMS	N	RMS	N	RMS	PMS	PMS	RMS	RMS	RMS	PMS	PMS	N	SURFACE TYPE
ADT	900	966	1178	1313	1656	2364		2411		2613	2732	4175	4351	4796	5378	5775	6973		ADT
OHV	117	125	153	170	215	307		313		339	355	542	565	623	699	750	906		OHV
SERVICE VOLUME	648	569	599	448	266	828		453		828	643	432	580	616	652	1424	1424		SERVICE VOLUME
FOUNDATION - 10	8	0	0	4	8	9		0		4	7	7	4	4	4	7	7		FOUNDATION - 10
SURFACE - 30	21	17	14	22	26	28		11		16	22	24	17	15	15	22	22		SURFACE - 30
DRAINAGE - 10	10	10	10	10	10	10		6		10	10	10	10	9	7	10	10		DRAINAGE - 10
SAFETY - 20	5	10	19	20	15	20		4		20	9	3	18	9	2	5	20		SAFETY - 20
CAPACITY - 30	27	27	26	24	18	24		20		24	22	11	15	15	14	22	20		CAPACITY - 30
SUFFICIENCY RATING	71	64	69	80	77	91		41		74	70	55	64	52	42	70	79		SUFFICIENCY RATING
ADJUSTED RATING	72	64	68	79	74	89		35		69	64	45	54	41	30	59	70		ADJUSTED RATING
DEFICIENT MILEAGE	.14	4.65	1.78	.80	.34	.08		3.78		.15	2.67	.07	2.86	.66	.92	.12	.04		DEFICIENT MILEAGE

55.3	57.3	BEGINNING MILE POST
2.0	0.8	LENGTH
23	23	YEAR BUILT
68	68	YEAR IMPROVED
55	55	SURFACE WIDTH
55	55	ROADWAY WIDTH
RMS	RMS	SURFACE TYPE
3554	3305	ADT
462	429	OHV
872	705	SERVICE VOLUME
4	3	FOUNDATION - 10
14	13	SURFACE - 30
8	8	DRAINAGE - 10
3	1	SAFETY - 20
22	21	CAPACITY - 30
51	46	SUFFICIENCY RATING
42	38	ADJUSTED RATING
1.02	.43	DEFICIENT MILEAGE

FAP ROUTE NO 4

SHEET 1 OF 1



BEGINNING MILE POST	0.0	0.6	4.0	5.5	15.0	18.4	24.3	27.5	30.0	32.6	32.7	33.0	34.9	35.3	41.1	46.1	46.5	47.3	53.3	56.9	57.8	59.0	59.3	61.0	61.6	64.4	67.4	71.3	77.5	79.3	86.3	92.7
LENGTH	0.6	3.0	1.5	9.4	3.4	5.8	3.1	2.5	2.5	0.1	0.3	1.8	0.3	5.7	5.0	0.4	0.7	6.0	3.4	0.8	1.1	0.3	1.6	0.5	2.8	2.9	3.8	6.2	1.8	6.9	6.4	0.7
YEAR BUILT	76	34	48	64	40	55	55	56	56	U	69	56	72	50	66	70	U	70	58	73	58	58	U	66	54	54	54	62	62	32	33	64
YEAR IMPROVED	76	55	54	76	40	60	60	60	60	R	69	60	72	50	66	70	R	70	58	73	58	58	R	66	54	54	54	70	62	62	52	65	64
SURFACE WIDTH	64	24	24	36	24	32	32	44	32	B	44	32	32	24	40	40	B	40	32	40	32	40	B	40	24	24	30	32	32	22	24	32
ROADWAY WIDTH	64	24	32	36	30	32	32	44	32	A	44	32	32	30	40	40	A	40	32	40	32	40	A	40	32	32	30	32	32	24	24	32
SURFACE TYPE	PMS	RMS	RMS	PMS	RMS	PMS	PMS	PMS	PMS	N	RMS	PMS	PMS	RMS	PMS	PMS	N	PMS	PMS	PMS	PMS	PMS	N	PMS	PMS	PMS	PMS	PMS	PMS	RMS	RMS	PMS
AOT	4256	4202	4135	3992	4021	4139	4054	3430	3086		3327	3446	3417	3376	4432	5512		4882	5268	5804	6062	7416		3415	2989	2416	1792	1618	1581	1551	1554	1531
OHV	621	613	603	582	587	604	591	500	450		485	503	498	492	647	804		712	769	847	885	1082		461	403	326	241	218	213	209	209	206
SERVICE VOLUME	308	280	220	239	507	580	302	578	503		310	503	310	453	599	784		309	688	308	454	326		326	584	411	469	447	662	341	374	278
FOUNDATION - 10	10	0	0	9	0	6	5	4	3		5	4	6	2	5	8		9	8	6	6	8		8	0	4	5	5	6	0	0	4
SURFACE - 30	30	15	15	26	15	19	17	17	16		17	13	20	15	16	22		25	22	21	17	22		24	17	16	24	21	18	10	8	14
DRAINAGE - 10	10	7	7	10	8	10	10	10	10		10	10	10	8	10	10		10	10	10	10	10		10	10	10	9	10	10	4	4	10
SAFETY - 20	4	1	5	6	4	15	4	3	9		20	12	20	4	14	8		11	11	9	8	20		1	4	20	10	16	9	1	1	15
CAPACITY - 30	0	0	0	0	13	14	1	17	17		7	15	6	14	14	15		0	13	0	1	0		9	20	18	22	23	25	21	22	19
SUFFICIENCY RATING	54	23	27	51	40	64	37	51	55		59	54	62	43	59	63		55	64	46	42	60		52	51	68	70	75	68	36	35	62
ADJUSTED RATING	44	16	19	41	30	55	28	42	47		51	45	54	35	49	52		44	53	34	29	46		43	43	62	66	72	65	33	32	59
DEFICIENT MILEAGE	.28	2.37	1.12	4.65	2.06	2.10	1.98	1.24	1.15		.13	.84	.14	3.30	2.05	.15		2.70	1.23	.47	.68	.13		.28	1.39	.94	1.15	1.55	.58	4.43	4.17	.28

FAP ROUTE 5
SHEET 1 OF 2

BEGINNING MILE POST	93.5	98.6	104.2	109.6	114.8	120.6	125.4	126.9	128.4	134.6	145.6	156.9	159.6	169.2	178.0	179.6	180.9	BEGINNING MILE POST
LENGTH	5.1	5.5	5.3	4.9	5.7	4.7	1.4	1.5	6.2	10.9	11.2	2.6	8.6	9.6	1.5	1.3	6.5	LENGTH
YEAR BUILT	64	63	49	U	57	60	60	U	34	55	55	55	31	31	U	43	50	YEAR BUILT
YEAR IMPROVED	64	63	61	R	60	60	60	R	54	59	60	60	64	52	R	57	50	YEAR IMPROVED
SURFACE WIDTH	32	32	38	B	36	36	36	B	22	24	26	26	24	22	B	22	24	SURFACE WIDTH
ROADWAY WIDTH	32	32	38	A	36	36	36	A	23	28	26	26	24	22	A	24	24	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	RMS	N	PMS	PMS	PMS	N	RMS	PMS	PMS	PMS	RMS	RMS	N	RMS	RMS	SURFACE TYPE
ADT	1188	2872	6836		5591	5863	8938		2448	1206	844	193	986	1433		2434	456	ADT
DHV	241	387	820		670	703	1072		318	156	109	103	128	186		316	59	DHV
SERVICE VOLUME	307	589	383		500	500	937		717	462	255	255	123	126		319	307	SERVICE VOLUME
FOUNDATION - 10	3	4	5		5	4	5		0	3	0	0	0	0		0	0	FOUNDATION - 10
SURFACE - 30	13	14	11		18	16	16		13	14	14	15	16	15		13	14	SURFACE - 30
DRAINAGE - 10	10	10	10		10	10	10		4	10	9	9	4	5		8	9	DRAINAGE - 10
SAFETY - 20	9	5	12		5	11	10		1	6	13	18	1	1		1	8	SAFETY - 20
CAPACITY - 30	18	20	0		10	9	13		0	25	24	24	14	8		15	27	CAPACITY - 30
SUFFICIENCY RATING	53	53	44		48	50	54		18	58	60	66	35	29		37	58	SUFFICIENCY RATING
ADJUSTED RATING	49	46	30		36	37	38		14	57	61	61	35	21		31	64	ADJUSTED RATING
DEFICIENT MILEAGE	2.43	2.60	2.99		3.01	2.39	.68		5.08	4.60	4.50	.91	5.64	6.85		.86	2.14	DEFICIENT MILEAGE

FAP ROUTE 5
SHEET 2 OF 2

BEGINNING MILE POST	0.0	2.2	4.6	8.2	10.4	11.4	12.3	13.5	14.7	23.3	29.4	37.6	46.2	47.2	49.6	50.4	51.5	BEGINNING MILE POST
LENGTH	2.2	2.3	3.6	2.1	0.9	0.9	1.2	1.1	8.6	6.0	8.2	8.5	0.9	2.4	0.7	1.0	4.5	LENGTH
YEAR BUILT	52	63	52	63	52	63	58	63	59	59	48	48	58	61	48	U	35	YEAR BUILT
YEAR IMPROVED	65	63	64	63	52	63	58	63	64	64	54	54	58	64	54	R	36	YEAR IMPROVED
SURFACE WIDTH	24	28	24	28	24	28	32	28	32	32	24	24	32	32	24	B	20	SURFACE WIDTH
ROADWAY WIDTH	28	28	28	28	28	28	32	28	32	32	28	28	32	32	28	A	24	ROADWAY WIDTH
SURFACE TYPE	RMS	RMS	RMS	RMS	RMS	RMS	BST	RMS	PMS	PMS	PMS	PMS	BST	PMS	PMS	N	RMS	SURFACE TYPE
ADT	609	627	652	676	753	758	764	770	795	801	728	905	1104	1336	2206		1799	ADT
DHV	88	91	95	98	109	110	111	112	116	116	106	132	161	195	322		268	DHV
SERVICE VOLUME	289	243	220	289	220	266	210	391	290	500	462	435	405	240	211		220	SERVICE VOLUME
FOUNDATION - 10	6	5	5	8	6	8	7	7	6	3	3	0	5	7	6		0	FOUNDATION - 10
SURFACE - 30	18	17	15	18	17	20	19	19	19	17	12	14	16	18	17		12	SURFACE - 30
DRAINAGE - 10	8	9	9	10	10	10	10	10	10	10	9	9	10	10	9		6	DRAINAGE - 10
SAFETY - 20	3	20	3	4	6	4	2	4	4	4	10	7	20	3	16		4	SAFETY - 20
CAPACITY - 30	25	24	24	25	23	24	22	26	24	27	27	25	24	18	1		12	CAPACITY - 30
SUFFICIENCY RATING	60	75	56	65	62	66	60	66	63	61	61	55	75	56	55		34	SUFFICIENCY RATING
ADJUSTED RATING	63	77	59	68	64	68	62	68	65	63	63	56	74	54	49		30	ADJUSTED RATING
DEFICIENT MILEAGE	.90	.59	1.59	.75	.36	.32	.48	.40	3.18	2.37	3.21	3.83	.24	1.08	.35		3.01	DEFICIENT MILEAGE

FAP ROUTE NO 6
SHEET 1 OF 2

BEGINNING MILE POST	56.0	57.8	64.7	68.7	72.5	75.7	76.2	76.6	78.9	85.0	88.7	90.5	94.0	95.6	99.2	102.1	103.0	104.6	105.1	106.1	108.1	115.1	BEGINNING MILE POST
LENGTH	1.7	6.8	3.9	3.8	3.1	0.5	0.3	2.2	6.0	3.6	1.8	3.5	1.2	3.6	2.9	0.7	1.7	0.3	1.0	1.9	7.0	0.9	LENGTH
YEAR BUILT	35	34	39	38	31	U	31	31	31	31	24	69	24	57	24	69	22	69	22	44	27	34	YEAR BUILT
YEAR IMPROVED	69	49	39	52	34	R	34	34	51	51	38	69	38	76	38	69	57	69	34	44	50	52	YEAR IMPROVED
SURFACE WIDTH	20	20	26	20	18	B	18	18	20	20	20	32	20	30	20	32	20	32	22	24	20	20	SURFACE WIDTH
ROADWAY WIDTH	24	24	26	24	24	A	24	24	24	24	24	32	24	30	25	32	24	32	24	24	24	24	ROADWAY WIDTH
SURFACE TYPE	RMS	RMS	BST	RMS	RMS	N	RMS	RMS	RMS	RMS	RMS	PMS	RMS	PMS	RMS	PMS	RMS	PMS	RMS	BST	RMS	RMS	SURFACE TYPE
AOT	1041	1058	1217	1376	1524		1081	1373	1254	814	825	833	840	871	880	884	886	889	890	894	1120	1196	AOT
DHV	155	157	181	205	227		161	204	186	121	122	124	125	129	131	131	132	132	132	133	166	178	DHV
SERVICE VOLUME	159	364	294	201	597		259	238	364	391	307	431	201	432	406	694	281	268	378	538	406	182	SERVICE VOLUME
FOUNDATION - 10	0	0	0	0	0		0	0	0	0	0	7	0	8	0	6	0	8	0	0	0	0	FOUNDATION - 10
SURFACE - 30	11	10	11	11	8		11	11	10	9	11	19	15	27	10	22	10	24	9	10	9	11	SURFACE - 30
DRAINAGE - 10	5	5	6	4	6		3	3	5	4	4	10	3	8	4	10	3	10	3	8	4	8	DRAINAGE - 10
SAFETY - 20	7	10	2	3	4		3	0	2	1	0	20	1	20	2	15	0	1	1	13	1	1	SAFETY - 20
CAPACITY - 30	15	24	21	15	24		21	17	22	25	24	26	21	26	25	27	23	23	25	26	24	15	CAPACITY - 30
SUFFICIENCY RATING	38	49	40	33	42		38	31	39	39	39	82	40	89	41	80	36	66	38	57	38	35	SUFFICIENCY RATING
ADJUSTED RATING	38	49	39	31	39		37	29	37	40	40	83	41	89	42	80	37	67	39	58	37	34	ADJUSTED RATING
DEFICIENT MILEAGE	1.06	3.51	2.39	2.60	1.82		.23	1.57	3.71	2.21	1.14	.63	.76	.39	1.74	.15	1.08	.13	.65	.85	4.39	.60	DEFICIENT MILEAGE

FAP ROUTE NO 6

SHEET 2 OF 2



BEGINNING MILE POST	0.0	0.1	7.5	13.5	16.7	20.4	23.5	26.4	30.4	31.2	43.0	44.5	46.6	48.0	49.7	51.9	59.0	66.7	73.5	74.2	74.8	76.8	82.7	83.3	90.1	BEGINNING MILE POST
LENGTH	0.1	7.4	6.0	3.3	3.5	3.0	2.9	4.0	0.8	11.7	1.5	2.0	1.3	1.7	2.2	7.0	7.7	6.7	0.6	0.5	2.0	6.0	0.6	6.7	5.0	LENGTH
YEAR BUILT	40	40	40	36	37	37	36	36	U	34	49	34	U	40	53	53	56	56	74	74	74	74	68	68	U	YEAR BUILT
YEAR IMPROVED	40	40	40	39	39	39	36	59	R	35	49	59	R	40	53	53	61	61	76	76	76	76	68	68	R	YEAR IMPROVED
SURFACE WIDTH	22	22	24	24	24	24	22	22	B	22	28	22	B	24	24	24	32	32	44	64	38	38	44	68	B	SURFACE WIDTH
ROADWAY WIDTH	22	22	24	24	24	24	25	26	A	24	28	24	A	30	32	32	32	32	44	64	38	38	44	68	A	ROADWAY WIDTH
SURFACE TYPE	BST	BST	BST	BST	BST	BST	RMS	RMS	N	RMS	RMS	RMS	N	RMS	RMS	RMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	N	SURFACE TYPE
ADT	830	831	838	951	1054	1117	1155	2249		2336	3000	4305		5431	5393	3904	3647	3951	4185	4549	5614	6372	7207	8856		ADT
DHV	107	108	108	123	137	145	150	292		303	390	559		706	701	507	474	513	544	591	729	828	936	1151		DHV
SERVICE VOLUME	329	329	289	235	235	220	273	264		252	331	627		780	1016	648	720	672	320	2136	344	344	232	1920		SERVICE VOLUME
FOUNDATION - 10	0	0	0	0	0	0	0	3		0	3	0		0	0	2	8	8	9	8	10	10	10	9		FOUNDATION - 10
SURFACE - 30	13	13	13	13	14	15	14	14		12	13	9		8	9	11	24	24	27	24	27	28	26	25		SURFACE - 30
DRAINAGE - 10	5	5	6	7	7	7	6	6		6	9	4		4	10	10	10	10	10	10	10	10	10	10		DRAINAGE - 10
SAFETY - 20	0	1	17	1	2	4	2	2		2	1	3		7	11	9	2	12	20	4	14	12	1	5		SAFETY - 20
CAPACITY - 30	25	25	24	22	21	20	22	13		12	12	17		16	20	18	20	19	5	26	0	0	0	21		CAPACITY - 30
SUFFICIENCY RATING	43	44	60	43	44	46	44	38		32	38	33		35	50	50	64	73	71	72	61	60	47	70		SUFFICIENCY RATING
ADJUSTED RATING	44	45	61	43	44	45	43	33		27	31	24		24	38	40	55	65	63	63	49	47	33	57		ADJUSTED RATING
DEFICIENT MILEAGE	.05	4.16	2.40	1.93	1.98	1.66	1.64	2.48		7.99	.94	1.36		1.12	1.12	3.52	2.77	1.82	.19	.15	.79	2.41	.33	2.02		DEFICIENT MILEAGE

FAP ROUTE NO 7
SHEET 1 OF 1



BEGINNING MILE POST	0.0	3.9	11.2	13.0	23.2	25.5	27.3	27.6	30.0	34.3	39.6	46.4	48.5	49.5	52.8	54.4	55.9	57.1	65.4	76.9	78.1	BEGINNING MILE POST
LENGTH	3.7	7.3	1.7	10.2	2.3	1.6	0.3	2.2	4.1	5.4	7.8	2.0	1.0	3.2	1.6	1.5	1.1	8.3	11.5	1.1	9.6	LENGTH
YEAR BUILT	78	57	33	33	73	73	77	77	78	33	U	78	U	78	69	69	69	72	56	U	39	YEAR BUILT
YEAR IMPROVED	78	64	66	66	73	73	77	77	78	33	R	78	R	78	69	69	69	72	65	R	78	YEAR IMPROVED
SURFACE WIDTH	40	32	22	22	56	56	56	56	56	20	B	88	B	44	40	40	40	34	32	B	30	SURFACE WIDTH
ROADWAY WIDTH	40	32	24	24	56	56	56	56	56	24	A	88	A	44	40	40	40	34	32	A	32	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	RMS	RMS	PMS	PMS	PMS	PMS	PMS	RMS	N	PMS	N	PMS	PMS	PMS	PMS	PMS	PMS	N	PMS	SURFACE TYPE
ADT	1517	1485	1356	1346	1483	1549	1582	1637	1778	2303		8785		3060	2833	2635	2066	1904	1894		1853	ADT
DHV	197	193	176	174	192	201	205	212	231	299		1054		408	433	403	268	247	246		240	DHV
SERVICE VOLUME	224	406	554	513	1920	1920	1152	1152	1920	299		2304		320	320	264	320	504	648		720	SERVICE VOLUME
FOUNDATION - 10	10	7	0	0	8	8	8	8	10	0		10		10	8	8	8	7	5		10	FOUNDATION - 10
SURFACE - 30	30	20	9	9	26	27	27	27	30	12		30		30	25	25	25	23	18		30	SURFACE - 30
DRAINAGE - 10	10	10	8	6	10	10	10	10	10	8		10		10	10	10	10	10	10		10	DRAINAGE - 10
SAFETY - 20	5	15	17	3	16	17	3	3	4	2		6		8	3	20	20	13	6		15	SAFETY - 20
CAPACITY - 30	17	23	25	25	29	28	27	27	28	15		23		8	10	7	17	23	24		25	CAPACITY - 30
SUFFICIENCY RATING	76	75	59	47	89	90	75	75	82	37		79		66	56	70	80	76	63		90	SUFFICIENCY RATING
ADJUSTED RATING	74	73	57	41	88	89	72	72	79	31		69		59	49	64	77	73	54		88	ADJUSTED RATING
DEFICIENT MILEAGE	.90	1.84	.71	4.81	.25	.16	.07	.56	.74	3.42		.43		1.11	.73	.45	.22	1.99	4.26		.96	DEFICIENT MILEAGE

87.7	98.9	107.8	108.8	BEGINNING MILE POST
11.2	8.9	0.9	0.3	LENGTH
50	52	52	68	YEAR BUILT
51	52	52	68	YEAR IMPROVED
24	24	24	44	SURFACE WIDTH
26	28	28	44	ROADWAY WIDTH
RMS	RMS	RMS	RMS	SURFACE TYPE
1525	1665	591	591	ADT
198	216	76	76	DHV
507	401	503	128	SERVICE VOLUME
4	2	7	10	FOUNDATION - 10
15	14	18	27	SURFACE - 30
10	10	10	10	DRAINAGE - 10
17	20	19	1	SAFETY - 20
24	22	28	21	CAPACITY - 30
10	68	82	69	SUFFICIENCY RATING
67	65	84	72	ADJUSTED RATING
3.37	2.86	.17	.09	DEFICIENT MILEAGE

FAP ROUTE 8
SHEET 1 OF 1



BEGINNING MILE POST	0.0	1.9	12.4	20.1	20.8	29.3	38.5	43.1	46.0	53.8	60.0	64.0	BEGINNING MILE POST
LENGTH	2.2	10.4	7.7	0.7	8.4	9.0	4.5	2.8	7.8	6.1	4.0	0.7	LENGTH
YEAR BUILT	67	59	63	63	32	32	35	35	35	36	36	U	YEAR BUILT
YEAR IMPROVED	67	59	63	63	65	65	35	35	35	36	36	R	YEAR IMPROVED
SURFACE WIDTH	30	32	32	32	20	20	20	20	20	22	22	8	SURFACE WIDTH
ROADWAY WIDTH	30	32	32	32	24	24	24	24	24	25	25	A	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	PMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	N	SURFACE TYPE
ADT	274	306	245	278	294	291	457	326	367	479	694		ADT
DHV	43	48	39	44	47	46	73	52	58	76	111		DHV
SERVICE VOLUME	604	324	352	365	470	211	364	237	286	253	486		SERVICE VOLUME
FOUNDATION - 10	8	6	3	7	0	0	0	0	0	0	0		FOUNDATION - 10
SURFACE - 30	25	20	16	18	10	11	13	11	12	12	14		SURFACE - 30
DRAINAGE - 10	10	10	10	10	7	7	7	8	8	8	8		DRAINAGE - 10
SAFETY - 20	4	20	5	20	2	1	2	1	1	1	10		SAFETY - 20
CAPACITY - 30	29	28	28	28	29	27	27	27	27	25	27		CAPACITY - 30
SUFFICIENCY RATING	76	84	62	83	48	46	49	47	48	46	59		SUFFICIENCY RATING
ADJUSTED RATING	83	88	72	88	57	55	55	55	55	51	62		ADJUSTED RATING
DEFICIENT MILEAGE	.53	1.67	2.94	.12	4.40	4.90	2.33	1.50	4.08	3.31	1.64		DEFICIENT MILEAGE

FAP ROUTE NO 9
SHEET 1 OF 1

BEGINNING MILE POST	0.0	3.5	9.6	16.2	20.0	29.7	39.5	40.6	51.5	52.3	55.1	BEGINNING MILE POST
LENGTH	4.7	6.1	6.4	3.8	9.7	9.8	1.1	10.9	0.8	2.7	8.7	LENGTH
YEAR BUILT	U	40	51	51	63	64	74	74	36	34	14	YEAR BUILT
YEAR IMPROVED	R	71	57	57	63	64	74	74	36	55	55	YEAR IMPROVED
SURFACE WIDTH	B	28	30	30	32	32	32	32	24	22	22	SURFACE WIDTH
ROADWAY WIDTH	A	28	30	30	32	32	32	32	24	24	24	ROADWAY WIDTH
SURFACE TYPE	N	PMS	PMS	PMS	PMS	PMS	PMS	PMS	RMS	RMS	RMS	SURFACE TYPE
ADT		2257	1809	1775	1644	1764	1139	1252	1243	1215	1150	ADT
DHV		293	235	230	213	229	148	162	161	157	149	DHV
SERVICE VOLUME		480	333	456	471	585	468	540	264	307	355	SERVICE VOLUME
FOUNDATION - 10		5	4	3	5	7	10	9	0	0	0	FOUNDATION - 10
SURFACE - 30		25	17	16	19	23	30	28	14	10	11	SURFACE - 30
DRAINAGE - 10		9	10	10	10	10	10	10	8	8	8	DRAINAGE - 10
SAFETY - 20		3	14	19	12	20	20	14	1	2	2	SAFETY - 20
CAPACITY - 30		21	19	22	23	24	25	26	21	22	24	CAPACITY - 30
SUFFICIENCY RATING		63	64	70	69	84	95	87	44	42	45	SUFFICIENCY RATING
ADJUSTED RATING		58	60	67	66	82	94	86	43	41	44	ADJUSTED RATING
DEFICIENT MILEAGE		2.25	2.33	1.14	3.01	1.57	.05	1.41	.37	1.60	6.82	DEFICIENT MILEAGE



BEGINNING MILE POST	63.9	72.4	79.3	80.0	84.8	86.0	89.4	89.6	90.9	97.0	104.3	109.5
LENGTH	8.4	6.8	0.6	4.7	1.2	3.3	0.1	1.3	6.0	7.3	5.1	1.7
YEAR BUILT	34	34	U	33	70	33	30	70	30	28	67	52
YEAR IMPROVED	55	55	R	63	70	47	70	70	73	41	67	52
SURFACE WIDTH	22	22	B	24	32	20	30	32	22	22	40	32
ROADWAY WIDTH	24	24	A	26	32	24	30	32	26	24	40	32
SURFACE TYPE	RMS	RMS	N	RMS	PMS	BST	RMS	PMS	PMS	RMS	PMS	RMS
ADT	1045	1074		1478	1382	1309	1256	1274	1290	1435	1806	1826
DHV	135	139		192	175	170	163	165	167	186	234	237
SERVICE VOLUME	333	318		889	720	739	702	720	535	510	304	380
FOUNDATION - 10	0	0		9	6	0	7	8	0	0	7	2
SURFACE - 30	17	12		8	23	9	22	25	12	13	22	13
DRAINAGE - 10	8	8		7	10	7	10	10	7	7	10	10
SAFETY - 20	2	5		20	20	10	4	4	15	15	20	6
CAPACITY - 30	24	23		27	26	27	27	27	25	25	18	24
SUFFICIENCY RATING	51	48		62	85	53	70	74	59	60	77	55
ADJUSTED RATING	51	48		59	84	51	69	73	57	58	74	51
DEFICIENT MILEAGE	4.14	3.57		1.02	.18	1.58	.05	.14	2.50	2.94	1.17	.80

FAP ROUTE NO 10
SHEET 1 OF 1

BEGINNING MILE POST	0.0	1.0	1.3	5.5	10.8	16.6	19.3	30.9	40.7	49.9	51.8	55.8	BEGINNING MILE POST
LENGTH	1.0	0.3	4.3	5.1	5.7	2.7	11.6	9.7	9.1	1.8	4.0	2.0	LENGTH
YEAR BUILT	75	75	71	69	69	61	61	61	65	61	U	34	YEAR BUILT
YEAR IMPROVED	75	75	71	69	69	61	61	61	65	61	R	34	YEAR IMPROVED
SURFACE WIDTH	48	34	34	34	32	32	32	32	32	32	B	20	SURFACE WIDTH
ROADWAY WIDTH	48	34	34	34	32	32	32	32	32	32	A	24	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	PMS	BST	PMS	PMS	PMS	PMS	PMS	N	PMS	SURFACE TYPE
ADT	1084	1078	1038	987	996	1002	896	1372	1622	2412		1940	ADT
OHV	233	231	223	212	214	215	192	294	348	518		252	OHV
SERVICE VOLUME	504	640	453	529	485	696	696	696	696	748		654	SERVICE VOLUME
FOUNDATION - 10	9	9	7	8	8	9	8	8	8	8		0	FOUNDATION - 10
SURFACE - 30	28	28	25	25	24	26	25	25	23	25		12	SURFACE - 30
DRAINAGE - 10	10	10	10	10	10	10	10	10	10	10		7	DRAINAGE - 10
SAFETY - 20	1	20	11	20	2	14	7	11	5	6		3	SAFETY - 20
CAPACITY - 30	23	25	23	24	23	25	26	24	23	20		24	CAPACITY - 30
SUFFICIENCY RATING	71	92	76	87	67	84	76	78	69	69		46	SUFFICIENCY RATING
ADJUSTED RATING	70	92	76	87	67	84	76	76	66	64		41	ADJUSTED RATING
DEFICIENT MILEAGE	.29	.02	1.03	.66	1.90	.43	2.78	2.13	2.84	.58		1.12	DEFICIENT MILEAGE



BEGINNING MILE POST	0.0	2.2	8.0	8.6
LENGTH	2.2	5.7	0.5	0.6
YEAR BUILT	61	61	30	U
YEAR IMPROVED	61	61	30	R
SURFACE WIDTH	34	34	34	B
ROADWAY WIDTH	34	34	34	A
SURFACE TYPE	PMS	PMS	AMS	N
ADT	1650	1758	2092	
OHV	381	406	483	
SERVICE VOLUME	252	552	728	
FOUNDATION - 10	8	5	8	
SURFACE - 30	26	15	27	
DRAINAGE - 10	10	10	3	
SAFETY - 20	8	12	20	
CAPACITY - 30	7	19	20	
SUFFICIENCY RATING	59	61	78	
ADJUSTED RATING	56	57	74	
DEFICIENT MILEAGE	.93	2.25	.12	

FAP ROUTE NO 11 & 12

SHEET 1 OF 1



BEGINNING MILE POST	0.0	8.6	16.3	21.3	24.3	27.1	37.8	47.1	48.6	49.2	56.5	61.5	65.3	74.8	80.7	82.2	83.0	83.9	88.7	93.0	93.3	93.6	94.6	95.7	96.5	97.1	BEGINNING MILE POST
LENGTH	8.5	7.8	4.9	2.9	2.6	10.8	9.2	1.4	0.6	7.2	5.1	3.7	9.5	5.9	1.4	0.8	0.9	5.2	4.2	0.2	0.3	1.1	1.1	0.8	0.5	0.2	LENGTH
YEAR BUILT	62	66	69	71	34	34	34	36	U	34	36	34	34	76	76	50	34	32	32	68	68	49	38	U	50	64	YEAR BUILT
YEAR IMPROVED	76	66	69	71	34	34	34	58	R	34	57	34	34	76	76	50	34	32	32	61	68	68	49	38	R	55	69	YEAR IMPROVED
SURFACE WIDTH	34	40	40	40	20	20	20	22	8	20	22	20	20	32	32	22	22	24	20	40	40	28	24	8	32	32	SURFACE WIDTH
ROADWAY WIDTH	34	40	40	40	24	24	24	25	A	24	24	24	24	32	32	24	24	30	24	40	40	28	28	A	32	32	ROADWAY WIDTH
SURFACE TYPE	BST	PMS	PMS	PMS	RMS	RMS	RMS	RMS	N	RMS	RMS	RMS	RMS	PMS	PMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	N	RMS	PMS	SURFACE TYPE
AOT	135	540	531	522	516	514	704	1117		872	698	613	426	412	361	361	361	466	466	466	668	668	668		1948	1803	AOT
OHV	27	109	106	104	103	102	140	223		135	108	95	66	63	55	55	55	60	60	60	86	86	86		253	234	OHV
SERVICE VOLUME	478	596	568	511	792	762	486	601		437	311	211	220	643	470	264	306	286	342	88	67	586	372		752	406	SERVICE VOLUME
FOUNDATION - 10	7	8	8	8	0	0	0	0		0	2	3	0	8	9	0	0	0	0	9	7	3	3		3	8	FOUNDATION - 10
SURFACE - 30	26	24	22	25	8	10	14	12		15	15	15	14	27	28	15	13	14	10	26	23	15	13		13	26	SURFACE - 30
DRAINAGE - 10	10	10	10	10	7	9	8	9		8	7	8	7	10	10	8	8	8	7	10	10	10	8		8	10	DRAINAGE - 10
SAFETY - 20	5	20	20	20	8	15	6	10		4	2	1	1	7	20	1	1	1	2	20	0	20	7		20	4	SAFETY - 20
CAPACITY - 30	29	27	27	27	28	28	26	24		25	25	23	26	29	28	27	27	27	27	20	11	28	27		25	21	CAPACITY - 30
SUFFICIENCY RATING	77	89	87	90	57	62	54	55		52	57	50	48	61	55	51	49	50	46	85	51	76	52		69	69	SUFFICIENCY RATING
ADJUSTED RATING	87	90	89	91	56	67	57	54		53	54	54	54	85	96	58	56	56	51	88	54	78	55		65	65	ADJUSTED RATING
DEFICIENT MILEAGE	1.96	.85	.64	.29	1.29	4.10	4.25	.67		3.47	2.53	1.85	4.96	1.12	.07	.40	.46	2.63	2.29	.04	.76	.26	.53		.17	.06	DEFICIENT MILEAGE

FAP ROUTE NO 13
SHEET 1 OF 1

BEGINNING MILE POST	0.0	0.8	2.3	6.4	13.5	23.5	33.4	41.6	42.7	45.1	48.9	55.9	63.1	68.5	73.3	75.1	BEGINNING MILE POST
LENGTH	0.8	1.5	4.0	7.1	9.9	9.9	8.1	0.9	2.4	3.9	6.9	7.2	5.3	4.8	1.7	2.0	LENGTH
YEAR BUILT	U	64	64	37	51	55	33	U	65	65	76	56	37	36	36	34	YEAR BUILT
YEAR IMPROVED	R	64	64	66	51	55	66	R	65	65	76	58	65	63	63	64	YEAR IMPROVED
SURFACE WIDTH	B	32	32	24	20	24	21	B	40	40	36	28	21	22	22	22	SURFACE WIDTH
ROADWAY WIDTH	A	32	32	25	26	47	24	A	40	40	36	28	24	24	24	24	ROADWAY WIDTH
SURFACE TYPE	N	PMS	PMS	RMS	RMS	PMS	RMS	N	PMS	PMS	PMS	PMS	RMS	RMS	RMS	RMS	SURFACE TYPE
ADT		1812	550	496	397	463	851		813	349	293	306	345	378	399	409	ADT
OHV		271	82	74	59	69	127		121	45	38	39	44	49	51	53	OHV
SERVICE VOLUME		569	487	409	252	264	660		281	485	226	371	448	451	792	702	SERVICE VOLUME
FOUNDATION - 10		9	8	0	0	4	0		7	6	10	3	0	0	0	0	FOUNDATION - 10
SURFACE - 30		22	23	10	13	14	10		21	18	30	16	9	9	10	10	SURFACE - 30
DRAINAGE - 10		10	10	7	5	9	8		10	10	10	10	8	7	7	6	DRAINAGE - 10
SAFETY - 20		8	20	1	3	1	10		20	20	20	5	3	2	5	3	SAFETY - 20
CAPACITY - 30		23	27	27	26	26	27		24	29	27	28	29	28	29	29	CAPACITY - 30
SUFFICIENCY RATING		72	88	45	47	54	55		82	83	97	62	49	46	51	48	SUFFICIENCY RATING
ADJUSTED RATING		69	90	50	54	60	56		83	87	98	70	57	53	58	54	ADJUSTED RATING
DEFICIENT MILEAGE		.42	.48	3.95	5.24	4.58	3.68		.43	.67	.20	2.76	2.71	2.63	.87	1.06	DEFICIENT MILEAGE

FAP ROUTE NO 14
SHEET 1 OF 3

BEGINNING MILE POST	77.2	88.0	92.8	99.3	100.3	100.8	108.0	116.4	122.5	124.9	129.5	130.5	133.0	137.0	146.0	BEGINNING MILE POST
LENGTH	10.8	4.7	6.5	0.9	0.5	7.1	8.4	6.1	2.3	4.5	1.0	2.4	3.9	9.1	5.6	LENGTH
YEAR BUILT	34	66	68	U	65	65	53	67	67	56	U	37	37	37	37	YEAR BUILT
YEAR IMPROVED	64	66	68	R	65	65	53	67	67	71	R	37	37	37	37	YEAR IMPROVED
SURFACE WIDTH	22	40	40	B	40	40	24	40	40	28	B	20	20	20	20	SURFACE WIDTH
ROADWAY WIDTH	24	40	40	A	40	40	28	40	40	28	A	24	24	24	24	ROADWAY WIDTH
SURFACE TYPE	RMS	PMS	PMS	N	PMS	PMS	RMS	PMS	PMS	PMS	N	RMS	RMS	RMS	RMS	SURFACE TYPE
AOT	380	445	576		1493	1050	952	894	847	853		844	835	872	262	AOT
OHV	49	57	74		194	136	123	116	110	110		109	108	113	34	OHV
SERVICE VOLUME	642	680	680		806	247	486	247	260	486		333	283	515	201	SERVICE VOLUME
FOUNDATION - 10	0	7	7		8	7	4	8	7	3		0	0	0	0	FOUNDATION - 10
SURFACE - 30	9	18	19		22	21	15	24	23	16		11	9	9	13	SURFACE - 30
DRAINAGE - 10	7	10	10		10	10	10	10	10	10		6	6	8	4	DRAINAGE - 10
SAFETY - 20	3	7	20		20	8	9	17	12	15		20	1	8	1	SAFETY - 20
CAPACITY - 30	29	29	28		26	22	26	23	24	27		25	24	27	27	CAPACITY - 30
SUFFICIENCY RATING	48	71	84		86	68	64	82	76	71		62	40	52	45	SUFFICIENCY RATING
ADJUSTED RATING	55	76	86		64	68	64	82	77	72		63	41	53	55	ADJUSTED RATING
DEFICIENT MILEAGE	5.62	1.38	1.04		.01	2.28	3.03	1.09	.57	1.31		.94	2.38	4.36	3.09	DEFICIENT MILEAGE

FAP ROUTE NO 14
SHEET 2 OF 3



BEGINNING MILE POST	229.5	242.4	252.3	259.4	265.1	270.5	270.8	270.8	271.2	BEGINNING MILE POST
LENGTH	12.8	9.9	7.1	5.5	5.3	0.3	0.1	0.3	1.2	LENGTH
YEAR BUILT	55	50	54	54	57	U	77	77	U	YEAR BUILT
YEAR IMPROVED	63	63	54	54	75	R	77	77	R	YEAR IMPROVED
SURFACE WIDTH	20	20	24	24	32	B	40	28	B	SURFACE WIDTH
ROADWAY WIDTH	20	24	24	24	32	A	40	28	A	ROADWAY WIDTH
SURFACE TYPE	RMS	RMS	RMS	RMS	PMS	N	PMS	PMS	N	SURFACE TYPE
AOT	280	235	221	231	300		765	1889		AOT
OHV	44	37	35	36	47		121	245		OHV
SERVICE VOLUME	290	354	258	450	546		230	448		SERVICE VOLUME
FOUNDATION - 10	0	0	2	0	10		10	8		FOUNDATION - 10
SURFACE - 30	14	14	15	15	30		30	24		SURFACE - 30
DRAINAGE - 10	9	9	10	10	10		10	10		DRAINAGE - 10
SAFETY - 20	4	12	3	4	3		20	20		SAFETY - 20
CAPACITY - 30	28	28	28	29	29		22	22		CAPACITY - 30
SUFFICIENCY RATING	55	63	58	58	82		92	84		SUFFICIENCY RATING
ADJUSTED RATING	64	73	69	68	87		92	81		ADJUSTED RATING
DEFICIENT MILEAGE	5.80	3.68	3.00	2.34	.96		.00	.05		DEFICIENT MILEAGE

BEGINNING MILE POST	151.6	155.1	158.0	160.4	167.5	168.5	170.1	182.0	187.6	192.1	195.3	203.7	205.1	207.1	212.4	217.1	224.4	BEGINNING MILE POST
LENGTH	3.4	2.8	2.4	7.0	0.9	1.6	11.8	5.5	4.4	3.2	8.3	1.4	1.9	5.2	4.7	7.2	5.1	LENGTH
YEAR BUILT	37	56	56	36	33	U	39	39	39	39	39	U	46	46	46	48	48	YEAR BUILT
YEAR IMPROVED	37	56	56	50	56	R	39	39	39	39	39	R	63	57	57	63	63	YEAR IMPROVED
SURFACE WIDTH	20	24	24	20	26	B	20	20	20	20	20	B	20	20	20	25	25	SURFACE WIDTH
ROADWAY WIDTH	24	28	28	24	30	A	24	24	24	24	24	A	24	24	24	25	25	ROADWAY WIDTH
SURFACE TYPE	RMS	RMS	RMS	RMS	RMS	N	RMS	RMS	RMS	RMS	RMS	N	RMS	RMS	RMS	RMS	RMS	SURFACE TYPE
AOT	244	273	298	404	2844		142	527	492	461	404		449	351	296	248	281	AOT
OHV	31	35	38	52	369		96	68	63	59	52		71	55	47	39	44	OHV
SERVICE VOLUME	201	301	586	377	780		333	210	354	357	354		538	333	357	408	258	SERVICE VOLUME
FOUNDATION - 10	0	0	2	0	0		0	0	0	0	0		0	0	0	0	0	FOUNDATION - 10
SURFACE - 30	12	12	15	11	12		13	12	11	9	13		10	11	10	15	14	SURFACE - 30
DRAINAGE - 10	4	9	10	6	6		10	8	8	8	9		10	10	10	10	10	DRAINAGE - 10
SAFETY - 20	1	20	5	2	1		2	1	3	9	7		20	3	10	5	2	SAFETY - 20
CAPACITY - 30	28	28	29	28	23		26	25	27	28	28		28	28	28	29	27	CAPACITY - 30
SUFFICIENCY RATING	45	69	61	47	42		51	46	49	54	57		68	52	58	59	53	SUFFICIENCY RATING
ADJUSTED RATING	55	77	69	54	35		53	51	54	60	63		73	60	67	69	62	ADJUSTED RATING
DEFICIENT MILEAGE	1.88	.88	.96	3.74	.56		5.81	3.01	2.28	1.51	3.57		.63	2.53	1.98	2.98	2.40	DEFICIENT MILEAGE

FAP ROUTE NO
SHEET 3 OF 3

BEGINNING MILE POST	0.0	4.6	11.8	21.5	23.2	25.1	29.6	38.1	46.2	BEGINNING MILE POST
LENGTH	4.7	7.0	9.6	1.7	1.8	4.5	8.4	8.0	1.8	LENGTH
YEAR BUILT	U	77	34	68	34	34	66	65	37	YEAR BUILT
YEAR IMPROVED	R	77	51	68	58	34	66	65	37	YEAR IMPROVED
SURFACE WIDTH	B	40	20	40	22	20	32	32	20	SURFACE WIDTH
ROADWAY WIDTH	A	40	24	40	24	24	32	32	24	ROADWAY WIDTH
SURFACE TYPE	N	PMS	RMS	PMS	RMS	RMS	PMS	PMS	RMS	SURFACE TYPE
ADT		1873	1674	1565	1481	1395	1288	1428	2286	ADT
DHV		243	217	203	192	181	167	185	297	DHV
SERVICE VOLUME		189	448	403	272	277	548	680	283	SERVICE VOLUME
FOUNDATION - 10		8	0	7	0	0	7	4	0	FOUNDATION - 10
SURFACE - 30		26	10	23	12	13	21	17	13	SURFACE - 30
DRAINAGE - 10		10	5	10	7	6	10	10	8	DRAINAGE - 10
SAFETY - 20		6	1	17	1	1	11	9	1	SAFETY - 20
CAPACITY - 30		11	23	22	19	20	25	26	14	CAPACITY - 30
SUFFICIENCY RATING		61	39	79	39	40	74	66	36	SUFFICIENCY RATING
ADJUSTED RATING		57	36	77	36	38	73	64	31	ADJUSTED RATING
DEFICIENT MILEAGE		2.74	5.87	.36	1.10	2.70	2.20	2.73	1.17	DEFICIENT MILEAGE

FAP ROUTE NO 16

SHEET 1 OF 1



BEGINNING MILE POST	0.0	3.2	8.7	10.5	12.0	BEGINNING MILE POST
LENGTH	3.5	5.4	1.7	1.4	1.0	LENGTH
YEAR BUILT	69	38	38	57	U	YEAR BUILT
YEAR IMPROVED	69	63	63	57	R	YEAR IMPROVED
SURFACE WIDTH	24	20	20	24	B	SURFACE WIDTH
ROADWAY WIDTH	24	24	24	28	A	ROADWAY WIDTH
SURFACE TYPE	BST	RMS	RMS	RMS	N	SURFACE TYPE
ADT	514	409	448	505		ADT
DHV	77	61	67	76		DHV
SERVICE VOLUME	365	390	265	415		SERVICE VOLUME
FOUNDATION - 10	3	0	4	7		FOUNDATION - 10
SURFACE - 30	17	13	17	17		SURFACE - 30
DRAINAGE - 10	6	7	8	10		DRAINAGE - 10
SAFETY - 20	7	3	1	3		SAFETY - 20
CAPACITY - 30	27	28	26	27		CAPACITY - 30
SUFFICIENCY RATING	60	51	56	64		SUFFICIENCY RATING
ADJUSTED RATING	65	57	62	69		ADJUSTED RATING
DEFICIENT MILEAGE	1.40	2.65	.78	.51		DEFICIENT MILEAGE

FAP ROUTE NO

SHEET 1 OF 1



BEGINNING MILE POST	0.0	1.0	2.1	13.0	18.0	20.0	23.9	34.9	38.0	48.4	53.3	58.9	63.3	73.5	BEGINNING MILE POST
LENGTH	0.9	1.1	10.9	5.0	2.0	3.8	10.9	3.1	10.3	4.9	5.4	4.3	10.2	9.3	LENGTH
YEAR BUILT	U	57	64	63	28	28	31	31	31	31	77	76	67	58	YEAR BUILT
YEAR IMPROVED	K	57	64	63	35	35	35	56	35	35	77	76	67	65	YEAR IMPROVED
SURFACE WIDTH	B	32	32	30	20	20	20	20	20	20	30	30	30	28	SURFACE WIDTH
ROADWAY WIDTH	A	32	32	30	24	24	24	24	24	24	30	30	30	28	ROADWAY WIDTH
SURFACE TYPE	N	BST	PMS	PMS	BST	BST	BST	BST	BST	BST	PMS	PMS	PMS	PMS	SURFACE TYPE
ADT		1438	517	360	347	336	305	180	202	235	258	262	278	347	ADT
OHV		186	67	46	45	43	39	23	26	30	33	34	36	45	OHV
SERVICE VOLUME		456	580	663	655	627	448	422	448	470	549	678	702	472	SERVICE VOLUME
FOUNDATION - 10		0	4	2	0	0	0	0	0	0	10	9	7	6	FOUNDATION - 10
SURFACE - 30		20	14	13	9	8	8	7	7	7	30	28	23	22	SURFACE - 30
DRAINAGE - 10		10	10	10	8	8	7	7	7	5	10	10	10	10	DRAINAGE - 10
SAFETY - 20		2	8	5	20	3	1	2	1	1	16	20	10	7	SAFETY - 20
CAPACITY - 30		24	28	29	29	29	29	29	29	29	29	29	29	29	CAPACITY - 30
SUFFICIENCY RATING		62	64	59	66	48	45	45	44	42	95	96	79	74	SUFFICIENCY RATING
ADJUSTED RATING		60	68	66	73	56	53	57	55	52	96	97	85	80	ADJUSTED RATING
DEFICIENT MILEAGE		.43	3.93	2.05	.68	2.02	6.02	1.75	5.81	2.84	.27	.17	2.14	2.44	DEFICIENT MILEAGE

FAP ROUTE NO 18
SHEET 1 OF 1



BEGINNING MILE POST	0.0	2.8	5.5	7.1	10.1	16.9	22.0	24.3	27.6	30.8	38.5	48.3	57.4	62.5	63.2	63.6	BEGINNING MILE POST
LENGTH	2.8	2.6	1.5	4.7	6.8	5.0	2.2	3.3	3.1	7.7	9.7	9.1	5.0	0.6	0.4	1.3	LENGTH
YEAR BUILT	64	61	61	U	51	51	51	34	34	57	60	31	25	66	66	U	YEAR BUILT
YEAR IMPROVED	64	61	61	R	59	59	59	54	40	76	60	52	52	66	66	R	YEAR IMPROVED
SURFACE WIDTH	76	76	76	B	24	24	32	22	20	32	32	20	20	40	32	B	SURFACE WIDTH
ROADWAY WIDTH	76	76	76	A	28	28	32	24	24	32	32	24	22	40	32	A	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	N	PMS	PMS	PMS	RMS	RMS	PMS	PMS	RMS	RMS	PMS	PMS	N	SURFACE TYPE
ADT	2411	3334	5576		2140	1367	1233	893	619	713	610	549	799	808	881		ADT
DHV	313	433	724		310	198	178	129	89	103	88	79	115	117	127		DHV
SERVICE VOLUME	2208	2208	2208		454	501	456	197	224	504	428	683	471	240	720		SERVICE VOLUME
FOUNDATION - 10	8	8	9		2	2	0	0	0	8	5	0	0	9	9		FOUNDATION - 10
SURFACE - 30	25	24	25		14	14	14	13	12	26	16	8	10	26	25		SURFACE - 30
DRAINAGE - 10	10	10	10		8	10	8	7	6	10	10	3	3	10	10		DRAINAGE - 10
SAFETY - 20	14	18	15		8	14	8	3	0	10	15	2	1	13	1		SAFETY - 20
CAPACITY - 30	28	27	25		20	24	24	20	24	27	27	28	26	23	27		CAPACITY - 30
SUFFICIENCY RATING	85	87	84		52	64	54	43	42	81	73	41	40	81	72		SUFFICIENCY RATING
ADJUSTED RATING	82	83	77		47	62	53	44	45	82	76	45	42	82	73		ADJUSTED RATING
DEFICIENT MILEAGE	.43	.34	.24		3.27	1.82	1.03	1.92	1.81	1.46	2.61	5.39	3.04	.11	.12		DEFICIENT MILEAGE

FAP ROUTE NO
SHEET 1 OF 1



BEGINNING MILE POST	0.0	1.7	6.1	13.0	18.5	23.1	28.8	31.4	32.9	42.0	50.0	51.7	52.5	58.6	62.5	63.9
LENGTH	1.7	4.3	6.8	5.6	4.1	5.7	2.5	1.4	9.0	7.9	1.7	0.8	6.0	3.9	1.3	0.3
YEAR BUILT	U	64	67	69	54	54	75	74	34	73	73	U	35	35	U	56
YEAR IMPROVED	R	64	67	69	54	54	75	74	57	73	73	R	35	35	R	56
SURFACE WIDTH	B	40	40	40	28	28	40	40	20	40	83	B	20	20	B	24
ROADWAY WIDTH	A	40	40	40	28	28	40	40	24	40	83	A	24	24	A	32
SURFACE TYPE	N	PMS	PMS	PMS	RMS	RMS	PMS	PMS	RMS	PMS	PMS	N	RMS	RMS	N	RMS
ADT		1731	1356	1304	1277	1368	1518	1584	1670	2465	5734		2880	2083		1810
OHV		225	176	169	166	177	197	205	217	320	745		374	270		235
SERVICE VOLUME		222	643	184	434	301	296	266	608	281	1700		762	642		963
FOUNDATION - 10		8	7	6	0	0	9	10	0	10	7		0	0		7
SURFACE - 30		23	23	22	18	10	10	10	8	10	10		9	9		10
DRAINAGE - 10		10	10	10	10	10	10	10	8	10	10		5	5		10
SAFETY - 20		15	14	9	20	17	20	2	5	18	4		7	4		1
CAPACITY - 30		15	26	16	24	21	20	18	25	13	23		23	24		26
SUFFICIENCY RATING		71	80	63	72	62	86	70	46	78	68		44	42		63
ADJUSTED RATING		68	78	61	71	60	84	67	42	73	57		37	37		59
DEFICIENT MILEAGE		1.26	1.37	2.07	1.16	2.19	.36	.44	4.88	1.75	.56		3.39	2.26		.12

BEGINNING MILE POST	0.0	0.8	3.7	4.9
LENGTH	0.8	2.8	1.2	0.1
YEAR BUILT	73	34	U	73
YEAR IMPROVED	73	64	R	73
SURFACE WIDTH	40	24	B	40
ROADWAY WIDTH	40	26	A	40
SURFACE TYPE	PMS	RMS	N	PMS
ADT	705	991		1258
OHV	91	128		163
SERVICE VOLUME	662	632		326
FOUNDATION - 10	7	0		9
SURFACE - 30	26	12		28
DRAINAGE - 10	10	8		10
SAFETY - 20	2	2		20
CAPACITY - 30	28	27		23
SUFFICIENCY RATING	73	49		90
ADJUSTED RATING	75	49		89
DEFICIENT MILEAGE	.22	1.44		.01

FAP ROUTE NO 20 & 21
SHEET 1 OF 1

BEGINNING MILE POST	0.0	0.5	7.5	17.9	20.9	29.3	41.1	42.3	43.3	52.6	63.7	63.8	64.0	64.3	71.8	13.8	75.8	75.8	81.3	88.4	BEGINNING MILE POST
LENGTH	0.5	1.0	10.2	3.0	8.4	11.8	1.1	1.0	9.2	11.1	0.1	0.2	0.2	1.5	2.0	1.9	0.1	5.4	7.1	0.1	LENGTH
YEAR BUILT	U	65	35	36	36	37	U	33	33	63	U	63	U	16	76	11	U	71	59	U	YEAR BUILT
YEAR IMPROVED	R	65	36	36	36	62	R	40	40	63	R	63	R	16	16	71	R	71	59	R	YEAR IMPROVED
SURFACE WIDTH	B	32	20	22	22	20	B	20	20	32	B	32	B	32	32	32	B	32	32	B	SURFACE WIDTH
ROADWAY WIDTH	A	32	24	25	25	24	A	24	24	32	A	32	A	32	32	32	A	32	32	A	ROADWAY WIDTH
SURFACE TYPE	N	PMS	BST	BST	BST	RMS	N	RMS	RMS	PMS	N	PMS	N	PMS	PMS	PMS	N	PMS	PMS	N	SURFACE TYPE
ADT		652	430	370	413	184		1952	1052	758		717		731	138	740		829	899		ADT
DHV		91	64	55	61	117		292	157	113		116		109	110	111		124	134		DHV
SERVICE VOLUME		722	210	280	464	435		526	352	616		728		494	546	468		520	362		SERVICE VOLUME
FOUNDATION - 10		6	0	0	0	0		0	0	6		7		9	9	9		9	0		FOUNDATION - 10
SURFACE - 30		19	12	11	12	10		13	14	19		23		30	33	25		24	13		SURFACE - 30
DRAINAGE - 10		10	8	8	9	9		10	9	10		10		10	10	10		10	10		DRAINAGE - 10
SAFETY - 20		13	1	2	5	4		10	2	16		5		20	20	10		20	20		SAFETY - 20
CAPACITY - 30		28	25	27	28	26		22	23	27		28		27	27	26		26	24		CAPACITY - 30
SUFFICIENCY RATING		76	46	48	54	49		55	48	78		73		96	96	80		89	67		SUFFICIENCY RATING
ADJUSTED RATING		78	52	55	60	51		50	48	79		74		96	96	81		89	68		ADJUSTED RATING
DEFICIENT MILEAGE		1.69	5.54	1.57	3.88	6.04		.46	4.79	2.45		.01		.30	.08	.39		.60	2.36		DEFICIENT MILEAGE

FAP ROUTE NO 22
SHEET 1 OF 1

BEGINNING MILE POST	0.0	2.1	2.1	5.4	14.6	27.8	33.1	44.1	47.8	BEGINNING MILE POST
LENGTH	1.7	0.1	3.2	9.1	13.1	5.3	10.9	3.7	2.7	LENGTH
YEAR BUILT	U	20	20	36	62	77	31	32	52	YEAR BUILT
YEAR IMPROVED	R	36	36	36	76	77	60	60	52	YEAR IMPROVED
SURFACE WIDTH	B	25	25	22	28	34	18	18	22	SURFACE WIDTH
ROADWAY WIDTH	A	25	25	25	28	34	24	24	28	ROADWAY WIDTH
SURFACE TYPE	N	RMS	RMS	RMS	PMS	PMS	RMS	RMS	PMS	SURFACE TYPE
AOT		3282	1530	918	501	477	450	423	404	AOT
OHV		426	198	133	72	69	65	61	58	OHV
SERVICE VOLUME		243	307	425	522	585	438	316	196	SERVICE VOLUME
FOUNDATION - 10		0	0	0	9	9	0	0	0	FOUNDATION - 10
SURFACE - 30		15	13	10	27	28	7	8	11	SURFACE - 30
DRAINAGE - 10		8	8	7	10	10	4	4	10	DRAINAGE - 10
SAFETY - 20		20	2	2	20	13	4	2	3	SAFETY - 20
CAPACITY - 30		4	20	25	28	28	28	27	26	CAPACITY - 30
SUFFICIENCY RATING		47	43	44	93	88	43	41	50	SUFFICIENCY RATING
ADJUSTED RATING		39	40	45	94	90	49	47	57	ADJUSTED RATING
DEFICIENT MILEAGE		.03	1.87	5.11	.92	.64	6.24	2.19	1.35	DEFICIENT MILEAGE

FAP ROUTE NO 23
SHEET 1 OF 2

BEGINNING MILE POST	50.5	55.7	64.6	72.9	76.3	77.8	79.1	79.7	83.0	85.5	95.5	101.5	108.4	119.4	130.3	BEGINNING MILE POST
LENGTH	5.1	8.7	8.3	3.3	1.5	1.3	0.6	3.3	2.4	10.0	6.0	6.8	11.0	10.8	9.5	LENGTH
YEAR BUILT	52	49	29	28	69	28	U	40	31	53	54	54	55	55	65	YEAR BUILT
YEAR IMPROVED	60	55	41	41	69	36	R	40	56	53	54	54	73	78	78	YEAR IMPROVED
SURFACE WIDTH	24	24	24	24	28	20	8	24	20	24	24	24	28	26	34	SURFACE WIDTH
ROADWAY WIDTH	28	24	24	24	28	22	A	24	24	28	28	28	28	26	34	ROADWAY WIDTH
SURFACE TYPE	RMS	RMS	BST	BST	PMS	BST	N	RMS	RMS	RMS	RMS	RMS	PMS	PMS	PMS	SURFACE TYPE
ADT	379	386	438	492	1298	1538		1122	693	738	741	713	763	780	870	ADT
DHV	54	55	63	71	188	223		162	100	107	107	103	110	113	130	DHV
SERVICE VOLUME	642	217	258	221	276	250		297	203	266	732	462	486	513	585	SERVICE VOLUME
FOUNDATION - 10	0	0	0	2	8	0		0	0	0	0	2	0	7	7	FOUNDATION - 10
SURFACE - 30	10	11	11	11	26	12		11	12	11	10	11	11	25	25	SURFACE - 30
DRAINAGE - 10	10	9	10	8	10	4		5	7	10	10	10	10	10	10	DRAINAGE - 10
SAFETY - 20	6	1	4	2	10	1		7	2	5	20	20	12	20	20	SAFETY - 20
CAPACITY - 30	29	26	26	25	20	17		22	23	24	28	27	27	27	27	CAPACITY - 30
SUFFICIENCY RATING	55	47	51	48	74	34		49	44	50	68	70	60	89	89	SUFFICIENCY RATING
ADJUSTED RATING	62	54	57	53	72	31		48	47	52	70	72	62	89	89	ADJUSTED RATING
DEFICIENT MILEAGE	2.33	4.66	4.11	1.75	.39	.86		1.10	1.37	5.00	1.92	2.06	4.40	1.19	1.05	DEFICIENT MILEAGE

FAP ROUTE NO 23
SHEET 2 OF 2



N

BEGINNING MILE POST	0.0	0.9	1.8	4.9	7.5	12.2	16.0	22.6	26.7	31.8	35.6	43.1	55.6
LENGTH	0.9	0.8	4.0	2.6	4.6	3.8	6.5	4.0	5.1	3.8	7.4	12.5	9.8
YEAR BUILT	74	74	36	68	40	41	68	41	49	54	61	61	61
YEAR IMPROVED	74	74	37	68	42	63	68	59	49	54	61	61	61
SURFACE WIDTH	44	44	30	40	20	24	40	25	25	24	24	24	24
ROADWAY WIDTH	44	44	30	40	24	24	40	28	25	30	26	26	26
SURFACE TYPE	PMS	PMS	RMS	PMS	RMS	RMS	PMS	RMS	BST	RMS	PMS	PMS	PMS
ADT	6152	3945	2886	2391	2305	2204	2071	1929	1645	1348	1459	1519	1247
DHV	1015	650	476	394	380	363	341	318	271	222	240	250	205
SERVICE VOLUME	424	544	234	425	260	145	385	204	438	499	277	299	132
FOUNDATION - 10	8	10	3	5	0	2	7	0	0	0	6	6	5
SURFACE - 30	27	28	14	16	13	15	18	9	10	10	18	18	17
DRAINAGE - 10	10	10	4	10	5	6	10	7	8	10	10	10	10
SAFETY - 20	1	2	1	4	2	2	20	3	5	7	5	8	2
CAPACITY - 30	0	12	0	16	8	0	17	7	21	23	17	17	7
SUFFICIENCY RATING	46	62	22	51	28	25	72	26	44	50	56	59	41
ADJUSTED RATING	33	53	17	45	23	21	69	22	41	48	53	56	40
DEFICIENT MILEAGE	.52	.33	3.15	1.28	3.36	2.86	1.84	2.97	2.89	1.91	3.29	5.12	5.78

FAP ROUTE NO 24
SHEET 1 OF 2

BEGINNING MILE POST	65.4	72.2	76.1	82.0	86.1	91.2	97.0	100.4	109.0	116.8	127.4	133.2	138.4	BEGINNING MILE POST
LENGTH	6.7	3.8	5.8	4.1	5.0	5.8	3.4	8.6	7.7	10.6	5.7	5.2	1.3	LENGTH
YEAR BUILT	60	60	60	57	57	48	48	51	52	52	59	64	36	YEAR BUILT
YEAR IMPROVED	60	60	60	64	64	63	63	51	52	52	59	64	71	YEAR IMPROVED
SURFACE WIDTH	24	24	24	28	28	25	25	25	24	24	32	32	25	SURFACE WIDTH
ROADWAY WIDTH	24	24	24	30	30	25	25	25	26	26	32	32	31	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	PMS	PMS	RMS	RMS	BST	RMS	RMS	PMS	PMS	RMS	SURFACE TYPE
ADT	1363	1444	1444	1363	1303	1229	1167	1233	1105	1337	1990	1974	1946	ADT
DHV	224	216	216	204	195	184	175	184	165	200	278	276	272	DHV
SERVICE VOLUME	328	450	258	333	104	132	237	217	277	277	565	494	396	SERVICE VOLUME
FOUNDATION - 10	5	5	6	6	7	2	0	0	0	0	8	5	3	FOUNDATION - 10
SURFACE - 30	21	17	18	18	18	17	15	12	11	13	24	23	16	SURFACE - 30
DRAINAGE - 10	10	10	10	10	10	8	8	8	8	7	10	10	9	DRAINAGE - 10
SAFETY - 20	4	6	2	6	1	3	4	6	2	2	7	8	2	SAFETY - 20
CAPACITY - 30	20	23	17	21	2	9	19	17	21	19	23	22	20	CAPACITY - 30
SUFFICIENCY RATING	60	61	53	61	38	34	46	43	42	41	72	68	50	SUFFICIENCY RATING
ADJUSTED RATING	58	59	50	59	36	38	45	42	41	39	68	64	45	ADJUSTED RATING
DEFICIENT MILEAGE	2.71	1.50	2.76	1.60	3.15	3.54	1.83	4.91	4.51	6.27	1.60	1.68	.66	DEFICIENT MILEAGE

FAP ROUTE NO 24

SHEET 2 OF 2



BEGINNING MILE POST	0.0	0.1	7.7	20.9	28.1	35.5	44.7	46.4	47.0	52.3	BEGINNING MILE POST
LENGTH	0.1	7.6	13.1	7.2	7.4	9.2	1.7	0.5	5.3	0.7	LENGTH
YEAR BUILT	U	36	36	35	40	37	37	37	78	R	YEAR BUILT
YEAR IMPROVED	R	56	56	40	40	37	37	37	78	B	YEAR IMPROVED
SURFACE WIDTH	B	20	20	20	20	20	20	20	40	A	SURFACE WIDTH
ROADWAY WIDTH	A	24	25	24	24	25	25	25	40	N	ROADWAY WIDTH
SURFACE TYPE	N	RMS	RMS	RMS	RMS	RMS	RMS	RMS	PMS		SURFACE TYPE
ADT		780	669	571	599	645	654	818	1004		ADT
DHV		101	86	74	77	83	90	106	130		DHV
SERVICE VOLUME		315	315	238	357	185	126	290	720		SERVICE VOLUME
FOUNDATION - 10		0	0	0	0	0	0	0	10		FOUNDATION - 10
SURFACE - 30		9	9	13	10	14	13	10	30		SURFACE - 30
DRAINAGE - 10		8	6	7	7	6	6	10	10		DRAINAGE - 10
SAFETY - 20		1	2	2	2	3	1	1	3		SAFETY - 20
CAPACITY - 30		25	26	25	27	23	19	25	27		CAPACITY - 30
SUFFICIENCY RATING		43	43	47	46	46	39	46	80		SUFFICIENCY RATING
ADJUSTED RATING		45	46	51	50	49	42	47	80		ADJUSTED RATING
DEFICIENT MILEAGE		4.33	7.49	3.81	3.99	4.98	1.06	.27	1.07		DEFICIENT MILEAGE



BEGINNING MILE POST	0.0	0.7
LENGTH	0.7	6.7
YEAR BUILT	36	33
YEAR IMPROVED	36	36
SURFACE WIDTH	22	20
ROADWAY WIDTH	25	24
SURFACE TYPE	BST	BST
ADT	1772	538
DHV	230	69
SERVICE VOLUME	392	205
FOUNDATION - 10	0	0
SURFACE - 30	15	11
DRAINAGE - 10	10	5
SAFETY - 20	1	1
CAPACITY - 30	21	25
SUFFICIENCY RATING	47	42
ADJUSTED RATING	43	46
DEFICIENT MILEAGE	.40	3.92

FAP ROUTE NO 25 & 26
SHEET 1 OF 1



BEGINNING MILE POST	0.0	0.3	7.2	12.0	22.5	29.1	34.6	35.7	44.4	54.7	66.0	71.3	73.3	79.1	BEGINNING MILE POST
LENGTH	0.3	6.9	4.8	10.4	6.6	5.5	1.1	8.6	10.2	11.2	5.3	2.0	5.7	1.8	LENGTH
YEAR BUILT	U	50	50	50	48	48	U	57	58	65	65	65	65	U	YEAR BUILT
YEAR IMPROVED	R	50	50	50	48	48	R	60	78	65	65	65	65	R	YEAR IMPROVED
SURFACE WIDTH	B	22	22	22	25	25	B	28	28	28	28	28	28	B	SURFACE WIDTH
ROADWAY WIDTH	A	24	24	24	25	25	A	28	28	28	28	28	28	A	ROADWAY WIDTH
SURFACE TYPE	N	PMS	PMS	PMS	BST	BST	N	RMS	PMS	PMS	PMS	PMS	PMS	N	SURFACE TYPE
ADT		348	312	298	455	779		712	428	401	415	424	532		ADT
DHV		45	40	38	59	101		92	55	52	53	55	69		DHV
SERVICE VOLUME		377	220	387	418	393		492	368	522	504	312	480		SERVICE VOLUME
FOUNDATION - 10		0	0	0	0	0		0	9	7	8	5	8		FOUNDATION - 10
SURFACE - 30		13	12	7	8	7		8	27	21	22	24	22		SURFACE - 30
DRAINAGE - 10		10	10	10	9	9		10	10	10	10	10	10		DRAINAGE - 10
SAFETY - 20		3	1	6	15	6		16	9	4	2	2	4		SAFETY - 20
CAPACITY - 30		28	27	29	28	26		27	28	29	28	27	28		CAPACITY - 30
SUFFICIENCY RATING		54	50	52	60	48		61	83	71	70	72	72		SUFFICIENCY RATING
ADJUSTED RATING		62	58	61	65	50		63	86	76	75	77	76		ADJUSTED RATING
DEFICIENT MILEAGE		3.17	2.40	5.01	2.64	2.86		3.37	1.74	3.26	1.59	.58	1.60		DEFICIENT MILEAGE

FAP ROUTE 27
SHEET 1 OF 1



BEGINNING MILE POST	0.0	8.7
LENGTH	8.7	0.0
YEAR BUILT	36	0
YEAR IMPROVED	72	U
SURFACE WIDTH	22	T
ROADWAY WIDTH	22	
SURFACE TYPE	BST	0
ADT	442	F
DHV	99	
SERVICE VOLUME	184	S
FOUNDATION - 10	4	I
SURFACE - 30	17	A
DRAINAGE - 10	6	T
SAFETY - 20	0	E
CAPACITY - 30	22	
SUFFICIENCY RATING	49	
ADJUSTED RATING	55	
DEFICIENT MILEAGE	4.43	

45.0	47.3	53.7	60.0	64.2	68.3	68.5	68.6	70.3	82.0	90.9	95.3	96.6	101.1	BEGINNING MILE POST
2.3	6.4	6.2	4.2	4.1	0.2	0.1	1.5	11.7	8.9	4.4	1.0	4.6	0.5	LENGTH
65	65	65	69	34	U	34	U	21	36	74	U	74	68	YEAR BUILT
65	65	65	69	57	R	57	R	54	35	74	R	74	68	YEAR IMPROVED
28	28	28	34	22	B	22	B	22	21	40	B	44	40	SURFACE WIDTH
28	28	28	34	22	A	24	A	24	24	40	A	44	40	ROADWAY WIDTH
PMS	PMS	PMS	PMS	RMS	N	RMS	N	RMS	RMS	PMS	N	PMS	PMS	SURFACE TYPE
442	442	442	485	731		1477		1698	1135	1301		1941	2328	ADT
99	99	99	109	164		318		339	227	260		388	465	DHV
658	291	437	447	510		508		544	486	309		344	662	SERVICE VOLUME
6	5	7	8	0		0		0	0	9		8	6	FOUNDATION - 10
17	17	19	25	6		10		11	13	28		26	19	SURFACE - 30
10	10	10	10	8		8		8	8	10		10	10	DRAINAGE - 10
3	0	1	17	1		2		6	5	11		3	12	SAFETY - 20
28	25	27	26	25		21		21	23	17		13	19	CAPACITY - 30
64	57	64	86	40		41		46	49	75		60	66	SUFFICIENCY RATING
69	63	69	88	42		39		42	48	74		55	61	ADJUSTED RATING
.83	2.75	2.25	.59	2.48		.06		6.32	4.55	1.10		1.87	.19	DEFICIENT MILEAGE

FAP ROUTE NO 28
SHEET 1 OF 1

BEGINNING MILE POST	0.0	0.2	5.6	10.7	13.0	14.8	19.9	25.1	33.0	34.1	42.2	43.2	49.9	57.2	58.3	59.8	66.0	67.9	68.8	75.0	77.8	80.1	83.4	BEGINNING MILE POST
LENGTH	0.2	5.4	5.0	2.3	1.7	5.1	5.2	7.9	1.1	8.0	1.0	6.6	7.3	1.1	1.4	5.7	2.0	0.8	6.1	2.8	2.3	3.2	7.1	LENGTH
YEAR BUILT	U	50	51	56	U	45	42	40	U	39	U	39	36	36	36	36	40	51	31	34	28	28	U	YEAR BUILT
YEAR IMPROVED	R	50	51	56	R	45	42	40	R	39	R	39	63	63	63	36	40	51	58	62	71	71	R	YEAR IMPROVED
SURFACE WIDTH	B	24	28	28	B	20	20	20	B	22	B	20	22	22	22	22	24	34	22	24	24	24	B	SURFACE WIDTH
ROADWAY WIDTH	A	24	32	28	A	24	24	24	A	24	A	24	24	24	24	24	31	34	26	30	30	30	A	ROADWAY WIDTH
SURFACE TYPE	N	RMS	RMS	PMS	N	RMS	RMS	RMS	N	RMS	N	RMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	N	SURFACE TYPE
ADT		589	540	540		758	954	853		1085		1171	1057	322	322	333	479	479	485	586	745	1142		ADT
DHV		123	113	113		159	200	179		227		175	158	48	48	49	62	62	63	76	96	148		DHV
SERVICE VOLUME		420	243	324		315	390	702		812		390	201	222	540	567	248	243	296	302	627	331		SERVICE VOLUME
FOUNDATION - 10		5	5	4		4	0	0		0		0	0	0	0	0	0	0	0	0	0	0		FOUNDATION - 10
SURFACE - 30		16	16	16		17	12	9		10		13	13	12	10	10	13	12	12	14	14	14		SURFACE - 30
DRAINAGE - 10		7	8	10		5	8	8		8		5	6	4	5	5	10	10	7	7	7	8		DRAINAGE - 10
SAFETY - 20		2	4	20		3	4	20		16		13	1	0	1	1	1	4	2	0	1	1		SAFETY - 20
CAPACITY - 30		26	23	25		22	22	26		26		23	18	27	29	29	26	26	27	26	28	23		CAPACITY - 30
SUFFICIENCY RATING		56	56	75		51	46	63		60		54	38	43	45	45	50	52	48	47	50	46		SUFFICIENCY RATING
ADJUSTED RATING		60	60	78		53	46	64		59		53	38	51	53	53	55	57	53	51	52	45		ADJUSTED RATING
DEFICIENT MILEAGE		2.39	2.21	.58		2.50	2.83	2.93		3.21		3.05	4.56	.65	.81	3.18	1.00	.42	3.20	1.49	1.16	1.76		DEFICIENT MILEAGE

FAP ROUTE NO 29
SHEET 1 OF 1



BEGINNING MILE POST	0.0	10.1	20.6	23.3	BEGINNING MILE POST
LENGTH	10.1	10.4	2.7	0.8	LENGTH
YEAR BUILT	38	40	40	U	YEAR BUILT
YEAR IMPROVED	40	40	40	R	YEAR IMPROVED
SURFACE WIDTH	20	20	20	B	SURFACE WIDTH
ROADWAY WIDTH	24	24	24	A	ROADWAY WIDTH
SURFACE TYPE	RMS	RMS	RMS	N	SURFACE TYPE
ADT	463	327	403		ADT
DHV	64	45	56		DHV
SERVICE VOLUME	387	220	239		SERVICE VOLUME
FOUNDATION - 10	0	0	0		FOUNDATION - 10
SURFACE - 30	10	13	12		SURFACE - 30
DRAINAGE - 10	7	8	8		DRAINAGE - 10
SAFETY - 20	16	2	2		SAFETY - 20
CAPACITY - 30	28	27	26		CAPACITY - 30
SUFFICIENCY RATING	61	50	48		SUFFICIENCY RATING
ADJUSTED RATING	66	58	55		ADJUSTED RATING
DEFICIENT MILEAGE	3.95	5.24	1.43		DEFICIENT MILEAGE

FAP ROUTE NO 30

SHEET 1 OF 1



BEGINNING MILE POST	0.0	1.4	2.0	16.9	25.6	32.4	39.3	50.3	50.8	BEGINNING MILE POST
LENGTH	1.4	0.6	14.8	8.6	6.8	6.8	11.0	0.4	10.0	LENGTH
YEAR BUILT	62	62	65	64	55	54	52	U	57	YEAR BUILT
YEAR IMPROVED	62	62	65	64	55	54	71	R	66	YEAR IMPROVED
SURFACE WIDTH	28	32	32	30	24	24	24	B	28	SURFACE WIDTH
ROADWAY WIDTH	28	32	32	30	24	24	24	A	28	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	PMS	PMS	PMS	PMS	N	PMS	SURFACE TYPE
ADT	512	1083	1001	372	372	356	339		94	ADT
DHV	77	163	151	56	56	53	51		14	DHV
SERVICE VOLUME	396	672	616	367	372	266	294		448	SERVICE VOLUME
FOUNDATION - 10	4	7	5	4	4	4	8		7	FOUNDATION - 10
SURFACE - 30	14	21	18	16	16	17	26		21	SURFACE - 30
DRAINAGE - 10	9	10	10	10	9	10	10		8	DRAINAGE - 10
SAFETY - 20	2	20	16	7	15	7	1		6	SAFETY - 20
CAPACITY - 30	27	26	26	28	27	21	27		30	CAPACITY - 30
SUFFICIENCY RATING	56	84	75	65	71	65	72		72	SUFFICIENCY RATING
ADJUSTED RATING	61	83	75	71	77	72	78		86	ADJUSTED RATING
DEFICIENT MILEAGE	.63	.10	3.71	3.03	1.98	2.39	3.10		2.80	DEFICIENT MILEAGE

FAP ROUTE NO 3

SHEET 1 OF 1

BEGINNING MILE POST	0.0	3.7	6.2	14.1	23.4	28.1	35.2	39.8	44.4	48.1	50.7	51.7	60.9	BEGINNING MILE POST
LENGTH	3.7	2.5	7.8	9.2	4.7	7.0	4.6	4.5	3.7	2.5	0.9	9.1	4.8	LENGTH
YEAR BUILT	U	U	33	33	33	33	33	33	33	33	U	58	45	YEAR BUILT
YEAR IMPROVED	N	N	45	45	45	45	45	45	45	45	R	68	68	YEAR IMPROVED
SURFACE WIDTH	0 C	0 C	20	20	20	20	20	20	20	20	B	24	24	SURFACE WIDTH
ROADWAY WIDTH	E G	E U	24	24	24	24	24	24	24	24	A	26	24	ROADWAY WIDTH
SURFACE TYPE	R N	R N	RMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	N	PMS	RMS	SURFACE TYPE
AOT	S	S	458	290	240	239	249	266	311	450		234	113	AOT
OHV	T	T	64	40	33	33	34	37	43	63		32	15	OHV
SERVICE VOLUME	R	R	220	203	220	357	185	203	372	203		456	333	SERVICE VOLUME
FOUNDATION - 10	U	U	0	0	0	0	0	0	0	0		8	4	FOUNDATION - 10
SURFACE - 30	C	C	17	16	14	10	13	12	13	13		22	16	SURFACE - 30
DRAINAGE - 10	T	T	7	7	8	7	8	5	8	8		10	10	DRAINAGE - 10
SAFETY - 20	I	I	1	1	1	2	2	1	5	1		2	2	SAFETY - 20
CAPACITY - 30	O	O	26	27	28	29	27	27	28	25		29	29	CAPACITY - 30
SUFFICIENCY RATING	N	N	46	51	51	48	50	45	54	47		71	61	SUFFICIENCY RATING
ADJUSTED RATING			52	60	61	58	60	54	62	53		80	76	ADJUSTED RATING
DEFICIENT MILEAGE			4.22	4.54	2.33	3.66	2.33	2.52	1.70	1.37		2.66	1.90	DEFICIENT MILEAGE

FAP ROUTE NO 32

SHEET 1 OF 1

BEGINNING MILE POST	0.0	0.6	1.2	9.5	14.0	17.6	30.0	42.8	53.8	54.5	64.9	BEGINNING MILE POST
LENGTH	0.6	0.5	8.3	4.4	3.6	12.3	12.7	11.1	0.6	10.3	1.9	LENGTH
YEAR BUILT	U	59	42	67	74	74	74	74	71	71	40	YEAR BUILT
YEAR IMPROVED	R	59	50	67	74	74	74	74	71	71	40	YEAR IMPROVED
SURFACE WIDTH	B	26	28	34	34	34	34	34	34	34	20	SURFACE WIDTH
ROADWAY WIDTH	A	37	28	34	34	34	34	34	34	34	24	ROADWAY WIDTH
SURFACE TYPE	N	BST	BST	PMS	PMS	PMS	PMS	PMS	PMS	PMS	RMS	SURFACE TYPE
ADT		3663	1444	494	286	271	247	224	390	480	763	ADT
DHV		476	187	64	37	35	32	29	50	62	99	DHV
SERVICE VOLUME		313	275	520	220	201	220	201	114	324	220	SERVICE VOLUME
FOUNDATION - 10		6	3	8	8	9	9	9	9	7	0	FOUNDATION - 10
SURFACE - 30		18	15	24	24	28	28	27	27	24	14	SURFACE - 30
DRAINAGE - 10		10	8	10	10	10	10	10	10	10	8	DRAINAGE - 10
SAFETY - 20		1	3	3	1	2	2	1	1	1	1	SAFETY - 20
CAPACITY - 30		7	20	28	27	27	28	28	23	27	23	CAPACITY - 30
SUFFICIENCY RATING		42	49	73	70	76	77	75	70	69	46	SUFFICIENCY RATING
ADJUSTED RATING		33	46	77	77	83	84	83	76	73	48	ADJUSTED RATING
DEFICIENT MILEAGE		.32	4.24	1.19	1.09	2.96	2.94	2.79	.20	3.22	1.06	DEFICIENT MILEAGE

BEGINNING MILE POST	0.0	7.0	BEGINNING MILE POST
LENGTH	7.0	8.6	LENGTH
YEAR BUILT	51	51	YEAR BUILT
YEAR IMPROVED	60	60	YEAR IMPROVED
SURFACE WIDTH	24	24	SURFACE WIDTH
ROADWAY WIDTH	24	24	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	SURFACE TYPE
ADT	496	267	ADT
DHV	69	37	DHV
SERVICE VOLUME	336	336	SERVICE VOLUME
FOUNDATION - 10	7	7	FOUNDATION - 10
SURFACE - 30	17	17	SURFACE - 30
DRAINAGE - 10	9	8	DRAINAGE - 10
SAFETY - 20	3	1	SAFETY - 20
CAPACITY - 30	27	28	CAPACITY - 30
SUFFICIENCY RATING	63	61	SUFFICIENCY RATING
ADJUSTED RATING	68	70	ADJUSTED RATING
DEFICIENT MILEAGE	2.60	3.35	DEFICIENT MILEAGE

FAP ROUTE NO 33 & 34

SHEET 1 OF 1



BEGINNING MILE POST	0.0	3.3	7.6	11.4	12.9	16.0	BEGINNING MILE POST
LENGTH	3.3	4.2	3.8	1.4	3.1	5.3	LENGTH
YEAR BUILT	60	72	65	63	65	68	YEAR BUILT
YEAR IMPROVED	60	72	69	69	69	69	YEAR IMPROVED
SURFACE WIDTH	24	30	30	30	30	30	SURFACE WIDTH
ROADWAY WIDTH	24	30	30	30	30	30	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	PMS	PMS	PMS	SURFACE TYPE
ADT	841	630	579	581	584	590	ADT
DHV	138	103	95	95	96	97	DHV
SERVICE VOLUME	333	453	410	432	550	367	SERVICE VOLUME
FOUNDATION - 10	3	8	9	10	10	10	FOUNDATION - 10
SURFACE - 30	17	25	26	28	28	28	SURFACE - 30
DRAINAGE - 10	7	10	10	10	10	10	DRAINAGE - 10
SAFETY - 20	3	7	3	3	2	11	SAFETY - 20
CAPACITY - 30	24	27	27	27	27	26	CAPACITY - 30
SUFFICIENCY RATING	54	77	75	78	77	85	SUFFICIENCY RATING
ADJUSTED RATING	55	79	78	81	80	87	ADJUSTED RATING
DEFICIENT MILEAGE	1.55	.98	.95	.32	.72	.80	DEFICIENT MILEAGE

FAP ROUTE NO 35

SHEET 1 OF 1

BEGINNING MILE POST	0.0	3.6	7.4	13.8	16.2	18.9	26.1	31.1	31.6	36.1	40.1	BEGINNING MILE POST
LENGTH	3.6	3.8	6.4	2.3	2.7	7.1	4.9	0.5	4.4	4.1	6.5	LENGTH
YEAR BUILT	44	41	34	41	63	63	40	40	40	37	37	YEAR BUILT
YEAR IMPROVED	47	47	47	41	63	63	40	40	51	61	65	YEAR IMPROVED
SURFACE WIDTH	20	20	20	20	28	28	20	20	20	24	24	SURFACE WIDTH
ROADWAY WIDTH	28	25	24	26	28	28	25	25	26	26	26	ROADWAY WIDTH
SURFACE TYPE	BSI	BSI	BSI	BSI	PMS	PMS	BSI	BST	RMS	RMS	RMS	SURFACE TYPE
ADT	676	558	508	528	798	691	584	521	510	483	496	ADT
DHV	101	83	76	79	119	103	87	78	76	72	74	DHV
SERVICE VOLUME	283	206	115	267	599	629	536	308	515	889	357	SERVICE VOLUME
FOUNDATION - 10	0	0	0	0	5	4	0	0	0	0	0	FOUNDATION - 10
SURFACE - 30	10	12	11	9	16	14	8	11	10	10	11	SURFACE - 30
DRAINAGE - 10	7	6	6	6	10	10	7	7	6	7	7	DRAINAGE - 10
SAFETY - 20	5	2	1	4	20	6	4	1	5	<0	20	SAFETY - 20
CAPACITY - 30	25	24	20	26	27	28	28	26	28	29	27	CAPACITY - 30
SUFFICIENCY RATING	47	44	38	45	78	62	47	45	49	66	65	SUFFICIENCY RATING
ADJUSTED RATING	50	48	43	50	79	65	51	50	54	71	70	ADJUSTED RATING
DEFICIENT MILEAGE	1.94	2.12	3.96	1.31	.60	2.72	2.64	.28	2.26	1.39	2.28	DEFICIENT MILEAGE

FAP ROUTE 36
SHEET 1 OF 1

BEGINNING MILE POST	0.0	7.8	17.2	24.4	27.2	33.0	38.6	39.5	40.7	41.2	42.0	46.5	53.6	62.3	64.3	69.6	79.2	82.4	84.7	95.7	BEGINNING MILE POST
LENGTH	7.8	9.3	7.2	2.7	5.8	5.6	0.8	1.1	0.5	0.8	4.4	7.1	8.6	1.9	5.3	9.6	3.1	2.2	10.9	7.9	LENGTH
YEAR BUILT	54	54	54	54	76	74	75	75	75	75	54	54	54	57	57	67	67	67	58	60	YEAR BUILT
YEAR IMPROVED	54	54	54	54	76	74	75	75	75	75	54	54	54	57	57	67	67	67	69	69	YEAR IMPROVED
SURFACE WIDTH	24	24	24	24	40	40	40	48	56	48	24	24	24	24	24	28	28	28	28	28	SURFACE WIDTH
ROADWAY WIDTH	24	24	24	24	40	40	40	48	56	48	24	24	24	28	28	28	28	28	28	28	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	SURFACE TYPE
ADT	987	939	906	1153	1153	1153	1211	1345	1456	1549	1190	883	904	876	728	621	552	593	685	699	ADT
DHV	133	126	122	155	155	155	163	181	196	209	160	119	122	118	98	83	74	80	92	94	DHV
SERVICE VOLUME	441	469	220	683	296	151	168	272	1608	272	237	90	258	435	289	435	252	289	435	368	SERVICE VOLUME
FOUNDATION - 10	0	0	0	0	8	9	10	9	10	10	2	4	4	4	0	3	5	4	5	7	FOUNDATION - 10
SURFACE - 30	9	11	12	10	28	27	30	30	30	30	14	15	17	16	13	13	17	16	18	25	SURFACE - 30
DRAINAGE - 10	8	8	8	10	10	10	10	10	10	10	9	8	9	10	10	10	10	10	10	10	DRAINAGE - 10
SAFETY - 20	4	2	11	8	20	7	20	20	20	17	7	1	3	7	8	6	13	6	17	7	SAFETY - 20
CAPACITY - 30	25	26	22	27	22	15	15	20	28	18	20	10	23	26	25	27	26	26	27	26	CAPACITY - 30
SUFFICIENCY RATING	46	47	53	55	88	68	85	89	98	85	52	38	56	63	56	59	71	62	77	75	SUFFICIENCY RATING
ADJUSTED RATING	46	48	54	54	87	67	84	88	97	83	51	39	57	64	58	62	74	66	79	77	ADJUSTED RATING
DEFICIENT MILEAGE	4.24	4.95	3.42	1.22	.70	1.79	.13	.12	.01	.13	2.14	4.40	3.82	.72	2.33	3.96	.92	.86	2.52	1.97	DEFICIENT MILEAGE

FAP ROUTE NO 37
SHEET 1 OF 1



BEGINNING MILE POST	0.0	4.3	6.4	7.3	7.7	8.0	8.6	BEGINNING MILE POST
LENGTH	4.3	2.0	0.9	0.3	0.3	0.5	0.2	LENGTH
YEAR BUILT	75	39	U	37	77	37	71	YEAR BUILT
YEAR IMPROVED	75	53	R	55	77	55	71	YEAR IMPROVED
SURFACE WIDTH	44	24	8	22	36	22	44	SURFACE WIDTH
ROADWAY WIDTH	44	24	A	24	36	24	44	ROADWAY WIDTH
SURFACE TYPE	PMS	RMS	N	RMS	PMS	RMS	RMS	SURFACE TYPE
ADT	3863	7012		5029	4791	4482	4195	ADT
OHV	536	981		704	670	627	587	OHV
SERVICE VOLUME	170	759		243	376	280	795	SERVICE VOLUME
FOUNDATION - 10	10	0		0	9	0	7	FOUNDATION - 10
SURFACE - 30	30	10		11	28	11	18	SURFACE - 30
DRAINAGE - 10	10	8		7	10	6	10	DRAINAGE - 10
SAFETY - 20	5	3		20	3	6	20	SAFETY - 20
CAPACITY - 30	0	11		0	3	0	19	CAPACITY - 30
SUFFICIENCY RATING	55	32		38	53	23	74	SUFFICIENCY RATING
ADJUSTED RATING	45	20		27	42	15	66	ADJUSTED RATING
DEFICIENT MILEAGE	1.96	1.39		.23	.14	.44	.06	DEFICIENT MILEAGE

0.0	4.2	13.2	13.9	21.4	22.7	26.0	31.7	36.5	42.6	44.6		BEGINNING MILE POST
4.2	9.0	0.6	7.6	1.3	3.3	5.6	4.8	5.8	2.0	6.7		LENGTH
64	64	58	58	49	49	49	49	53	51	U		YEAR BUILT
64	78	78	77	67	67	70	70	67	67	N		YEAR IMPROVED
24	26	26	26	24	24	24	24	24	24	0	C	SURFACE WIDTH
24	26	26	26	24	24	24	24	24	24	E	O	ROADWAY WIDTH
PMS	PMS	PMS	PMS	RMS	RMS	RMS	RMS	RMS	RMS	R	N	SURFACE TYPE
585	314	332	393	556	834	666	620	629	659		S	ADT
87	47	49	58	83	125	99	93	94	98		T	OHV
431	418	264	396	218	249	301	243	414	441		R	SERVICE VOLUME
4	9	9	9	5	4	4	0	0	0		U	FOUNDATION - 10
17	30	30	30	17	15	17	11	10	10		C	SURFACE - 30
7	10	10	10	8	8	6	5	8	5		T	DRAINAGE - 10
0	5	1	7	1	1	1	1	1	2		I	SAFETY - 20
27	28	27	28	24	22	25	24	27	27		O	CAPACITY - 30
55	82	77	86	55	50	53	41	46	44		N	SUFFICIENCY RATING
59	87	82	87	59	51	56	44	49	47			ADJUSTED RATING
1.90	1.62	.15	1.19	.60	1.65	2.67	2.84	3.16	1.13			DEFICIENT MILEAGE

FAP ROUTE 38 & 39

SHEET 1 OF 1



BEGINNING MILE POST	0.0	0.1
LENGTH	0.1	0.2
YEAR BUILT	72	U
YEAR IMPROVED	72	R
SURFACE WIDTH	40	B
ROADWAY WIDTH	40	A
SURFACE TYPE	PMS	N
ADT	1119	
DHV	145	
SERVICE VOLUME	257	
FOUNDATION - 10	9	
SURFACE - 30	27	
DRAINAGE - 10	10	
SAFETY - 20	20	
CAPACITY - 30	22	
SUFFICIENCY RATING	88	
ADJUSTED RATING	87	
DEFICIENT MILEAGE	.01	



BEGINNING MILE POST	0.0	6.3	11.7	16.8	19.8	27.4	BEGINNING MILE POST
LENGTH	6.3	5.4	5.1	2.9	7.6	5.0	LENGTH
YEAR BUILT	61	62	77	70	65	57	YEAR BUILT
YEAR IMPROVED	61	62	77	70	65	72	YEAR IMPROVED
SURFACE WIDTH	28	28	28	30	30	24	SURFACE WIDTH
ROADWAY WIDTH	28	28	28	30	30	24	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	PMS	BSI	PMS	SURFACE TYPE
ADT	219	180	187	216	242	277	ADT
DHV	36	30	31	36	40	46	DHV
SERVICE VOLUME	660	660	401	292	323	301	SERVICE VOLUME
FOUNDATION - 10	0	0	9	4	5	7	FOUNDATION - 10
SURFACE - 30	10	8	28	16	15	20	SURFACE - 30
DRAINAGE - 10	10	10	10	10	10	10	DRAINAGE - 10
SAFETY - 20	6	11	2	2	5	3	SAFETY - 20
CAPACITY - 30	29	29	29	28	28	28	CAPACITY - 30
SUFFICIENCY RATING	55	58	78	60	63	68	SUFFICIENCY RATING
ADJUSTED RATING	66	70	86	71	72	76	ADJUSTED RATING
DEFICIENT MILEAGE	2.85	2.27	1.12	1.18	2.83	1.60	DEFICIENT MILEAGE

FAP ROUTE NO 40 & 41

SHEET 1 OF 1



BEGINNING MILE POST	0.0	1.9	8.2	19.7	31.7	37.2	46.0	52.2	56.2	58.5	59.1	70.5	73.2	75.4	BEGINNING MILE POST
LENGTH	1.9	6.3	11.4	12.0	5.4	8.7	6.1	4.0	2.2	0.6	11.3	2.7	2.1	0.7	LENGTH
YEAR BUILT	60	60	63	62	56	57	57	36	36	36	34	34	34	U	YEAR BUILT
YEAR IMPROVED	64	64	64	71	64	64	64	66	66	66	34	34	58	R	YEAR IMPROVED
SURFACE WIDTH	24	24	24	30	24	24	24	28	30	30	22	22	22	B	SURFACE WIDTH
ROADWAY WIDTH	40	40	42	30	34	32	32	28	36	36	26	26	26	A	ROADWAY WIDTH
SURFACE TYPE	BST	BST	BST	PMS	BST	BST	BST	RMS	RMS	RMS	RMS	RMS	RMS	N	SURFACE TYPE
ADT	153	143	118	112	112	113	130	200	222	651	671	912	1136		ADT
DHV	24	22	18	17	17	18	20	32	35	104	107	145	181		DHV
SERVICE VOLUME	662	411	795	434	482	482	724	501	774	748	324	795	367		SERVICE VOLUME
FOUNDATION - 10	0	0	0	3	0	0	0	6	8	8	0	0	0		FOUNDATION - 10
SURFACE - 30	13	13	10	19	15	12	10	24	26	26	15	10	12		SURFACE - 30
DRAINAGE - 10	10	10	10	10	10	10	10	10	10	10	7	9	9		DRAINAGE - 10
SAFETY - 20	20	4	20	9	6	20	9	8	11	20	1	5	2		SAFETY - 20
CAPACITY - 30	29	29	30	29	29	29	30	29	29	28	25	27	23		CAPACITY - 30
SUFFICIENCY RATING	72	56	70	70	60	71	59	77	84	92	48	51	46		SUFFICIENCY RATING
ADJUSTED RATING	83	70	83	83	75	84	73	85	90	93	51	52	45		ADJUSTED RATING
DEFICIENT MILEAGE	.55	2.77	3.42	3.61	2.18	2.54	2.53	.93	.36	.04	5.89	1.33	1.17		DEFICIENT MILEAGE

FAP ROUTE NO 42
SHEET 1 OF 1

BEGINNING MILE POST	0.0	0.6	1.3	3.0	9.4	14.8	25.2	29.0	35.2
LENGTH	0.6	0.7	1.6	6.4	5.3	10.4	3.7	6.2	7.5
YEAR BUILT	U	77	77	50	50	63	63	63	62
YEAR IMPROVED	R	77	77	50	50	63	63	63	62
SURFACE WIDTH	B	48	44	24	24	28	28	28	30
ROADWAY WIDTH	A	48	44	28	28	30	30	30	30
SURFACE TYPE	N	PMS	PMS	RMS	RMS	PMS	PMS	PMS	PMS
ADT		3262	2526	1536	1117	681	450	419	462
DHV		424	328	199	145	88	58	54	60
SERVICE VOLUME		1428	296	327	280	367	391	554	554
FOUNDATION - 10		9	10	0	2	3	5	5	3
SURFACE - 30		28	30	14	14	17	19	18	18
DRAINAGE - 10		10	10	10	10	10	10	10	10
SAFETY - 20		7	1	4	5	10	9	5	19
CAPACITY - 30		26	13	21	22	26	28	29	28
SUFFICIENCY RATING		80	64	49	53	72	71	67	78
ADJUSTED RATING		74	58	46	52	74	76	72	82
DEFICIENT MILEAGE		.14	.59	3.30	2.50	2.92	1.08	2.05	1.66
BEGINNING MILE POST									
LENGTH									
YEAR BUILT									
YEAR IMPROVED									
SURFACE WIDTH									
ROADWAY WIDTH									
SURFACE TYPE									
ADT									
DHV									
SERVICE VOLUME									
FOUNDATION - 10									
SURFACE - 30									
DRAINAGE - 10									
SAFETY - 20									
CAPACITY - 30									
SUFFICIENCY RATING									
ADJUSTED RATING									
DEFICIENT MILEAGE									

FAP ROUTE NO 43
SHEET 1 OF 1



BEGINNING MILE POST	0.0	2.7	13.1	14.2	21.9	27.8	BEGINNING MILE POST
LENGTH	2.7	10.4	1.1	7.6	5.9	0.5	LENGTH
YEAR BUILT	54	54	U	48	48	72	YEAR BUILT
YEAR IMPROVED	54	54	R	48	48	72	YEAR IMPROVED
SURFACE WIDTH	24	24	B	20	20	34	SURFACE WIDTH
ROADWAY WIDTH	24	24	A	20	20	34	ROADWAY WIDTH
SURFACE TYPE	RMS	RMS	N	RMS	RMS	PMS	SURFACE TYPE
ADT	442	549		926	883	800	ADT
DHV	62	77		131	125	113	DHV
SERVICE VOLUME	534	530		585	374	640	SERVICE VOLUME
FOUNDATION - 10	3	0		0	0	9	FOUNDATION - 10
SURFACE - 30	14	14		7	9	28	SURFACE - 30
DRAINAGE - 10	7	7		6	6	10	DRAINAGE - 10
SAFETY - 20	20	1		5	3	10	SAFETY - 20
CAPACITY - 30	28	28		27	25	27	CAPACITY - 30
SUFFICIENCY RATING	72	50		45	43	84	SUFFICIENCY RATING
ADJUSTED RATING	77	54		46	44	85	ADJUSTED RATING
DEFICIENT MILEAGE	.77	5.21		4.21	3.36	.08	DEFICIENT MILEAGE

FAP ROUTE NO 44

SHEET 1 OF 1

BEGINNING MILE POST	0.0	0.5	7.3	8.0	15.7	22.7	23.8	28.2	33.3	37.8	43.8	BEGINNING MILE POST
LENGTH	0.5	6.7	0.6	7.7	7.0	1.0	4.4	5.0	4.5	5.9	0.1	LENGTH
YEAR BUILT	U	35	69	42	48	69	46	46	35	70	U	YEAR BUILT
YEAR IMPROVED	R	56	69	42	78	78	78	55	39	70	R	YEAR IMPROVED
SURFACE WIDTH	B	22	30	20	24	24	24	24	20	32	B	SURFACE WIDTH
ROADWAY WIDTH	A	24	30	24	24	24	24	26	24	32	A	ROADWAY WIDTH
SURFACE TYPE	N	RMS	RMS	RMS	PMS	PMS	PMS	RMS	RMS	PMS	N	SURFACE TYPE
ADT		673	461	475	579	569	566	429	277	350		ADT
OHV		87	59	61	75	73	73	55	36	45		OHV
SERVICE VOLUME		776	486	387	349	248	372	355	400	569		SERVICE VOLUME
FOUNDATION - 10		0	7	0	7	9	7	0	0	8		FOUNDATION - 10
SURFACE - 30		12	23	10	28	25	28	11	11	19		SURFACE - 30
DRAINAGE - 10		5	10	4	10	10	10	10	7	10		DRAINAGE - 10
SAFETY - 20		1	3	1	1	20	2	3	3	20		SAFETY - 20
CAPACITY - 30		23	28	28	27	26	26	28	25	29		CAPACITY - 30
SUFFICIENCY RATING		41	71	43	73	90	73	52	50	86		SUFFICIENCY RATING
ADJUSTED RATING		44	76	48	76	91	76	58	59	89		ADJUSTED RATING
DEFICIENT MILEAGE		4.00	.20	4.41	1.90	.10	1.19	2.43	2.26	.83		DEFICIENT MILEAGE

FAP ROUTE NO 45

SHEET 1 OF 1



BEGINNING MILE POST	0.0	0.1	1.1	4.1	7.7	16.9	26.3	31.6	36.8	41.8	51.3	51.3	56.9	58.0	58.8	64.9	65.2	73.6	75.0	76.4	77.1
LENGTH	0.1	1.0	2.9	3.6	9.3	9.2	5.2	5.2	4.9	9.3	0.2	5.5	1.0	0.8	6.0	0.3	8.2	1.3	1.4	0.4	0.7
YEAR BUILT	60	O	60	60	60	62	65	65	65	61	61	61	61	61	61	70	61	68	68	34	76
YEAR IMPROVED	63	U	63	63	63	62	65	65	65	61	61	61	61	61	61	70	61	68	68	76	76
SURFACE WIDTH	28	T	28	28	28	30	28	26	26	26	26	26	26	30	26	44	26	34	34	32	34
ROADWAY WIDTH	28		28	28	28	30	28	26	26	28	28	28	28	33	28	44	28	34	34	32	34
SURFACE TYPE	PMS	O	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS
ADT	270	F	270	270	270	330	294	275	257	292	335	271	270	277	336	392	394	394	392	391	378
OHV	40		40	40	40	49	44	41	38	43	50	40	40	41	50	58	59	59	58	58	56
SERVICE VOLUME	498	S	387	501	448	600	569	595	398	354	501	413	377	476	327	464	311	425	470	607	315
FOUNDATION - 10	9	T	5	5	7	5	7	8	7	5	7	0	3	6	2	8	3	8	9	5	10
SURFACE - 30	25	A	18	15	22	18	17	18	18	15	18	13	15	16	15	19	14	24	26	15	30
DRAINAGE - 10	10	T	10	10	10	10	10	10	10	9	10	10	10	10	8	10	6	10	10	10	10
SAFETY - 20	0	E	20	20	6	20	3	20	8	2	20	2	2	4	3	1	1	7	3	10	20
CAPACITY - 30	29		28	29	29	29	29	29	29	28	29	29	28	29	28	28	27	28	28	29	27
SUFFICIENCY RATING	73		81	79	74	82	66	85	72	79	84	54	58	65	56	66	51	77	76	69	97
ADJUSTED RATING	80		81	85	81	87	74	89	80	68	88	63	67	73	64	72	58	82	81	75	97
DEFICIENT MILEAGE	.02		.55	.77	2.44	1.66	1.78	.79	1.39	3.83	.01	2.56	.44	.29	2.06	.13	4.03	.30	.34	.15	.02



BEGINNING MILE POST	0.0	5.9	6.7
LENGTH	5.9	0.8	0.1
YEAR BUILT	49	31	78
YEAR IMPROVED	49	42	78
SURFACE WIDTH	20	24	40
ROADWAY WIDTH	26	30	40
SURFACE TYPE	RMS	RMS	PMS
ADT	1185	1131	707
OHV	165	160	212
SERVICE VOLUME	535	398	103
FOUNDATION - 10	0	6	10
SURFACE - 30	13	17	30
DRAINAGE - 10	8	8	10
SAFETY - 20	5	20	20
CAPACITY - 30	25	24	0
SUFFICIENCY RATING	51	75	70
ADJUSTED RATING	50	74	72
DEFICIENT MILEAGE	2.93	.20	.01

FAP ROUTE NO 46 & 47

SHEET 1 OF 1



BEGINNING MILE POST	0.0	0.2	2.5	1.0	1.3	6.7	11.6	18.3	22.7	26.4	29.5
LENGTH	0.2	0.8	0.1	0.2	5.4	4.8	6.6	4.3	3.6	3.1	0.3
YEAR BUILT	71	76	70	70	41	45	54	63	63	63	74
YEAR IMPROVED	71	76	70	70	63	45	54	63	63	63	74
SURFACE WIDTH	40	44	40	40	21	20	24	28	28	28	34
ROADWAY WIDTH	40	44	40	40	24	24	24	28	28	28	34
SURFACE TYPE	PMS	PMS	PMS	RMS	RMS	RMS	RMS	PMS	PMS	PMS	PMS
ADT	2733	2756	3486	1738	831	523	317	211	310	541	657
DHV	355	358	488	243	116	73	44	29	43	75	91
SERVICE VOLUME	464	806	368	151	453	406	494	353	332	579	399
FOUNDATION - 10	9	9	8	7	3	3	4	9	9	10	10
SURFACE - 30	28	28	24	23	17	17	18	27	27	27	30
DRAINAGE - 10	10	10	10	10	8	9	10	10	10	10	10
SAFETY - 20	6	6	20	1	5	6	9	6	18	20	2
CAPACITY - 30	19	23	10	6	26	27	29	29	28	28	27
SUFFICIENCY RATING	72	76	72	47	59	62	70	81	92	95	79
ADJUSTED RATING	66	71	65	43	60	66	77	88	94	95	81
DEFICIENT MILEAGE	.08	.21	.05	.15	2.23	1.84	1.99	.83	.29	.15	.06

BEGINNING MILE POST	0.0	0.1	0.2	3.0	6.8	13.6	16.1	26.8	BEGINNING MILE POST
LENGTH	0.1	0.1	2.4	3.7	6.8	2.4	10.6	0.7	LENGTH
YEAR BUILT	46	U	46	46	59	59	U	U	YEAR BUILT
YEAR IMPROVED	74	R	62	62	59	59	N	R	YEAR IMPROVED
SURFACE WIDTH	40	B	24	24	24	24	D C	B	SURFACE WIDTH
ROADWAY WIDTH	40	A	26	26	24	24	E O	A	ROADWAY WIDTH
SURFACE TYPE	RMS	N	RNS	RMS	PNS	PNS	R N	N	SURFACE TYPE
ADT	2327		2068	1403	994	965	S		ADT
DHV	302		268	182	129	122	I		DHV
SERVICE VOLUME	828		442	284	220	333	R		SERVICE VOLUME
FOUNDATION - 10	6		3	0	0	0	U		FOUNDATION - 10
SURFACE - 30	17		17	13	17	14	C		SURFACE - 30
DRAINAGE - 10	6		7	8	10	8	I		DRAINAGE - 10
SAFETY - 20	20		4	2	4	20	I		SAFETY - 20
CAPACITY - 30	25		21	20	21	25	O		CAPACITY - 30
SUFFICIENCY RATING	72		52	43	52	67	N		SUFFICIENCY RATING
ADJUSTED RATING	67		47	41	52	67			ADJUSTED RATING
DEFICIENT MILEAGE	.02		1.16	2.16	3.30	.82			DEFICIENT MILEAGE

FAP ROUTE NO 48 & 49
SHEET 1 OF 1



BEGINNING MILE POST	0.0	0.5	7.3	8.3	8.5	10.4	16.6	31.1	40.1	47.9	60.8	70.1	76.4	81.9	87.0
LENGTH	0.5	7.1	1.0	0.1	1.9	6.0	14.5	8.9	7.8	12.9	9.3	6.2	5.4	5.2	3.5
YEAR BUILT	U	68	64	64	62	63	63	60	60	55	67	58	64	60	
YEAR IMPROVED	R	68	64	64	72	63	63	60	60	55	67	60	64	60	
SURFACE WIDTH	B	40	34	52	32	32	32	28	28	28	28	32	32	36	
ROADWAY WIDTH	A	40	34	52	32	32	32	28	28	28	28	32	32	36	
SURFACE TYPE	N	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	
ADT		1845	1593	1134	1011	981	937	1042	1291	1418	1442	1832	2798	5296	
DHV		405	350	178	168	154	147	163	203	222	226	281	439	794	
SERVICE VOLUME		234	552	260	144	405	500	386	354	283	203	643	696	283	
FOUNDATION - 10		8	7	8	9	6	5	6	6	5	9	8	8	8	
SURFACE - 30		21	18	24	25	17	17	21	19	19	28	25	23	26	
DRAINAGE - 10		10	10	10	10	10	10	10	10	9	10	10	10	10	
SAFETY - 20		20	20	2	1	20	11	4	6	2	1	7	6	7	
CAPACITY - 30		4	20	20	13	24	26	24	21	18	13	23	21	0	
SUFFICIENCY RATING		63	TS	64	58	77	69	65	62	53	61	73	68	51	
ADJUSTED RATING		59	TZ	63	58	77	69	65	60	51	59	70	62	35	
DEFICIENT MILEAGE		2.63	.26	.05	.82	1.38	4.52	3.12	2.97	6.08	3.63	1.68	1.74	2.55	

70

FAP ROUTE 50
SHEET 1 OF 1



BEGINNING MILE POST	0.0	3.3	8.3	9.0	18.7	27.2	27.5	32.5	38.4	49.2	59.9	BEGINNING MILE POST
LENGTH	3.3	5.0	0.7	9.6	8.4	0.3	5.0	5.8	10.7	10.6	11.1	LENGTH
YEAR BUILT	60	60	60	59	59	U	58	58	57	56	55	YEAR BUILT
YEAR IMPROVED	61	61	61	59	59	R	77	77	77	77	77	YEAR IMPROVED
SURFACE WIDTH	30	30	30	28	28	A	24	24	24	24	24	SURFACE WIDTH
ROADWAY WIDTH	30	30	30	28	28	A	32	32	28	28	28	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	PMS	PMS	N	PMS	PMS	PMS	PMS	PMS	SURFACE TYPE
ADT	535	347	234	234	234		208	183	238	337	563	ADT
DHV	74	48	32	32	32		29	25	33	47	78	DHV
SERVICE VOLUME	655	414	702	371	342		592	425	524	436	395	SERVICE VOLUME
FOUNDATION - 10	6	4	7	0	0		8	7	8	8	8	FOUNDATION - 10
SURFACE - 30	21	17	22	13	15		30	28	30	30	30	SURFACE - 30
DRAINAGE - 10	10	10	10	10	10		10	10	10	10	10	DRAINAGE - 10
SAFETY - 20	17	20	20	11	20		6	20	18	7	13	SAFETY - 20
CAPACITY - 30	28	28	29	29	29		29	29	29	28	27	CAPACITY - 30
SUFFICIENCY RATING	82	79	88	63	74		83	94	95	83	88	SUFFICIENCY RATING
ADJUSTED RATING	84	84	92	73	82		89	96	97	87	89	ADJUSTED RATING
DEFICIENT MILEAGE	.59	1.05	.09	3.57	2.19		.85	.35	.53	1.80	1.34	DEFICIENT MILEAGE

FAP ROUTE 51
SHEET 1 OF 1



BEGINNING MILE POST	0.0	1.1	10.3	18.0	23.6	26.2	28.2	30.2	32.2	33.5	33.9	41.5	BEGINNING MILE POST
LENGTH	1.1	3.2	7.6	5.5	2.6	1.9	2.0	1.9	1.3	0.3	7.6	3.9	LENGTH
YEAR BUILT	40	47	48	31	36	36	36	56	22	35	34	34	YEAR BUILT
YEAR IMPROVED	50	41	65	65	60	59	64	56	49	57	55	55	YEAR IMPROVED
SURFACE WIDTH	21	24	24	24	24	24	24	24	24	22	22	22	SURFACE WIDTH
ROADWAY WIDTH	24	24	25	24	25	24	24	28	24	22	24	24	ROADWAY WIDTH
SURFACE TYPE	BST	BST	RMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	SURFACE TYPE
ADT	2139	1451	1451	1302	1388	1197	2075	3241	3252	3691	1814	2455	ADT
DHV	322	214	214	192	205	265	307	479	481	546	268	363	DHV
SERVICE VOLUME	210	208	522	336	481	220	208	198	335	132	350	435	SERVICE VOLUME
FOUNDATION - 10	0	0	0	0	0	0	0	0	0	0	0	0	FOUNDATION - 10
SURFACE - 30	12	12	14	15	12	11	13	12	14	11	13	17	SURFACE - 30
DRAINAGE - 10	7	6	8	7	6	5	5	10	6	5	4	4	DRAINAGE - 10
SAFETY - 20	1	1	6	1	5	4	2	3	2	0	1	3	SAFETY - 20
CAPACITY - 30	1	15	24	21	24	12	8	0	8	0	20	17	CAPACITY - 30
SUFFICIENCY RATING	21	34	52	44	41	32	28	25	30	16	38	41	SUFFICIENCY RATING
ADJUSTED RATING	23	32	49	42	45	28	24	19	23	18	34	35	ADJUSTED RATING
DEFICIENT MILEAGE	5.20	2.12	3.61	3.12	1.41	1.35	1.44	1.48	.94	.28	4.13	2.34	DEFICIENT MILEAGE

BEGINNING MILE POST	0.0	4.3	6.3	15.9	23.1	31.5	32.0	34.2	40.5	45.3	46.2	BEGINNING MILE POST
LENGTH	4.6	2.0	9.5	7.2	8.4	0.4	2.1	6.2	4.8	0.8	0.4	LENGTH
YEAR BUILT	U	63	48	48	48	U	48	48	56	U	56	YEAR BUILT
YEAR IMPROVED	R	63	48	48	48	R	48	51	56	R	56	YEAR IMPROVED
SURFACE WIDTH	8	32	20	20	20	8	20	22	30	8	30	SURFACE WIDTH
ROADWAY WIDTH	A	32	24	24	24	A	24	28	30	A	30	ROADWAY WIDTH
SURFACE TYPE	N	PMS	RMS	RMS	RMS	N	RMS	RMS	851	N	851	SURFACE TYPE
ADT		4563	1276	1039	1065		911	931	968		978	ADT
DHV		593	165	135	138		118	121	125		121	DHV
SERVICE VOLUME		565	185	584	354		220	438	355		535	SERVICE VOLUME
FOUNDATION - 10		8	0	0	0		0	0	0		2	FOUNDATION - 10
SURFACE - 30		24	13	9	12		14	10	11		13	SURFACE - 30
DRAINAGE - 10		10	8	9	1		7	8	10		10	DRAINAGE - 10
SAFETY - 20		13	1	12	2		1	3	9		20	SAFETY - 20
CAPACITY - 30		14	17	27	24		22	26	25		26	CAPACITY - 30
SUFFICIENCY RATING		69	39	57	45		44	47	55		71	SUFFICIENCY RATING
ADJUSTED RATING		60	37	57	45		45	48	55		71	ADJUSTED RATING
DEFICIENT MILEAGE		.62	5.84	3.13	4.63		1.21	3.33	2.17		.12	DEFICIENT MILEAGE

FAP ROUTE NO 52 & 53
SHEET 1 OF 1



BEGINNING MILE POST	0.0	9.1	17.6	23.7	BEGINNING MILE POST
LENGTH	9.1	8.7	5.9	5.5	LENGTH
YEAR BUILT	59	68	74	76	YEAR BUILT
YEAR IMPROVED	66	68	75	76	YEAR IMPROVED
SURFACE WIDTH	24	30	30	30	SURFACE WIDTH
ROADWAY WIDTH	24	32	30	30	ROADWAY WIDTH
SURFACE TYPE	BST	PMS	PMS	PMS	SURFACE TYPE
AOT	230	296	344	349	AOT
OHV	29	38	44	45	OHV
SERVICE VOLUME	327	529	530	512	SERVICE VOLUME
FOUNDATION - 10	0	7	8	9	FOUNDATION - 10
SURFACE - 30	11	24	27	27	SURFACE - 30
DRAINAGE - 10	10	10	10	10	DRAINAGE - 10
SAFETY - 20	2	7	11	20	SAFETY - 20
CAPACITY - 30	29	29	29	29	CAPACITY - 30
SUFFICIENCY RATING	52	77	85	95	SUFFICIENCY RATING
ADJUSTED RATING	63	83	89	96	ADJUSTED RATING
DEFICIENT MILEAGE	4.37	2.01	.88	.27	DEFICIENT MILEAGE

FAP ROUTE NO 54
SHEET 1 OF 1



BEGINNING MILE POST	0.0	2.1	2.4	12.1	12.9	BEGINNING MILE POST
LENGTH	2.1	0.2	9.7	0.8	0.1	LENGTH
YEAR BUILT	53	53	53	U	66	YEAR BUILT
YEAR IMPROVED	53	53	53	R	66	YEAR IMPROVED
SURFACE WIDTH	24	24	24	B	32	SURFACE WIDTH
ROADWAY WIDTH	24	24	24	A	32	ROADWAY WIDTH
SURFACE TYPE	RMS	RMS	RMS	N	PMS	SURFACE TYPE
ADT	792	849	964		1855	ADT
DHV	130	140	159		306	DHV
SERVICE VOLUME	297	348	258		259	SERVICE VOLUME
FOUNDATION - 10	6	6	6		9	FOUNDATION - 10
SURFACE - 30	18	17	17		26	SURFACE - 30
DRAINAGE - 10	8	8	8		10	DRAINAGE - 10
SAFETY - 20	3	20	5		20	SAFETY - 20
CAPACITY - 30	23	24	21		15	CAPACITY - 30
SUFFICIENCY RATING	58	75	61		80	SUFFICIENCY RATING
ADJUSTED RATING	60	76	61		77	ADJUSTED RATING
DEFICIENT MILEAGE	.89	.07	3.78		.01	DEFICIENT MILEAGE

BEGINNING MILE POST	0.0	8.1	16.5	22.0	27.8	BEGINNING MILE POST
LENGTH	8.1	8.3	5.4	5.8	6.7	LENGTH
YEAR BUILT	57	63	63	60	56	YEAR BUILT
YEAR IMPROVED	57	63	63	60	56	YEAR IMPROVED
SURFACE WIDTH	24	28	28	24	24	SURFACE WIDTH
ROADWAY WIDTH	24	28	28	24	24	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	PMS	PMS	SURFACE TYPE
ADT	334	340	382	457	594	ADT
DHV	50	51	57	69	89	DHV
SERVICE VOLUME	289	280	187	289	249	SERVICE VOLUME
FOUNDATION - 10	4	6	6	5	5	FOUNDATION - 10
SURFACE - 30	18	17	18	17	17	SURFACE - 30
DRAINAGE - 10	8	8	8	7	9	DRAINAGE - 10
SAFETY - 20	1	2	2	2	2	SAFETY - 20
CAPACITY - 30	27	27	25	26	25	CAPACITY - 30
SUFFICIENCY RATING	58	60	59	57	58	SUFFICIENCY RATING
ADJUSTED RATING	66	67	66	63	62	ADJUSTED RATING
DEFICIENT MILEAGE	3.43	3.34	2.24	2.51	2.84	DEFICIENT MILEAGE

FAP ROUTE NO 55 & 56

SHEET NO 1 OF 1



BEGINNING MILE POST	0.0	5.4	7.0	10.4	17.9	21.8	26.5	33.2	36.6	41.8	54.3	56.6	57.8	BEGINNING MILE POST
LENGTH	5.4	1.7	3.3	7.5	3.9	4.6	6.6	3.4	5.1	12.4	2.3	1.1	6.5	LENGTH
YEAR BUILT	60	61	61	64	64	36	36	37	37	36	33	55	71	YEAR BUILT
YEAR IMPROVED	60	61	61	64	64	50	50	37	37	56	71	55	71	YEAR IMPROVED
SURFACE WIDTH	32	32	32	32	32	24	24	24	24	22	22	24	32	SURFACE WIDTH
ROADWAY WIDTH	32	32	32	32	32	25	25	30	30	24	24	32	32	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	PMS	PMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	PMS	SURFACE TYPE
ADT	1742	1742	1910	2249	2173	1980	2067	2109	2347	2099	2126	2140	2387	ADT
DHV	207	207	227	267	258	235	245	250	279	249	252	254	284	DHV
SERVICE VOLUME	1915	362	362	315	471	408	418	737	518	392	352	503	666	SERVICE VOLUME
FOUNDATION - 10	4	4	5	5	7	0	0	0	0	0	3	3	8	FOUNDATION - 10
SURFACE - 30	19	17	18	16	19	11	10	9	8	11	17	14	25	SURFACE - 30
DRAINAGE - 10	10	10	10	10	10	7	6	9	9	6	7	10	10	DRAINAGE - 10
SAFETY - 20	1	20	2	9	16	19	8	4	17	4	1	20	14	SAFETY - 20
CAPACITY - 30	28	21	21	17	22	21	21	25	22	20	19	22	24	CAPACITY - 30
SUFFICIENCY RATING	62	72	56	57	74	58	45	47	56	41	47	69	81	SUFFICIENCY RATING
ADJUSTED RATING	58	69	51	51	70	53	40	42	50	36	42	64	77	ADJUSTED RATING
DEFICIENT MILEAGE	2.05	.49	1.47	3.22	1.03	1.97	3.63	1.82	2.27	7.34	1.23	.35	1.23	DEFICIENT MILEAGE

FAP ROUTE NO 57
SHEET 1 OF 4

BEGINNING MILE POST	64.4	64.9	66.9	73.5	76.9	79.2	80.8	83.1	88.2	94.3	103.2	112.9	121.7	123.7	131.0	135.5	136.1	137.6	148.6	156.7	BEGINNING MILE POST
LENGTH	0.5	2.0	6.5	3.3	2.3	1.7	2.1	5.0	6.0	8.5	9.6	8.7	1.4	7.7	4.8	0.5	1.5	11.0	7.9	1.6	LENGTH
YEAR BUILT	71	71	47	47	47	47	U	42	37	37	40	51	29	31	U	U	U	54	51	73	YEAR BUILT
YEAR IMPROVED	71	71	54	54	54	54	R	42	56	57	55	79	58	58	N	R	N	54	51	73	YEAR IMPROVED
SURFACE WIDTH	32	32	24	24	24	24	B	24	24	24	24	24	18	20	D	B	D	C	24	24	30	SURFACE WIDTH
ROADWAY WIDTH	32	32	32	31	31	31	A	30	30	30	32	24	24	24	E	A	E	C	24	24	30	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	PMS	PMS	RMS	N	PMS	RMS	RMS	RMS	PMS	RMS	RMS	R	N	R	N	RMS	BST	PMS	SURFACE TYPE
ADT	2123	1830	1858	1932	2479	2117		1426	1148	1021	955	404	323	297				S	410	394	365	ADT
DHV	252	217	221	229	295	245		185	149	132	146	61	49	45				T	62	60	55	DHV
SERVICE VOLUME	621	621	522	340	522	676		377	261	333	526	424	369	561				R	384	266	567	SERVICE VOLUME
FOUNDATION - 10	9	9	8	6	7	7		4	2	0	0	8	0	0				U	0	0	9	FOUNDATION - 10
SURFACE - 30	28	27	18	19	20	17		17	13	13	13	27	8	7				C	13	12	28	SURFACE - 30
DRAINAGE - 10	10	10	9	9	9	9		10	8	9	9	9	5	4				T	10	8	10	DRAINAGE - 10
SAFETY - 20	20	8	13	4	4	3		11	1	1	3	1	15	4				I	10	1	17	SAFETY - 20
CAPACITY - 30	24	25	24	20	22	25		23	21	24	26	28	28	29				O	28	27	29	CAPACITY - 30
SUFFICIENCY RATING	91	79	70	58	62	61		65	45	47	51	73	56	44				N	61	48	93	SUFFICIENCY RATING
ADJUSTED RATING	89	76	66	53	56	56		63	44	47	57	78	64	53					67	55	95	ADJUSTED RATING
DEFICIENT MILEAGE	.04	.42	7.96	1.40	.89	.68		1.77	3.31	4.74	4.73	2.15	.64	4.34					4.29	4.15	.11	DEFICIENT MILEAGE

FAP ROUTE NO 57
SHEET 2 OF 4



BEGINNING MILE POST	158.3	161.5	171.2	180.2	192.2	199.0	206.8	212.1	212.4	213.0	218.0	226.7	238.9	241.4	242.4	BEGINNING MILE POST
LENGTH	3.1	9.5	8.1	11.8	6.8	7.6	5.3	0.2	0.6	4.9	8.6	12.2	2.5	1.0	6.0	LENGTH
YEAR BUILT	73	68	48	73	36	36	36	37	U	37	36	31	38	68	38	YEAR BUILT
YEAR IMPROVED	13	68	52	13	53	53	57	47	R	52	49	54	54	68	54	YEAR IMPROVED
SURFACE WIDTH	30	36	22	32	24	24	22	22	B	24	24	24	24	36	24	SURFACE WIDTH
ROADWAY WIDTH	30	36	24	32	24	24	26	24	A	26	25	24	24	36	24	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	RMS	PMS	RMS	RMS	RMS	RMS	N	RMS	BST	RMS	RMS	RMS	RMS	SURFACE TYPE
AOT	333	332	348	366	383	390	393	1251		517	414	385	303	305	312	AOT
OHV	50	50	53	55	58	59	60	191		79	63	58	46	46	47	OHV
SERVICE VOLUME	567	425	406	400	393	393	360	263		500	469	243	312	212	243	SERVICE VOLUME
FOUNDATION - 10	9	4	0	7	0	0	0	0		0	0	0	0	7	0	FOUNDATION - 10
SURFACE - 30	28	18	9	24	8	9	8	12		12	10	11	12	22	12	SURFACE - 30
DRAINAGE - 10	10	10	7	10	9	9	7	8		8	8	9	9	10	9	DRAINAGE - 10
SAFETY - 20	20	20	1	18	1	1	1	5		2	1	1	1	20	1	SAFETY - 20
CAPACITY - 30	29	28	28	28	28	28	28	19		28	28	26	28	27	27	CAPACITY - 30
SUFFICIENCY RATING	96	80	45	87	46	41	44	44		50	47	46	50	86	49	SUFFICIENCY RATING
ADJUSTED RATING	97	85	53	90	53	54	51	42		55	53	53	59	90	57	ADJUSTED RATING
DEFICIENT MILEAGE	.12	1.91	4.48	1.54	3.12	4.06	2.99	.15		2.49	4.60	6.58	1.26	.14	3.10	DEFICIENT MILEAGE

FAP ROUTE NO 57
SHEET 3 OF 4

BEGINNING MILE POST	248.6	256.5	262.3	267.4	278.3	279.7	280.7	287.7	289.8	296.8	306.4	316.7	324.6
LENGTH	8.0	5.8	5.1	10.9	1.3	1.0	6.9	2.1	7.0	9.6	10.2	8.0	4.6
YEAR BUILT	40	40	47	41	U	66	66	64	64	76	67	67	U
YEAR IMPROVED	54	54	47	56	R	66	66	64	64	76	67	61	R
SURFACE WIDTH	24	24	24	24	B	32	32	32	32	32	40	32	B
ROADWAY WIDTH	24	24	24	25	A	32	32	32	32	32	40	32	A
SURFACE TYPE	RMS	RMS	BST	RMS	N	PMS	PMS	PMS	PMS	PMS	PMS	PMS	N
ADT	345	408	459	553		1363	733	668	651	684	804	952	
DHV	52	62	70	84		208	95	86	84	88	704	123	
SERVICE VOLUME	243	266	492	515		640	621	403	448	666	296	666	
FOUNDATION - 10	0	0	0	0		7	6	6	6	8	7	4	
SURFACE - 30	12	12	10	8		25	24	23	21	28	25	21	
DRAINAGE - 10	9	9	8	10		10	10	10	10	10	10	10	
SAFETY - 20	1	1	3	14		10	20	20	18	13	6	15	
CAPACITY - 30	27	27	28	28		25	28	27	27	28	25	27	
SUFFICIENCY RATING	49	49	49	60		77	88	86	82	87	73	77	
ADJUSTED RATING	57	55	55	64		75	89	87	84	88	74	77	
DEFICIENT MILEAGE	4.08	2.95	2.64	4.38		.23	.83	.29	1.27	1.25	2.76	1.84	

BEGINNING MILE POST	330.7	330.5	330.1	329.3
LENGTH	0.4	0.2	0.3	0.8
YEAR BUILT	69	48	60	U
YEAR IMPROVED	69	50	60	R
SURFACE WIDTH	24	24	72	B
ROADWAY WIDTH	24	34	88	A
SURFACE TYPE	PMS	PMS	PMS	N
ADT	1923	2554	3144	
DHV	230	306	377	
SERVICE VOLUME	678	361	1920	
FOUNDATION - 10	8	6	7	
SURFACE - 30	25	19	22	
DRAINAGE - 10	10	8	10	
SAFETY - 20	20	20	20	
CAPACITY - 30	25	17	27	
SUFFICIENCY RATING	88	70	86	
ADJUSTED RATING	86	64	82	
DEFICIENT MILEAGE	.04	.06	.05	

FAP ROUTE NO 57

SHEET 4 OF 4



BEGINNING MILE POST	0.0	3.3	9.7	12.0	17.3	25.5	31.5	35.8	39.8	43.6	44.4	BEGINNING MILE POST
LENGTH	3.3	6.3	2.2	5.2	8.2	6.0	4.2	4.0	3.7	0.8	5.8	LENGTH
YEAR BUILT	35	35	29	28	28	58	64	56	56	61	56	YEAR BUILT
YEAR IMPROVED	51	51	35	40	40	64	64	64	56	61	56	YEAR IMPROVED
SURFACE WIDTH	22	22	20	20	20	44	32	32	24	28	22	SURFACE WIDTH
ROADWAY WIDTH	24	24	24	24	24	44	32	32	28	28	22	ROADWAY WIDTH
SURFACE TYPE	RMS	RMS	PMS	RMS	RMS	PMS	PMS	PMS	RMS	RMS	RMS	SURFACE TYPE
ADT	1287	891	671	912	903	931	1243	1198	881	567	470	ADT
DHV	250	173	130	177	176	181	242	233	171	110	91	DHV
SERVICE VOLUME	748	386	480	221	221	455	511	539	448	415	362	SERVICE VOLUME
FOUNDATION - 10	0	0	0	0	0	6	7	8	3	6	3	FOUNDATION - 10
SURFACE - 30	8	9	8	10	9	19	22	21	17	19	13	SURFACE - 30
DRAINAGE - 10	8	8	8	4	4	10	10	10	9	10	10	DRAINAGE - 10
SAFETY - 20	13	2	1	0	0	2	5	3	3	20	13	SAFETY - 20
CAPACITY - 30	25	23	26	18	18	24	23	24	24	26	26	CAPACITY - 30
SUFFICIENCY RATING	54	42	43	32	31	61	67	66	56	81	65	SUFFICIENCY RATING
ADJUSTED RATING	52	43	46	33	32	62	66	65	57	83	70	ADJUSTED RATING
DEFICIENT MILEAGE	1.54	3.69	1.28	3.58	5.66	2.34	1.41	1.36	1.66	.16	2.04	DEFICIENT MILEAGE

FAP ROUTE NO 58
SHEET 1 OF 1



BEGINNING MILE POST	0.0	2.2	4.5	14.9	15.3	15.3	15.3	20.4	24.8	29.6	38.0	40.7	45.3	49.4	BEGINNING MILE POST
LENGTH	1.7	2.2	10.2	0.4	0.1	0.1	5.0	4.2	4.7	8.3	2.7	4.6	4.1	8.0	LENGTH
YEAR BUILT	55	41	41	U	38	U	38	73	73	73	42	36	36	36	YEAR BUILT
YEAR IMPROVED	55	41	41	R	38	R	38	73	73	73	52	47	47	63	YEAR IMPROVED
SURFACE WIDTH	24	20	20	B	20	B	20	32	32	32	24	24	24	22	SURFACE WIDTH
ROADWAY WIDTH	36	24	24	A	24	A	24	32	32	32	24	24	24	24	ROADWAY WIDTH
SURFACE TYPE	RMS	RMS	RMS	N	RMS	N	RMS	PMS	PMS	PMS	RMS	RMS	RMS	RMS	SURFACE TYPE
ADT	1083	981	769		637		611	537	278	294	304	304	331	431	ADT
DHV	162	147	115		95		91	80	41	44	45	45	49	64	DHV
SERVICE VOLUME	536	421	400		582		608	643	666	643	774	515	744	599	SERVICE VOLUME
FOUNDATION - 10	7	3	0		0		0	7	7	9	0	0	0	0	FOUNDATION - 10
SURFACE - 30	17	17	13		13		9	23	22	27	8	10	9	9	SURFACE - 30
DRAINAGE - 10	10	9	9		8		8	10	10	10	8	6	8	8	DRAINAGE - 10
SAFETY - 20	12	20	4		20		3	4	20	20	8	3	2	3	SAFETY - 20
CAPACITY - 30	25	25	26		28		28	28	29	29	29	29	29	28	CAPACITY - 30
SUFFICIENCY RATING	71	74	52		69		48	72	88	95	53	48	48	48	SUFFICIENCY RATING
ADJUSTED RATING	70	74	54		72		52	76	92	96	62	57	56	54	ADJUSTED RATING
DEFICIENT MILEAGE	.50	.59	4.91		.01		2.62	1.18	.57	.41	1.29	2.39	2.17	4.17	DEFICIENT MILEAGE

FAP ROUTE NO 59

SHEET 1 OF 1

BEGINNING MILE POST	0.0	9.7	17.0	25.3	28.7	35.8	38.9	49.4	53.6	60.3	62.1	71.0	74.5	81.4	87.3	88.3	90.3	BEGINNING MILE POST
LENGTH	9.5	7.3	8.3	3.3	7.2	3.1	10.5	4.2	6.6	1.9	9.1	3.6	6.9	5.8	0.9	2.0	5.3	LENGTH
YEAR BUILT	55	59	59	59	59	U	52	52	40	69	69	55	52	42	39	35	U	YEAR BUILT
YEAR IMPROVED	69	63	63	63	63	R	52	52	40	69	69	55	55	52	71	11	R	YEAR IMPROVED
SURFACE WIDTH	28	26	26	26	26	B	22	22	26	48	40	40	24	26	32	32	B	SURFACE WIDTH
ROADWAY WIDTH	28	26	26	26	26	A	26	26	26	48	40	40	32	31	32	32	A	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	PMS	PMS	N	PMS	PMS	BST	PMS	PMS	RMS	PMS	RMS	RMS	RMS	N	SURFACE TYPE
AOT	464	488	420	401	394		488	562	463	446	508	2311	3056	2993	4252	4246		AOT
OHV	69	73	63	60	59		73	84	69	66	76	300	397	389	552	551		OHV
SERVICE VOLUME	495	418	418	488	260		355	355	448	520	504	315	340	308	240	290		SERVICE VOLUME
FOUNDATION - 10	8	7	6	5	6		5	7	0	9	9	0	3	0	3	4		FOUNDATION - 10
SURFACE - 30	26	21	21	17	17		14	18	14	21	27	13	14	14	16	17		SURFACE - 30
DRAINAGE - 10	10	10	10	10	10		8	8	9	10	10	10	10	10	10	10		DRAINAGE - 10
SAFETY - 20	4	5	10	1	1		2	4	4	2	8	4	13	3	2	20		SAFETY - 20
CAPACITY - 30	28	27	28	28	27		27	26	28	28	28	16	12	11	0	2		CAPACITY - 30
SUFFICIENCY RATING	76	70	75	61	61		56	63	55	76	82	43	52	38	31	53		SUFFICIENCY RATING
ADJUSTED RATING	80	74	80	61	67		61	67	61	80	85	37	44	31	22	43		ADJUSTED RATING
DEFICIENT MILEAGE	2.29	2.21	2.07	1.30	2.81		4.63	1.56	3.00	.46	1.65	2.05	3.33	3.65	.68	.94		DEFICIENT MILEAGE

FAP ROUTE NO 60

SHEET 1 OF 1



BEGINNING MILE POST	0.0	1.0	7.0	13.0	21.8	26.6	27.1	33.8	38.6	43.5	45.1	54.8	66.6	70.4	83.4
LENGTH	0.6	5.9	6.0	8.8	4.7	1.1	6.0	4.8	4.8	1.5	9.6	11.8	3.8	12.9	4.5
YEAR BUILT	U	50	77	35	63	63	65	52	41	62	62	61	62	59	60
YEAR IMPROVED	R	54	77	66	63	63	65	52	67	62	62	61	62	63	60
SURFACE WIDTH	B	24	40	22	30	30	30	24	24	32	30	30	30	28	28
ROADWAY WIDTH	A	30	40	24	30	30	30	28	30	32	30	30	30	28	28
SURFACE TYPE	N	PMS	PMS	RMS	PMS	PMS	PMS	RMS	RMS	PMS	PMS	PMS	PMS	PMS	PMS
ADT		1125	1064	891	781	790	790	789	784	741	246	266	504	359	336
OHV		146	138	116	101	102	102	102	101	124	41	44	84	60	56
SERVICE VOLUME		308	200	239	485	333	355	333	333	500	485	510	333	510	584
FOUNDATION - 10		0	10	0	6	7	6	3	0	4	0	0	3	0	0
SURFACE - 30		13	30	12	18	19	20	14	15	16	11	12	16	11	7
DRAINAGE - 10		10	10	5	10	10	10	10	5	10	10	10	10	10	10
SAFETY - 20		6	17	1	13	1	5	5	2	6	3	6	10	9	18
CAPACITY - 30		23	20	23	27	25	26	25	25	26	29	29	26	28	29
SUFFICIENCY RATING		52	87	41	74	62	67	57	51	62	53	57	65	58	64
ADJUSTED RATING		51	87	42	75	64	68	59	53	64	63	66	69	65	71
DEFICIENT MILEAGE		2.85	.78	5.19	1.22	.42	1.99	2.10	2.39	.59	4.53	5.08	1.36	5.43	1.64
BEGINNING MILE POST															
LENGTH															
YEAR BUILT															
YEAR IMPROVED															
SURFACE WIDTH															
ROADWAY WIDTH															
SURFACE TYPE															
ADT															
OHV															
SERVICE VOLUME															
FOUNDATION - 10															
SURFACE - 30															
DRAINAGE - 10															
SAFETY - 20															
CAPACITY - 30															
SUFFICIENCY RATING															
ADJUSTED RATING															
DEFICIENT MILEAGE															

FAP ROUTE NO 61

SHEET 1 OF 2



BEGINNING MILE POST	88.0	93.5	102.3	110.3	118.1	124.4	130.3	136.7	142.0	147.3	155.5	156.9	BEGINNING MILE POST
LENGTH	5.5	8.7	8.0	7.8	6.2	5.9	6.3	5.2	5.2	8.1	1.3	0.6	LENGTH
YEAR BUILT	60	60	57	57	49	47	42	42	42	38	38	U	YEAR BUILT
YEAR IMPROVED	60	60	59	59	49	47	42	42	42	42	42	R	YEAR IMPROVED
SURFACE WIDTH	28	28	24	24	22	25	20	20	20	24	24	B	SURFACE WIDTH
ROADWAY WIDTH	28	28	29	29	22	25	24	24	24	26	26	A	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	PMS	BST	BST	RMS	RMS	RMS	RMS	RMS	N	SURFACE TYPE
ADT	348	347	307	311	351	333	307	306	312	555	1761		ADT
OHV	58	58	51	52	58	55	51	51	52	93	295		OHV
SERVICE VOLUME	584	732	531	353	245	312	400	421	220	573	259		SERVICE VOLUME
FOUNDATION - 10	0	0	0	0	0	0	0	0	0	0	0		FOUNDATION - 10
SURFACE - 30	9	7	14	13	13	12	13	15	15	10	13		SURFACE - 30
DRAINAGE - 10	10	10	10	10	7	8	8	8	9	8	8		DRAINAGE - 10
SAFETY - 20	9	20	10	12	2	3	20	3	2	12	14		SAFETY - 20
CAPACITY - 30	29	29	29	28	26	27	28	28	26	28	13		CAPACITY - 30
SUFFICIENCY RATING	57	66	63	63	48	50	69	54	52	58	48		SUFFICIENCY RATING
ADJUSTED RATING	64	73	71	71	56	58	76	62	60	62	44		ADJUSTED RATING
DEFICIENT MILEAGE	2.39	2.98	2.98	2.88	3.25	2.96	1.98	2.42	2.53	3.40	.72		DEFICIENT MILEAGE

FAP ROUTE NO 61
SHEET 2 OF 2



BEGINNING MILE POST	0.0	1.5	2.0	3.9	8.8	12.1	20.2	24.9	29.7	33.3	37.0
LENGTH	0.8	0.4	1.8	4.8	3.3	8.0	4.6	4.7	3.6	3.6	1.0
YEAR BUILT	U	61	78	78	70	40	40	40	38	37	U
YEAR IMPROVED	R	61	78	78	70	49	49	49	49	49	R
SURFACE WIDTH	B	36	40	40	34	24	24	24	24	24	B
ROADWAY WIDTH	A	36	40	40	34	26	26	26	26	26	A
SURFACE TYPE	N	PMS	PMS	PMS	PMS	RMS	RMS	RMS	RMS	RMS	N
ADT		986	815	665	640	633	761	1022	1247	3069	
DHV		147	122	99	96	94	114	153	187	460	
SERVICE VOLUME		560	135	190	360	255	255	277	387	470	
FOUNDATION - 10		7	9	9	8	0	0	0	2	0	
SURFACE - 30		16	28	28	23	14	13	16	16	9	
DRAINAGE - 10		10	10	10	10	8	8	8	8	9	
SAFETY - 20		1	2	4	20	2	3	4	3	5	
CAPACITY - 30		26	16	22	26	24	23	22	23	15	
SUFFICIENCY RATING		60	65	73	87	48	47	50	52	38	
ADJUSTED RATING		60	66	75	88	51	49	50	50	30	
DEFICIENT MILEAGE		.19	.64	1.32	.43	4.20	2.46	2.37	1.74	2.27	

BEGINNING MILE POST
LENGTH
YEAR BUILT
YEAR IMPROVED
SURFACE WIDTH
ROADWAY WIDTH
SURFACE TYPE
ADT
DHV
SERVICE VOLUME
FOUNDATION - 10
SURFACE - 30
DRAINAGE - 10
SAFETY - 20
CAPACITY - 30
SUFFICIENCY RATING
ADJUSTED RATING
DEFICIENT MILEAGE

FAP ROUTE NO 62
SHEET 1 OF 1





BEGINNING MILE POST	0.0	4.0	13.5	17.8	18.4	19.2	22.2	22.8	24.8	25.4	26.6	33.4	35.4	36.3	BEGINNING MILE POST
LENGTH	3.1	9.4	4.2	0.6	0.1	3.0	0.6	1.9	0.5	1.2	6.8	2.0	0.8	3.2	LENGTH
YEAR BUILT	49	49	49	U	49	41	41	41	41	41	41	41	46	46	YEAR BUILT
YEAR IMPROVED	54	54	54	R	54	13	13	62	62	51	70	70	59	60	YEAR IMPROVED
SURFACE WIDTH	24	24	24	B	24	24	24	24	24	24	24	24	24	24	SURFACE WIDTH
ROADWAY WIDTH	24	24	24	A	24	24	24	24	24	24	24	24	24	24	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	N	PMS	PMS	PMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	SURFACE TYPE
ADT	1026	999	1038		1275	1205	1057	980	980	1021	1068	1053	1062	1093	ADT
DHV	133	129	134		165	156	137	127	127	132	138	136	138	142	DHV
SERVICE VOLUME	258	408	297		258	384	450	429	360	237	278	360	450	278	SERVICE VOLUME
FOUNDATION - 10	0	0	0		4	3	3	0	0	2	7	4	0	3	FOUNDATION - 10
SURFACE - 30	13	14	12		15	14	14	13	12	12	18	14	12	13	SURFACE - 30
DRAINAGE - 10	9	10	10		10	10	10	10	10	9	10	10	8	9	DRAINAGE - 10
SAFETY - 20	2	4	2		1	4	14	8	1	20	2	8	18	2	SAFETY - 20
CAPACITY - 30	22	25	23		20	24	25	26	25	22	23	24	25	22	CAPACITY - 30
SUFFICIENCY RATING	46	53	41		50	55	66	57	48	65	60	60	63	49	SUFFICIENCY RATING
ADJUSTED RATING	46	53	41		48	54	66	57	48	65	60	60	63	48	ADJUSTED RATING
DEFICIENT MILEAGE	2.02	4.45	2.27		.36	1.35	.23	.82	.30	.42	2.73	.80	.32	1.64	DEFICIENT MILEAGE

BEGINNING MILE POST	0.0	3.0	7.1	BEGINNING MILE POST
LENGTH	3.0	4.1	2.4	LENGTH
YEAR BUILT	72	73	13	YEAR BUILT
YEAR IMPROVED	77	73	73	YEAR IMPROVED
SURFACE WIDTH	30	24	24	SURFACE WIDTH
ROADWAY WIDTH	30	24	24	ROADWAY WIDTH
SURFACE TYPE	PMS	GRV	GRV	SURFACE TYPE
ADT	649	199	101	ADT
DHV	90	27	14	DHV
SERVICE VOLUME	400	316	268	SERVICE VOLUME
FOUNDATION - 10	10	0	0	FOUNDATION - 10
SURFACE - 30	30	0	0	SURFACE - 30
DRAINAGE - 10	10	5	5	DRAINAGE - 10
SAFETY - 20	2	1	1	SAFETY - 20
CAPACITY - 30	27	29	29	CAPACITY - 30
SUFFICIENCY RATING	79	35	35	SUFFICIENCY RATING
ADJUSTED RATING	81	46	50	ADJUSTED RATING
DEFICIENT MILEAGE	.63	2.71	1.59	DEFICIENT MILEAGE

FAP ROUTE NO 63 & 64

SHEET 1 OF 1



BEGINNING MILE POST	0.0
LENGTH	0.3
YEAR BUILT	38
YEAR IMPROVED	38
SURFACE WIDTH	40
ROADWAY WIDTH	40
SURFACE TYPE	PMS
AOI	1333
OHV	269
SERVICE VOLUME	614
FOUNDATION - 10	7
SURFACE - 30	16
DRAINAGE - 10	7
SAFETY - 20	1
CAPACITY - 30	23
SUFFICIENCY RATING	54
ADJUSTED RATING	52
DEFICIENT MILEAGE	.14



BEGINNING MILE POST	0.0	10.6	23.2	37.3	BEGINNING MILE POST
LENGTH	10.6	12.6	14.0	12.7	LENGTH
YEAR BUILT	61	59	59	59	YEAR BUILT
YEAR IMPROVED	61	59	59	59	YEAR IMPROVED
SURFACE WIDTH	28	28	28	28	SURFACE WIDTH
ROADWAY WIDTH	28	28	28	28	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	PMS	SURFACE TYPE
AOI	211	355	433	467	AOT
OHV	33	56	69	74	OHV
SERVICE VOLUME	608	353	353	377	SERVICE VOLUME
FOUNDATION - 10	0	3	4	4	FOUNDATION - 10
SURFACE - 30	10	17	18	17	SURFACE - 30
DRAINAGE - 10	10	9	10	10	DRAINAGE - 10
SAFETY - 20	8	4	11	15	SAFETY - 20
CAPACITY - 30	29	28	27	27	CAPACITY - 30
SUFFICIENCY RATING	57	61	70	73	SUFFICIENCY RATING
ADJUSTED RATING	68	68	75	77	ADJUSTED RATING
DEFICIENT MILEAGE	4.56	4.92	4.21	3.43	DEFICIENT MILEAGE

FAP ROUTE NO 65 & 66

SHEET 1 OF 1

BEGINNING MILE POST	0.0	0.7
LENGTH	0.7	1.0
YEAR BUILT	U	28
YEAR IMPROVED	R	52
SURFACE WIDTH	B	20
ROADWAY WIDTH	A	24
SURFACE TYPE	N	RMS
ADT		1407
DHV		182
SERVICE VOLUME		288
FOUNDATION - 10		3
SURFACE - 30		13
DRAINAGE - 10		7
SAFETY - 20		1
CAPACITY - 30		21
SUFFICIENCY RATING		45
ADJUSTED RATING		43
DEFICIENT MILEAGE		.57



BEGINNING MILE POST	0.0	0.1	1.2
LENGTH	0.1	1.0	0.2
YEAR BUILT	33	U	63
YEAR IMPROVED	53	R	63
SURFACE WIDTH	24	B	30
ROADWAY WIDTH	28	A	30
SURFACE TYPE	RMS	N	PMS
ADT	761		1170
DHV	231		175
SERVICE VOLUME	368		317
FOUNDATION - 10	0		9
SURFACE - 30	14		25
DRAINAGE - 10	8		10
SAFETY - 20	0		20
CAPACITY - 30	21		22
SUFFICIENCY RATING	43		86
ADJUSTED RATING	45		85
DEFICIENT MILEAGE	.09		.03



BEGINNING MILE POST	0.0	0.6	2.9	5.0	6.1	10.0	13.6	22.1	28.1	31.0	37.0	38.0
LENGTH	0.6	2.3	2.0	1.0	3.9	3.6	8.4	6.0	2.8	6.0	1.0	0.3
YEAR BUILT	U	33	68	68	70	64	61	57	57	59	U	73
YEAR IMPROVED	R	55	68	68	70	64	61	71	57	59	R	73
SURFACE WIDTH	B	32	30	30	32	28	26	24	24	24	B	40
ROADWAY WIDTH	A	32	30	30	32	28	26	24	24	24	A	40
SURFACE TYPE	N	RMS	PMS	PMS	PMS	PMS	PMS	PMS	BST	BST	N	PMS
ADT		999	970	950	585	561	537	532	606	756		1819
DHV		149	145	142	87	85	80	79	91	113		272
SERVICE VOLUME		629	367	554	456	312	291	554	301	353		105
FOUNDATION - 10		2	5	0	3	3	6	7	5	4		10
SURFACE - 30		11	25	16	11	17	18	22	18	16		30
DRAINAGE - 10		10	10	8	10	10	9	10	7	7		10
SAFETY - 20		3	2	4	20	3	1	6	3	3		20
CAPACITY - 30		26	24	26	27	26	26	28	25	25		24
SUFFICIENCY RATING		52	66	54	77	59	60	73	58	55		94
ADJUSTED RATING		52	66	54	80	63	64	76	62	57		93
DEFICIENT MILEAGE		1.11	.69	.48	.90	1.50	3.39	1.62	1.19	2.70		.01

FAP ROUTE NO 67, 68 & 69

SHEET 1 OF 1



BEGINNING MILE POST	0.0	0.2	1.2	1.5	1.5
LENGTH	0.2	1.0	0.2	0.0	1.2
YEAR BUILT		31	U	31	U
YEAR IMPROVED		52	R	52	R
SURFACE WIDTH		22	B	22	B
ROADWAY WIDTH		24	A	24	A
SURFACE TYPE		RMS	N	RMS	N
AOT		87		150	
DHV		11		19	
SERVICE VOLUME		544		716	
FOUNDATION - 10		0		0	
SURFACE - 30		5		14	
DRAINAGE - 10		5		5	
SAFETY - 20		20		20	
CAPACITY - 30		30		30	
SUFFICIENCY RATING		60		69	
ADJUSTED RATING		77		81	
DEFICIENT MILEAGE		.41		.01	

NOT EXISTENT



BEGINNING MILE POST	0.0	5.1	5.6	10.3	11.7	14.5
LENGTH	5.1	0.4	4.8	1.1	2.8	6.9
YEAR BUILT	61	70	61	49	49	48
YEAR IMPROVED	61	70	61	49	49	48
SURFACE WIDTH	30	30	30	24	20	24
ROADWAY WIDTH	30	30	30	24	24	24
SURFACE TYPE	PMS	PMS	PMS	BST	RMS	RMS
AOT	645	694	747	909	932	1023
DHV	103	111	119	145	149	163
SERVICE VOLUME	414	402	384	673	431	396
FOUNDATION - 10	0	6	4	2	0	3
SURFACE - 30	15	21	17	14	12	15
DRAINAGE - 10	8	10	7	5	4	6
SAFETY - 20	12	10	6	1	14	2
CAPACITY - 30	26	26	25	27	25	24
SUFFICIENCY RATING	61	73	59	49	55	50
ADJUSTED RATING	64	75	61	50	56	50
DEFICIENT MILEAGE	2.02	.13	1.99	.57	1.26	3.49

FAP ROUTE NO 70 & 72

SHEET 1 OF 1

BEGINNING MILE POST	0.0	1.6
LENGTH	1.6	1.2
YEAR BUILT	49	U
YEAR IMPROVED	61	R
SURFACE WIDTH	24	B
ROADWAY WIDTH	28	A
SURFACE TYPE	RMS	N
AOT	1420	
OHV	168	
SERVICE VOLUME	249	
FOUNDATION - 10	3	
SURFACE - 30	18	
DRAINAGE - 10	8	
SAFETY - 20	3	
CAPACITY - 30	20	
SUFFICIENCY RATING	52	
ADJUSTED RATING	50	
DEFICIENT MILEAGE	.80	

BEGINNING MILE POST	0.0	1.7
LENGTH	1.7	0.2
YEAR BUILT	41	U
YEAR IMPROVED	41	R
SURFACE WIDTH	20	B
ROADWAY WIDTH	26	A
SURFACE TYPE	BST	N
AOT	833	
OHV	124	
SERVICE VOLUME	749	
FOUNDATION - 10	0	
SURFACE - 30	8	
DRAINAGE 10	6	
SAFETY - 20	7	
CAPACITY - 30	28	
SUFFICIENCY RATING	49	
ADJUSTED RATING	50	
DEFICIENT MILEAGE	.89	

FAP ROUTE NO 75 & 77

SHEET 1 OF 1

BEGINNING MILE POST	0.0	0.4	6.0	13.3	19.6	23.9	24.3	25.1	27.4	29.9	45.8	46.4	47.2
LENGTH	0.4	5.5	7.2	6.3	4.2	0.3	0.7	2.3	2.5	15.8	0.5	0.8	0.4
YEAR BUILT	U	52	53	57	60	60	60	60	35	35	57	U	72
YEAR IMPROVED	R	52	53	57	60	60	60	60	35	45	57	R	72
SURFACE WIDTH	6	24	24	24	24	24	24	24	20	20	28	B	44
ROADWAY WIDTH	A	24	24	24	24	24	24	24	20	24	28	A	44
SURFACE TYPE	N	RMS	RMS	PMS	PMS	PMS	PMS	PMS	RMS	RMS	RMS	N	PMS
ADT		592	303	206	217	235	235	282	381	1169	1734		1365
OHV		97	49	33	35	38	38	46	62	192	286		177
SERVICE VOLUME		556	278	591	440	394	522	348	391	450	425		795
FOUNDATION - 10		4	0	0	7	9	9	9	0	0	8		8
SURFACE - 30		15	15	13	26	26	27	27	10	10	24		26
DRAINAGE - 10		7	6	6	9	10	10	9	6	5	10		10
SAFETY - 20		7	1	2	5	20	20	1	1	1	1		20
CAPACITY - 30		27	27	29	29	29	29	28	28	24	20		27
SUFFICIENCY RATING		54	49	50	76	94	95	74	45	40	63		91
ADJUSTED RATING		58	58	61	84	96	97	81	52	39	59		90
DEFICIENT MILEAGE		2.56	3.70	3.18	1.01	.02	.03	.60	1.41	5.51	.21		.03

BEGINNING MILE POST	0.0	2.2
LENGTH	1.9	0.5
YEAR BUILT	64	U
YEAR IMPROVED	64	R
SURFACE WIDTH	30	B
ROADWAY WIDTH	30	A
SURFACE TYPE	PMS	N
ADT	552	
OHV	77	
SERVICE VOLUME	576	
FOUNDATION - 10	5	
SURFACE - 30	22	
DRAINAGE - 10	10	
SAFETY - 20	3	
CAPACITY - 30	28	
SUFFICIENCY RATING	68	
ADJUSTED RATING	72	
DEFICIENT MILEAGE	.62	

FAP ROUTE NO 78 & 79

SHEET 1 OF 1

BEGINNING MILE POST	0.0	1.5	2.3	4.0	5.1	14.6	24.2	28.1	29.1	34.4	39.5	45.6	46.1	49.8	50.8	59.3	66.0	67.0	BEGINNING MILE POST
LENGTH	1.5	0.7	1.6	1.1	9.5	9.5	3.9	0.9	5.3	5.0	6.0	0.4	3.7	1.0	8.4	6.7	0.9	0.1	LENGTH
YEAR BUILT	53	U	62	56	56	62	64	U	64	65	64	62	62	53	53	53	U	27	YEAR BUILT
YEAR IMPROVED	53	R	62	56	78	62	64	R	64	65	64	62	62	53	53	53	R	27	YEAR IMPROVED
SURFACE WIDTH	24	8	30	25	24	30	30	8	28	28	28	24	24	24	24	24	8	24	SURFACE WIDTH
ROADWAY WIDTH	24	A	30	25	24	30	30	A	28	28	28	24	24	24	24	24	A	26	ROADWAY WIDTH
SURFACE TYPE	RMS	N	RMS	BST	PMS	PMS	PMS	N	PMS	PMS	PMS	PMS	PMS	RMS	RMS	RMS	N	BST	SURFACE TYPE
ADT	628		711	621	463	338	400		257	177	161	161	194	273	282	492		1305	ADT
DHV	94		107	93	69	51	60		38	26	24	24	29	41	42	74		197	DHV
SERVICE VOLUME	217		410	257	331	367	576		600	586	377	518	276	494	469	469		778	SERVICE VOLUME
FOUNDATION - 10	7		5	0	9	6	6		5	4	0	0	2	6	6	7		6	FOUNDATION - 10
SURFACE - 30	19		21	12	30	19	23		23	19	17	12	14	17	17	17		17	SURFACE - 30
DRAINAGE - 10	10		10	4	7	10	10		10	10	10	5	5	9	9	10		3	DRAINAGE - 10
SAFETY - 20	3		1	2	1	20	20		7	20	20	20	3	5	2	3		20	SAFETY - 20
CAPACITY - 30	24		26	25	27	28	28		29	29	25	29	28	29	29	28		26	CAPACITY - 30
SUFFICIENCY RATING	63		63	43	74	83	87		74	82	76	66	52	66	63	65		72	SUFFICIENCY RATING
ADJUSTED RATING	66		65	46	78	87	90		81	89	85	78	64	74	71	70		70	ADJUSTED RATING
DEFICIENT MILEAGE	.59		.60	.63	2.48	1.61	.51		1.38	.91	1.45	.16	1.79	.34	3.11	2.34		.03	DEFICIENT MILEAGE

FAP ROUTE NO 80

SHEET 1 OF 1

BEGINNING MILE POST	0.0	12.9	13.8	26.7	29.5	32.6
LENGTH	12.9	0.8	12.8	2.8	3.0	5.8
YEAR BUILT	59	U	73	73	73	51
YEAR IMPROVED	59	R	73	73	73	51
SURFACE WIDTH	24	B	24	24	24	24
ROADWAY WIDTH	24	A	24	24	24	24
SURFACE TYPE	PMS	N	PMS	RMS	RMS	BST
ADT	307		377	337	324	414
DHV	47		58	52	50	64
SERVICE VOLUME	386		312	354	193	193
FOUNDATION - 10	7		6	4	4	0
SURFACE - 30	22		23	17	14	13
DRAINAGE - 10	10		10	10	8	8
SAFETY - 20	2		1	2	1	1
CAPACITY - 30	29		27	28	26	25
SUFFICIENCY RATING	69		67	61	53	47
ADJUSTED RATING	76		73	68	61	53
DEFICIENT MILEAGE	4.31		4.25	1.10	1.45	5.20



BEGINNING MILE POST	0.0	5.4
LENGTH	5.4	1.4
YEAR BUILT	52	55
YEAR IMPROVED	71	55
SURFACE WIDTH	24	24
ROADWAY WIDTH	24	24
SURFACE TYPE	PMS	RMS
ADT	2602	2342
DHV	377	339
SERVICE VOLUME	514	243
FOUNDATION - 10	8	4
SURFACE - 30	23	14
DRAINAGE - 10	8	10
SAFETY - 20	4	10
CAPACITY - 30	19	9
SUFFICIENCY RATING	62	47
ADJUSTED RATING	56	41
DEFICIENT MILEAGE	2.08	.78

FAP ROUTE NO 81 & 82

SHEET 1 OF 1



BEGINNING MILE POST	0.0	14.7	23.1	30.8	41.8	BEGINNING MILE POST
LENGTH	14.7	8.3	7.6	11.0	5.8	LENGTH
YEAR BUILT	52	52	52	59	59	YEAR BUILT
YEAR IMPROVED	52	52	52	59	59	YEAR IMPROVED
SURFACE WIDTH	24	22	22	24	24	SURFACE WIDTH
ROADWAY WIDTH	24	26	26	24	24	ROADWAY WIDTH
SURFACE TYPE	RMS	PMS	PMS	PMS	PMS	SURFACE TYPE
ADT	945	547	540	624	570	ADT
DHV	166	96	95	109	100	DHV
SERVICE VOLUME	438	192	175	221	429	SERVICE VOLUME
FOUNDATION - 10	0	0	3	2	2	FOUNDATION - 10
SURFACE - 30	13	14	17	14	14	SURFACE - 30
DRAINAGE - 10	7	7	7	6	7	DRAINAGE - 10
SAFETY - 20	4	2	1	3	6	SAFETY - 20
CAPACITY - 30	24	23	22	23	27	CAPACITY - 30
SUFFICIENCY RATING	48	46	50	48	56	SUFFICIENCY RATING
ADJUSTED RATING	48	50	54	51	60	ADJUSTED RATING
DEFICIENT MILEAGE	7.67	4.51	3.84	5.75	2.57	DEFICIENT MILEAGE

FAP ROUTE NO 83

SHEET 1 OF 2



BEGINNING MILE POST	47.7	54.5	65.1	77.1	82.6	86.2	BEGINNING MILE POST
LENGTH	6.7	10.6	12.6	4.8	3.1	4.7	LENGTH
YEAR BUILT	58	55	58	62	59	59	YEAR BUILT
YEAR IMPROVED	58	55	63	62	59	59	YEAR IMPROVED
SURFACE WIDTH	24	24	24	30	24	24	SURFACE WIDTH
ROADWAY WIDTH	24	24	24	30	24	24	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	PMS	PMS	PMS	SURFACE TYPE
ADT	414	403	492	816	681	926	ADT
DHV	72	70	86	143	114	155	DHV
SERVICE VOLUME	384	258	299	333	301	418	SERVICE VOLUME
FOUNDATION - 10	2	2	0	5	5	6	FOUNDATION - 10
SURFACE - 30	15	15	10	19	17	17	SURFACE - 30
DRAINAGE - 10	6	7	6	10	10	10	DRAINAGE - 10
SAFETY - 20	5	9	2	11	12	11	SAFETY - 20
CAPACITY - 30	27	26	26	24	24	25	CAPACITY - 30
SUFFICIENCY RATING	55	55	44	69	68	69	SUFFICIENCY RATING
ADJUSTED RATING	61	65	49	70	70	69	ADJUSTED RATING
DEFICIENT MILEAGE	3.05	4.36	7.07	1.50	1.19	1.46	DEFICIENT MILEAGE

FAP ROUTE NO 83

SHEET 2 OF 2

BEGINNING MILE POST	0.0	6.4	11.4	20.3
LENGTH	6.4	5.0	8.8	8.7
YEAR BUILT	53	52	55	55
YEAR IMPROVED	53	52	55	55
SURFACE WIDTH	24	24	24	24
ROADWAY WIDTH	24	24	24	24
SURFACE TYPE	RMS	RMS	RMS	RMS
ADT	448	399	416	828
DHV	76	67	70	140
SERVICE VOLUME	374	394	243	365
FOUNDATION - 10	6	5	4	5
SURFACE - 30	18	17	15	18
DRAINAGE - 10	9	10	9	8
SAFETY - 20	1	1	1	1
CAPACITY - 30	27	27	26	24
SUFFICIENCY RATING	61	60	55	56
ADJUSTED RATING	66	66	61	57
DEFICIENT MILEAGE	2.50	2.02	3.96	3.84



BEGINNING MILE POST	0.0
LENGTH	6.7
YEAR BUILT	53
YEAR IMPROVED	53
SURFACE WIDTH	24
ROADWAY WIDTH	24
SURFACE TYPE	RMS
ADT	1953
DHV	322
SERVICE VOLUME	534
FOUNDATION - 10	5
SURFACE - 30	18
DRAINAGE - 10	8
SAFETY - 20	7
CAPACITY - 30	21
SUFFICIENCY RATING	59
ADJUSTED RATING	54
DEFICIENT MILEAGE	2.75

FAP ROUTE NO 84 & 85

SHEET 1 OF 1



BEGINNING MILE POST	0.0	0.9	3.8	9.5	16.3	18.7	31.4	BEGINNING MILE POST
LENGTH	0.9	2.8	5.7	6.7	2.4	12.6	6.7	LENGTH
YEAR BUILT	U	58	61	73	48	45	63	YEAR BUILT
YEAR IMPROVED	R	58	61	73	48	45	63	YEAR IMPROVED
SURFACE WIDTH	B	25	30	31	20	20	28	SURFACE WIDTH
ROADWAY WIDTH	A	25	30	31	20	20	28	ROADWAY WIDTH
SURFACE TYPE	N	PMS	PMS	PMS	GRV	GRV	PMS	SURFACE TYPE
ADT		2526	1498	583	385	119	156	ADT
DHV		505	299	116	77	17	23	DHV
SERVICE VOLUME		592	652	414	268	204	477	SERVICE VOLUME
FOUNDATION - 10		4	5	4	0	0	4	FOUNDATION - 10
SURFACE - 30		18	19	21	0	0	16	SURFACE - 30
DRAINAGE - 10		4	10	10	3	2	10	DRAINAGE - 10
SAFETY - 20		2	1	2	3	6	9	SAFETY - 20
CAPACITY - 30		17	23	26	26	29	29	CAPACITY - 30
SUFFICIENCY RATING		45	58	63	32	37	68	SUFFICIENCY RATING
ADJUSTED RATING		38	55	67	38	51	80	ADJUSTED RATING
DEFICIENT MILEAGE		1.57	2.41	2.49	1.67	8.00	2.15	DEFICIENT MILEAGE



BEGINNING MILE POST	0.0	1.4	3.0	6.7	10.0	20.2	BEGINNING MILE POST
LENGTH	1.3	1.5	3.7	3.3	10.2	2.1	LENGTH
YEAR BUILT	63	72	63	67	67	67	YEAR BUILT
YEAR IMPROVED	63	72	63	67	67	67	YEAR IMPROVED
SURFACE WIDTH	30	30	30	30	30	30	SURFACE WIDTH
ROADWAY WIDTH	30	30	30	30	30	30	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	PMS	PMS	PMS	SURFACE TYPE
ADT	436	436	436	441	479	630	ADT
DHV	94	94	94	95	103	136	DHV
SERVICE VOLUME	390	384	328	189	439	655	SERVICE VOLUME
FOUNDATION - 10	7	7	7	7	6	7	FOUNDATION - 10
SURFACE - 30	24	25	26	25	22	22	SURFACE - 30
DRAINAGE - 10	10	10	10	10	10	10	DRAINAGE - 10
SAFETY - 20	20	1	6	1	5	3	SAFETY - 20
CAPACITY - 30	26	26	26	22	26	27	CAPACITY - 30
SUFFICIENCY RATING	87	69	75	65	69	69	SUFFICIENCY RATING
ADJUSTED RATING	89	74	79	70	73	72	ADJUSTED RATING
DEFICIENT MILEAGE	.18	.49	.93	1.16	3.16	.68	DEFICIENT MILEAGE

FAP ROUTE NO 86 & 87

SHEET 1 OF 1



BEGINNING MILE POST	0.0	6.8	16.4	21.0	BEGINNING MILE POST
LENGTH	6.8	9.6	4.6	11.4	LENGTH
YEAR BUILT	64	64	64	64	YEAR BUILT
YEAR IMPROVED	64	64	78	78	YEAR IMPROVED
SURFACE WIDTH	30	30	30	30	SURFACE WIDTH
ROADWAY WIDTH	30	30	30	30	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	PMS	SURFACE TYPE
ADT	803	1026	1362	1683	ADT
DHV	128	164	217	269	DHV
SERVICE VOLUME	238	549	189	512	SERVICE VOLUME
FOUNDATION - 10	3	5	9	9	FOUNDATION - 10
SURFACE - 30	13	15	28	28	SURFACE - 30
DRAINAGE - 10	8	10	10	10	DRAINAGE - 10
SAFETY - 20	1	3	1	6	SAFETY - 20
CAPACITY - 30	22	26	13	22	CAPACITY - 30
SUFFICIENCY RATING	41	59	61	75	SUFFICIENCY RATING
ADJUSTED RATING	49	59	59	12	ADJUSTED RATING
DEFICIENT MILEAGE	3.61	3.95	1.79	2.86	DEFICIENT MILEAGE

FAP ROUTE NO 93

SHEET 1 OF 1

SUFFICIENCY RATINGS BY FINANCIAL DISTRICTS



Percent Sufficient

- 0 - 40
- 41 - 60
- 61 - 100
- Under Construction As Of December 31, 1978

SUFFICIENCY RATING BY FINANCIAL DISTRICT I

RURAL PRIMARY SYSTEM

FINANCIAL DISTRICT NUMBER 1

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	YEARS IM	SECTION LENGTH	WIDTH SRF	WIDTH RDY	SUF TYP	AOT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P052	33+0.584	JCT FAP RTE 83	FLATHEAD	1	35	57	.344	22	22	RMS	3691	546	132	0	11	5	0	0	16	11	.3
P005	128+0.492	WHITEFISH	FLATHEAD	1	34	54	6.201	22	23	RMS	2448	318	117	0	13	4	1	0	18	14	5.1
P038	8+0.079	0.6 E COL FALLS	FLATHEAD	1	37	55	.576	22	24	RMS	4482	627	280	0	11	6	6	0	23	15	.4
P052	30+0.238	2.0 N FLATHEAD CO	FLATHEAD	1	56	56	1.975	24	28	RMS	3241	479	198	0	12	10	3	0	25	19	1.5
P038	4+0.354	0.3 W FAS 206	FLATHEAD	1	39	53	2.055	24	24	RMS	7012	981	759	0	10	8	3	11	32	20	1.4
P001	124+0.638	0.7 E KALISPELL	FLATHEAD	1	40	64	3.634	30	30	RMS	4565	547	348	0	12	8	3	6	29	20	2.6
P001	138+0.380	JCT FAP RTE 38	FLATHEAD	1	34	66	1.705	24	30	RMS	4338	607	365	0	13	8	4	5	30	21	1.2
P052	0+0.000	JCT FAP RTE 5	LAKE	1	40	50	7.134	21	24	BST	2179	322	210	0	12	7	1	7	27	23	5.2
P052	32+0.237	1.3 S FAP RTE 83	FLATHEAD	1	22	49	1.347	24	24	RMS	3252	481	335	0	14	6	2	8	30	23	.9
P052	28+0.294	FLATHEAD CO	FLATHEAD	1	36	64	2.004	24	24	RMS	2075	307	208	0	13	5	2	8	28	24	1.4
P001	25+0.405	6.4 W LIBBY	LINCOLN	1	38	52	4.437	24	24	RMS	2026	263	249	0	11	3	1	14	29	25	3.2
P001	16+0.932	JCT FAP 56	LINCOLN	1	34	38	4.574	20	24	RMS	1880	244	211	0	11	3	3	13	30	26	3.2
P038	7+0.387	COLUMBIA FALLS	FLATHEAD	1	37	55	.373	22	24	RMS	5029	704	243	0	11	7	20	0	38	27	.2
P001	140+0.073	1.7 E FAP 38	FLATHEAD	1	29	65	2.443	24	24	RMS	3947	552	469	0	13	10	1	12	36	27	1.6
P005	168+0.284	FORTINE	LINCOLN	1	31	52	9.654	22	22	RMS	1433	186	126	0	15	5	1	8	29	27	6.9
P052	26+0.286	2.0 S FLATHEAD CO	LAKE	1	36	59	1.995	24	24	RMS	1797	265	220	0	11	5	4	12	32	28	1.4
P001	142+0.567	1.0 W HUNGRY HORSE	FLATHEAD	1	31	34	10.727	20	24	RMS	2652	371	415	0	11	5	1	17	34	28	7.1
P005	24+0.366	9.3 N LAKE CO	LAKE	1	55	60	3.147	32	32	PMS	4054	591	302	5	17	10	4	1	37	28	2.0
P005	57+0.826	1.1 S FAP 52	LAKE	1	58	58	1.188	32	32	PMS	6062	885	454	6	17	10	8	1	42	29	.7
P005	15+0.054	LAKE CO	LAKE	1	40	40	3.437	24	30	RMS	4021	587	507	0	15	8	4	13	40	30	2.1
P005	104+0.255	JCT FAP 82	FLATHEAD	1	49	61	5.341	38	38	RMS	6836	820	383	5	17	10	12	0	44	30	3.0
P005	179+0.692	EUREKA	LINCOLN	1	43	57	1.370	22	24	RMS	2434	316	319	0	13	8	1	15	37	31	.9
P052	7+0.124	7.1 N FAP 5	LAKE	1	47	47	3.214	24	24	BST	1451	214	208	0	12	6	1	15	34	32	2.1
P005	86+0.330	2.0 S ROLLINS	LAKE	1	33	65	6.417	24	24	RMS	1554	209	374	0	8	4	1	22	35	32	4.2
P005	79+0.397	1.8 N JCT FAP 36	LAKE	1	32	52	6.932	22	24	RMS	1551	209	341	0	10	4	1	21	36	33	4.4
P033	0+0.658	LIBBY	LINCOLN	1	59	59	.558	26	37	BST	3663	476	313	6	18	10	1	7	42	33	.3
P052	33+0.928	JCT FAP RTE 82	FLATHEAD	1	34	55	7.644	22	24	RMS	1814	268	390	0	13	4	1	20	38	34	4.7
P005	56+0.943	2.0 S FAP 52	LAKE	1	73	73	.882	40	40	PMS	5804	847	308	6	21	10	9	0	46	34	.5
P006	115+0.193	LAKE CO	LAKE	1	34	52	.936	20	24	RMS	1196	178	182	0	11	8	1	15	35	34	.6
P052	41+0.541	CRESTON	FLATHEAD	1	34	55	3.975	22	24	RMS	2455	363	435	0	17	4	3	17	41	35	2.3
P005	159+0.617	STRYKER	LINCOLN	1	31	64	8.683	24	24	RMS	986	128	123	0	16	4	1	14	35	35	5.6
P005	35+0.331	2.3 N ST IGNATIUS	LAKE	1	50	50	5.797	24	30	RMS	3376	492	453	2	15	8	4	14	43	35	3.3
P001	128+0.337	JCT FAP RTE 52	FLATHEAD	1	34	51	10.056	22	24	RMS	2866	401	716	0	9	8	4	22	43	36	5.7
P001	15+0.265	TROY	LINCOLN	1	37	38	1.655	20	24	RMS	2104	273	365	0	10	5	7	19	41	36	1.0
P005	114+0.862	KALISPELL	FLATHEAD	1	57	60	5.799	36	36	PMS	5591	670	500	5	18	10	5	10	48	36	3.0
P001	106+0.450	12.9 W KALISPELL	FLATHEAD	1	49	63	6.886	24	27	RMS	1571	204	198	0	13	8	4	15	40	37	4.1
P005	120+0.676	5.8 N KALISPELL	FLATHEAD	1	60	60	4.785	36	36	PMS	5863	703	500	4	16	10	11	9	50	37	2.4
P001	180+0.514	16.2 W GLACIER CO	FLATHEAD	1	33	35	3.632	18	20	RMS	827	115	259	0	11	3	0	23	37	38	2.3
P005	125+0.445	JCT FAP 38	FLATHEAD	1	60	60	1.488	36	36	PMS	8938	1072	937	5	16	10	10	13	54	38	.7
P001	21+0.505	4.6 E FAP 56	LINCOLN	1	37	70	3.927	24	26	RMS	1954	254	528	0	10	4	7	23	44	39	2.2
P001	89+0.548	9.2 E FLATHEAD CO	FLATHEAD	1	36	57	9.847	24	25	RMS	1017	132	220	0	12	6	1	21	40	40	5.9
P001	49+0.289	13.5 E FAS 482	LINCOLN	1	35	39	6.869	20	24	RMS	971	126	228	0	11	4	3	22	40	40	4.1
P082	5+0.451	1.4 W FAP 52	FLATHEAD	1	55	55	1.472	24	24	RMS	2342	339	243	4	14	10	10	9	47	41	.8
P038	7+0.760	0.3 E COL FALLS	FLATHEAD	1	77	77	.303	36	36	PMS	4791	670	376	9	28	10	3	3	53	42	.1
P052	18+0.000	YELLOW BAY	LAKE	1	37	65	5.585	24	24	RMS	1302	192	336	0	15	7	1	21	44	42	3.1
P001	37+0.882	5.1 E LIBBY	LINCOLN	1	36	51	6.395	24	24	RMS	1632	212	515	0	10	7	4	24	45	42	3.5
P001	103+0.175	3.8 E MARION	FLATHEAD	1	40	63	3.262	24	24	RMS	1356	176	249	0	13	8	4	19	44	42	1.8
P005	27+0.503	JCT FAP 6	LAKE	1	56	60	2.550	44	44	PMS	3430	500	578	4	17	10	3	17	51	42	1.2
P001	80+0.387	FLATHEAD CO LINE	FLATHEAD	1	52	52	9.172	28	28	RMS	1009	131	187	0	12	7	5	19	43	43	5.2
P001	71+0.596	8.7 W FLATHEAD CO	LINCOLN	1	37	53	6.645	22	24	RMS	962	125	243	0	14	5	2	22	43	43	3.8
P005	61+0.600	0.6 N POLSON	LAKE	1	54	54	2.852	24	32	PMS	2989	403	584	0	17	10	4	20	51	43	1.4
P005	61+0.013	POLSON	LAKE	1	66	66	.587	40	40	PMS	3415	461	326	8	24	10	1	9	52	43	.3
P001	64+0.847	15.5 W FLATHEAD CO	LINCOLN	1	41	43	6.753	20	24	RMS	991	128	234	0	13	7	2	22	44	44	3.8
P001	2+0.637	2.6 E IDAHO LINE	LINCOLN	1	49	51	4.352	22	28	PMS	1227	159	338	0	12	8	2	23	45	44	2.4
P005	47+0.372	RONAN	LAKE	1	70	70	6.021	40	40	PMS	4882	712	309	9	25	10	11	0	55	44	2.7

FINANCIAL DISTRICT NUMBER 1

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	AOJ	DEFIC MILES
P038	0+0.000	JCT FAP RTE 5	FLATHEAD	1	75	75	4.368	44	44	PMS	3863	536	170	10	30	10	5	0	55	45	2.0
P052	23+0.600	4.7 S FLATHEAD CO	LAKE	1	36	60	2.661	24	25	RMS	1388	205	481	0	12	6	5	24	47	45	1.4
P001	113+0.334	6.0 W KALISPELL	FLATHEAD	1	49	51	6.278	24	31	RMS	2569	326	452	3	14	8	8	19	52	45	3.0
P005	33+0.097	0.3 N ST IGNATIUS	LAKE	1	56	60	1.843	32	32	PMS	3446	503	503	4	13	10	12	15	54	45	.8
P001	44+0.296	8.5 E FAS 482	LINCOLN	1	36	65	5.006	20	24	RMS	971	126	364	0	9	7	5	25	46	46	2.7
P005	98+0.643	5.2 NLFLATHEADOCO	FLATHEAD	1	63	63	5.548	32	32	PMS	2872	387	589	4	14	10	5	20	53	46	2.6
P005	59+0.004	JCT FAP 52	LAKE	1	58	58	.331	40	40	PMS	7416	1082	326	8	22	10	20	0	60	46	.1
P033	1+0.219	0.6 N LI88Y	LINCOLN	1	42	50	8.320	28	28	8ST	1444	187	275	3	15	8	3	20	49	46	4.2
P001	99+0.410	MARION	FLATHEAD	1	47	61	3.779	24	30	RMS	1323	171	292	0	15	7	6	21	49	47	1.9
P001	6+0.982	3.2 E FAS 508	LINCOLN	1	49	51	6.959	22	28	PMS	1796	233	508	0	14	8	6	23	51	47	3.4
P005	30+0.048	2.5 N JCT FAP 6	LAKE	1	56	60	2.564	32	32	PMS	3086	450	503	3	16	10	9	17	55	47	1.2
P033	64+0.921	2.0 E FA 5	LINCOLN	1	40	40	1.975	20	24	RMS	763	99	220	0	14	8	1	23	46	48	1.1
P001	56+0.167	20.4 E FAS 482	LINCOLN	1	38	50	8.685	20	26	RMS	1004	130	278	0	13	6	6	23	48	48	4.5
P052	10+0.345	10.3 N FAP 5	LAKE	1	48	65	7.657	24	25	RMS	1451	214	522	0	14	8	6	24	52	49	3.7
P083	65+0.165	17.7 N LAKE CO.	LAKE	1	58	63	12.634	24	24	RMS	492	86	299	0	10	6	2	26	44	49	7.1
P005	93+0.536	FLATHEAD CO	FLATHEAD	1	64	64	5.181	32	32	PMS	1788	241	307	3	13	10	9	18	53	49	2.4
P005	41+0.154	5.4 S RONAN	LAKE	1	66	66	5.018	40	40	PMS	4432	647	599	5	16	10	14	14	59	49	2.1
P036	31+0.138	LAKE CO	LAKE	1	40	40	.511	20	25	8ST	521	78	308	0	11	7	1	26	45	50	.3
P001	123+0.228	KALISPELL U L	FLATHEAD	1	67	67	1.404	44	44	PMS	5700	684	731	8	23	10	5	16	62	50	.5
P005	32+0.761	ST IGNATIUS	LAKE	1	69	69	.340	44	44	RMS	3327	485	310	5	17	10	20	7	59	51	.1
P065	0+0.000	JCT FAP 1 W GLAC	FLATHEAD	1	38	38	.305	40	40	RMS	1333	269	614	7	16	7	1	23	54	52	.1
P001	153+0.269	JCT FAP 65	FLATHEAD	1	48	49	3.364	24	28	PMS	874	122	162	6	17	7	2	19	51	52	1.6
P005	46+0.161	0.4 S RONAN	LAKE	1	70	70	.411	40	40	PMS	5512	804	784	8	22	10	8	15	63	52	.2
P005	53+0.399	6.0 N RONAN	LAKE	1	58	58	3.432	32	32	PMS	5268	769	688	8	22	10	11	13	64	53	1.2
P036	31+0.649	FLATHEAD CO	FLATHEAD	1	40	51	4.443	20	26	RMS	510	76	515	0	10	6	5	28	49	54	2.3
P005	34+0.947	2.1 N ST IGNATIUS	LAKE	1	72	72	.388	32	32	PMS	3417	498	310	6	20	10	20	6	62	54	.1
P005	18+0.483	3.4 N LAKE CO	LAKE	1	55	60	5.861	32	32	PMS	4139	604	580	6	19	10	15	14	64	55	2.1
P082	0+0.000	JCT FAP 5	FLATHEAD	1	52	71	5.474	24	24	PMS	2602	377	514	8	23	8	4	19	62	56	2.1
P001	197+0.193	0.6 W GLACIER CO	FLATHEAD	1	52	70	.623	26	26	PMS	942	131	336	6	17	10	0	24	57	57	.3
P005	134+0.691	6.8 N WHITEFISH	FLATHEAD	1	55	59	10.962	24	28	PMS	1206	156	462	3	14	10	6	25	58	57	4.6
P001	37+0.373	4.5 E LI88Y	LINCOLN	1	76	76	.509	44	44	PMS	2615	339	222	9	28	10	10	7	64	58	.2
P001	0+0.000	IDAHO LINE	LINCOLN	1	54	55	2.622	24	30	PMS	1028	133	323	4	16	9	5	24	58	58	1.1
P005	92+0.740	4.9 N ROLLINS	LAKE	1	64	64	.749	32	32	PMS	1531	206	278	4	14	10	15	19	62	59	.3
P001	78+0.265	2.1 W FLATHEAD CO	LINCOLN	1	37	53	2.143	22	24	RMS	943	122	187	0	14	6	20	20	60	60	.9
P001	166+0.253	12.7 E WEST GLAC	FLATHEAD	1	57	59	2.834	26	26	PMS	846	118	489	5	17	10	1	26	59	60	1.2
P083	47+0.765	LAKE CO. LINE	LAKE	1	58	58	6.789	24	24	PMS	414	72	384	2	15	6	5	27	55	61	3.1
P001	156+0.627	3.2 E WEST GLACIER	FLATHEAD	1	65	65	.521	24	28	RMS	869	121	378	6	19	10	0	25	60	61	.2
P005	145+0.620	OLNEY	FLATHEAD	1	55	60	11.263	26	26	PMS	844	109	255	0	14	9	13	24	60	61	4.5
P056	27+0.876	6.7 S FAP 1	LINCOLN	1	56	56	6.764	24	24	PMS	594	89	249	5	17	9	2	25	58	62	2.8
P005	64+0.489	3.5 N POLSON	LAKE	1	54	54	2.938	24	32	PMS	2416	326	411	4	16	10	20	18	68	62	.9
P056	22+0.022	5.4 N LINCOLN CO	LINCOLN	1	60	60	5.854	24	24	PMS	457	69	289	5	17	7	2	26	57	63	2.5
P001	164+0.714	11.2 E WEST GLAC	FLATHEAD	1	57	59	1.514	26	26	PMS	851	119	403	6	18	10	2	26	62	63	.6
P001	159+0.503	6.0 E WEST GLACIER	FLATHEAD	1	57	59	5.217	26	26	PMS	858	120	403	5	16	8	7	26	62	63	2.0
P001	36+0.664	4.0 E LI88Y	LINCOLN	1	76	76	.709	62	62	PMS	2790	362	272	8	27	10	14	10	69	63	.2
P005	180+0.908	JCT FAP 33	LINCOLN	1	50	50	6.546	24	24	RMS	456	59	307	0	14	9	8	27	58	64	2.7
P083	54+0.540	6.8 N LAKE CO LINE	LAKE	1	55	55	10.638	24	24	PMS	403	70	258	2	15	7	9	26	59	65	4.4
P005	77+0.587	JCT FAP 36	LAKE	1	62	62	1.837	32	32	PMS	1581	213	662	6	18	10	9	25	68	65	.6
P038	8+0.655	1.3 E COL FALLS	FLATHEAD	1	71	71	.242	44	44	RMS	4195	587	795	7	18	10	20	19	74	66	.1
P056	16+0.540	SANDERS-LINCOLN CO	LINCOLN	1	63	63	5.482	28	28	PMS	382	57	187	6	18	8	2	25	59	66	2.2
P001	184+0.217	12.6 W GLACIER CO	FLATHEAD	1	67	77	12.259	32	32	PMS	908	127	725	6	16	10	6	27	65	66	4.3
P005	67+0.425	6.4 N POLSON	LAKE	1	54	70	3.855	30	30	PMS	1792	241	469	5	24	9	10	22	70	66	1.2
P005	156+0.922	LINCOLN CO	LINCOLN	1	55	60	2.697	26	26	PMS	793	103	255	0	15	9	18	24	66	67	.9
P083	86+0.280	3.7 N FAS RTE 209	FLATHEAD	1	59	59	4.733	24	24	PMS	926	155	478	6	17	10	11	25	69	69	1.5
P001	33+0.316	0.6 E LI88Y	LINCOLN	1	76	76	3.326	68	68	PMS	5165	671	2040	8	27	10	7	25	77	69	.8
P036	40+0.186	LAKE CO	LAKE	1	37	65	6.526	24	26	RMS	496	74	357	0	11	7	20	27	65	70	2.3

FINANCIAL DISTRICT NUMBER 1

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	YEARS IM	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	AOT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P083	82+0.636	JCT FAS RTE 209	FLATHEAD	1	59	59	3.735	24	24	PMS	681	114	301	5	17	10	12	24	68	70	1.2
P083	77+0.797	4.8 S FLATHEAD CO	LAKE	1	62	62	4.859	30	30	PMS	816	143	333	5	19	10	11	24	69	70	1.5
P036	36+0.100	4.4 N FLATHEAD CO	FLATHEAD	1	37	61	4.101	24	26	RMS	483	72	889	0	10	7	20	29	66	71	1.4
P001	29+0.863	2.0 W L188Y	LINCOLN	1	71	76	2.036	68	68	PMS	4911	638	1720	9	28	10	8	24	79	71	.4
P001	157+0.164	3.7 E WEST GLACIER	FLATHEAD	1	48	49	2.350	24	28	PMS	866	121	194	6	17	7	20	21	71	72	.7
P001	177+0.633	19.1 W GLACIER CO	FLATHEAD	1	69	69	2.884	34	34	PMS	786	110	514	9	22	10	3	27	71	72	.8
P005	71+0.313	6.2 S FAP 36	LAKE	1	62	62	6.212	32	32	PMS	1618	218	447	5	21	10	16	23	75	72	1.6
P033	54+0.527	0.7 N RES 8R	LINCOLN	1	71	71	10.394	34	34	PMS	480	62	324	7	24	10	1	27	69	73	3.2
P033	53+0.851	RESERV 8R APPR	LINCOLN	1	71	71	.676	34	34	PMS	390	50	114	9	27	10	1	23	70	76	.2
P033	9+0.560	8.9 N L188Y	LINCOLN	1	67	67	4.431	34	34	PMS	494	64	520	8	24	10	3	28	73	77	1.2
P033	14+0.002	13.3 N L188Y	LINCOLN	1	74	74	3.652	34	34	PMS	286	37	220	8	24	10	1	27	70	77	1.1
P001	32+0.748	L188Y	LINCOLN	1	71	76	.561	68	68	PMS	7589	910	1800	8	26	10	20	22	86	79	.1
P001	171+0.169	25.6 W GLACIER CO	FLATHEAD	1	66	66	6.460	32	32	PMS	827	115	482	6	17	10	20	26	79	80	1.4
P033	17+0.654	L188Y OAM APPR	LINCOLN	1	74	74	12.374	34	34	PMS	271	35	201	9	28	10	2	27	76	83	3.0
P033	42+0.817	11.0 S RES 8R APPR	LINCOLN	1	74	74	11.169	34	34	PMS	224	29	201	9	27	10	1	28	75	83	2.8
P033	30+0.033	FIVE MILE CR	LINCOLN	1	74	74	12.783	34	34	PMS	247	32	220	9	28	10	2	28	77	84	2.9
P001	169+0.063	15.8 E WEST GLAC	FLATHEAD	1	75	75	2.107	32	32	PMS	840	117	539	7	24	10	20	27	88	88	.3
DISTRICT TOTAL							557.268														48 266.2



SUFFICIENCY RATING
BY
FINANCIAL DISTRICT 2
RURAL PRIMARY SYSTEM

FINANCIAL DISTRICT NUMBER 2

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	AOJ	DEFIC MILES
P001	221+1.600	BROWNING	GLACIER	2	32	70	2.814	22	24	RMS	3652	712	477	3	13	9	1	8	34	26	1.9
P058	17+0.315	5.2 N KIOWA JCT	GLACIER	2	28	40	8.213	20	24	RMS	903	176	221	0	9	4	0	18	31	32	5.7
P058	12+0.053	KIOWA JCT	GLACIER	2	28	40	5.269	20	24	RMS	912	177	221	0	10	4	0	18	32	33	3.6
P001	379+0.167	JCT FAP RTE 10	HILL	2	52	52	1.516	40	40	RMS	5249	561	654	0	12	10	8	17	47	35	.8
P001	220+0.489	1.3 W BROWNING	GLACIER	2	45	45	1.390	24	24	RMS	1503	210	278	0	13	7	1	19	40	37	.8
P001	218+0.818	2.9 W BROWNING	GLACIER	2	39	63	1.575	26	30	RMS	1399	195	289	0	13	7	1	20	41	39	.9
P001	229+0.880	1.1 E BLACKFOOT	GLACIER	2	25	63	2.119	24	24	RMS	1207	193	772	0	10	5	1	26	42	41	1.2
P001	240+0.263	4.8 E FAS 444	GLACIER	2	27	60	6.784	24	24	RMS	1327	199	838	0	10	4	3	26	43	41	3.9
P058	3+0.397	3.5 W BROWNING	GLACIER	2	35	51	6.369	22	24	RMS	891	173	386	0	9	8	2	23	42	43	3.7
P067	0+0.715	SHELBY LIMITS	TOOLE	2	28	52	1.040	20	24	RMS	1407	182	288	3	13	7	1	21	45	43	.6
P001	233+0.191	4.4 E BLACKFOOT	GLACIER	2	25	61	7.073	24	24	RMS	1298	207	805	0	9	7	3	26	45	43	3.9
P001	210+0.124	0.9 E EAST GLAC	GLACIER	2	43	62	1.211	26	30	RMS	1384	193	400	0	12	9	1	23	45	43	.7
P001	211+0.317	2.1 E EAST GLAC	GLACIER	2	39	63	1.867	26	30	RMS	1386	194	400	0	12	8	3	23	46	44	1.0
P001	224+0.000	JCT FAP RTE 3	GLACIER	2	35	61	4.927	22	24	RMS	1211	193	642	0	10	8	3	25	46	45	2.7
P001	435+0.143	5.8 E FAP 66	BLAINE	2	25	71	4.686	22	24	RMS	860	111	324	0	14	4	1	25	44	45	2.6
P058	9+0.785	9.9 W BROWNING	GLACIER	2	29	35	2.247	20	24	PMS	671	130	480	0	8	8	1	26	43	46	1.3
P001	254+0.122	0.6 W OF CUT BANK	GLACIER	2	55	55	.402	42	42	PMS	2623	314	817	4	16	10	1	24	55	48	.2
P001	383+0.815	HAVRE	HILL	2	46	54	7.204	24	30	PMS	3104	403	565	6	18	10	4	19	57	49	3.1
P001	429+0.077	0.6 E FAP 66	BLAINE	2	36	62	5.241	28	30	RMS	988	128	453	0	12	10	2	26	50	50	2.6
P010	109+0.571	1.8 S FAP 1	HILL	2	52	52	1.796	32	32	RMS	1826	237	580	2	13	10	6	24	55	51	.8
P058	0+0.000	JCT FAP RTE 1	GLACIER	2	35	51	3.369	22	24	RMS	1287	250	748	0	8	8	13	25	54	52	1.5
P001	197+0.816	GLACIER CO LINE	GLACIER	2	52	70	6.390	26	26	PMS	1043	146	223	4	15	10	3	20	52	52	3.1
P001	372+0.142	8.6 E KREMLIN	HILL	2	60	60	7.002	32	32	PMS	2454	319	648	4	17	10	4	23	58	52	2.9
P001	413+0.431	0.4 E ZURICH	BLAINE	2	49	56	.591	32	32	PMS	1587	206	629	5	16	10	1	25	57	54	.3
P001	439+1.027	6.4 W PHILLIPS CO	BLAINE	2	35	71	6.447	24	24	BST	876	113	469	0	13	6	8	26	53	54	3.0
P001	299+0.766	7.3 W LIBERTY CO	TOOLE	2	57	62	7.266	32	32	PMS	1011	131	500	0	12	10	6	26	54	54	3.3
P001	391+0.007	BLAINE CO	BLAINE	2	46	54	2.849	24	31	PMS	2424	315	565	5	18	10	6	22	61	55	1.1
P001	251+0.988	2.7 W OF CUT BANK	GLACIER	2	72	72	2.128	50	50	PMS	1851	277	272	7	24	10	3	15	59	55	.9
P001	209+0.252	EAST GLACIER	GLACIER	2	63	63	.874	32	32	PMS	1381	193	482	5	17	10	1	24	57	55	.4
P001	204+0.366	6.4 E GLACIER CO	GLACIER	2	63	63	4.884	32	32	PMS	1233	172	497	4	15	10	3	25	57	56	2.1
P001	424+0.712	HARLEM	BLAINE	2	68	68	3.805	40	40	PMS	2076	269	281	7	24	10	4	16	61	56	1.5
P001	278+0.091	0.4 W FAI 15	TOOLE	2	60	60	.368	68	68	PMS	1534	230	3440	0	13	10	7	29	59	56	.2
P058	39+0.819	BABB	GLACIER	2	56	56	3.787	24	28	RMS	881	171	448	3	17	9	3	24	56	57	1.7
P001	354+0.598	1.0 E GILOFORD	HILL	2	36	59	8.956	26	31	RMS	1254	163	530	5	18	10	1	25	59	57	3.7
P010	90+0.926	1.5 N HILL CO	HILL	2	30	73	6.098	22	26	PMS	1290	167	535	0	12	7	15	25	59	57	2.5
P001	308+0.048	1.0 E LIBERTY CO	LIBERTY	2	47	60	7.280	26	26	RMS	925	120	387	4	16	10	2	25	57	58	3.1
P001	408+0.325	4.2 E CHINOOK	BLAINE	2	40	56	5.091	28	30	PMS	1617	210	612	6	16	10	4	25	61	58	2.0
P010	97+0.042	7.6 N HILL CO	HILL	2	28	41	7.369	22	24	RMS	1435	186	510	0	13	7	15	25	60	58	2.9
P001	393+0.855	2.8 E BLAINE CO	BLAINE	2	38	59	9.717	24	30	RMS	3006	390	663	5	18	10	12	21	66	59	3.3
P001	231+0.966	3.2 E BLACKFOOT	GLACIER	2	50	63	1.203	24	30	RMS	1205	192	530	4	16	10	6	25	61	60	.5
P001	404+0.087	CHINOOK	BLAINE	2	44	56	4.248	28	30	PMS	1938	251	612	5	17	10	8	24	64	60	1.5
P001	278+0.809	0.3 E FAI 15	TOOLE	2	56	56	.440	60	60	PMS	4515	632	1620	3	14	9	20	24	70	61	.1
P058	25+0.516	6.0 S ST MARYS	GLACIER	2	58	64	6.011	44	44	PMS	931	181	455	6	15	10	2	24	61	62	2.3
P001	271+0.001	7.6 E TOOLE CO	TOOLE	2	53	66	7.061	32	32	RMS	1210	181	503	0	17	10	11	25	63	62	2.6
P001	278+0.459	JCT FAI 15	TOOLE	2	60	60	.350	68	68	PMS	3857	539	3240	0	13	10	20	28	71	63	.1
P003	101+0.021	9.2 S FAP RTE 1	GLACIER	2	51	51	2.132	26	28	RMS	692	166	454	4	16	10	5	25	60	63	.9
P001	315+0.301	6.5 W CHESTER	LIBERTY	2	47	60	5.785	26	26	RMS	916	119	438	6	17	10	4	26	63	64	2.1
P001	363+0.532	APPR TO KREMLIN	HILL	2	36	70	8.591	28	32	RMS	1432	186	648	7	18	10	5	26	66	64	2.9
P058	35+0.813	4.3 N ST MARYS	GLACIER	2	56	64	4.001	32	32	PMS	1198	233	539	8	21	10	3	24	66	65	1.4
P001	223+0.702	2.8 E BROWNING	GLACIER	2	60	60	.184	32	32	PMS	2106	402	361	7	20	10	20	13	70	65	.1
P058	31+0.544	ST MARYS	GLACIER	2	64	64	4.279	32	32	PMS	1243	242	511	7	22	10	5	23	67	66	1.4
P001	256+0.020	CUT BANK	GLACIER	2	67	67	6.809	40	40	PMS	1420	213	536	5	17	10	12	24	68	66	2.2
P001	421+0.341	3.4 W HARLEM	BLAINE	2	39	62	2.572	26	31	RMS	1508	196	612	6	16	10	13	25	70	67	.8
P066	10+0.608	PHILLIPS-BLAINE CO	BLAINE	2	59	59	12.623	28	28	PMS	355	56	353	3	17	9	4	28	61	68	4.9
P001	247+0.019	7.7 W OF CUT BANK	GLACIER	2	27	76	4.950	24	24	PMS	1415	212	574	8	28	7	3	24	70	68	1.5

FINANCIAL DISTRICT NUMBER 2

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FND	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P001	307+0.040	LIBERTY CO	LIBERTY	2	57	62	.983	32	32	PMS	942	122	552	4	17	10	10	27	68	68	.3
P001	254+0.578	CUT BANK	GLACIER	2	55	55	.229	42	42	PMS	3192	383	817	5	17	10	20	23	75	69	.1
P010	89+0.417	HILL CO	HILL	2	30	70	.189	30	30	RMS	1256	163	702	7	22	10	4	27	70	69	.1
P058	44+0.488	4.7 N BABB	GLACIER	2	56	56	5.856	22	22	RMS	470	91	362	3	13	10	13	26	65	70	2.0
P001	280+0.100	SHELBY	TOOLE	2	54	59	11.649	32	32	PMS	1190	154	560	0	17	10	20	25	72	71	3.3
P001	348+0.215	HINGHAM	HILL	2	60	60	6.381	32	32	PMS	958	124	621	8	22	10	5	27	72	72	1.8
P001	332+0.615	HILL CO	HILL	2	71	71	9.281	40	40	PMS	1025	133	244	9	27	10	4	22	72	72	2.6
P001	213+0.173	3.9 E EAST GLAC	GLACIER	2	77	77	5.712	48	48	PMS	1392	194	258	10	30	10	5	19	74	72	1.5
P001	291+0.748	6.8 E FAS 417	TOOLE	2	56	59	8.023	32	32	PMS	1028	133	526	0	17	10	20	26	73	73	2.2
P010	89+0.606	0.2 N HILL CO	HILL	2	70	70	1.319	32	32	PMS	1274	165	720	8	25	10	4	27	74	73	.3
P001	228+0.797	BLACKFOOT	GLACIER	2	57	57	1.050	24	32	RMS	1208	193	680	4	15	10	20	26	75	74	.3
P010	104+0.366	6.9 S FAP 1	HILL	2	67	67	5.125	40	40	PMS	1806	234	304	7	22	10	20	18	77	74	1.2
P066	23+0.241	12.6 N PHILLIPS CO	BLAINE	2	59	59	14.057	28	28	PMS	433	69	353	4	18	10	11	27	70	75	4.2
P001	423+0.924	0.8 W HARLEM	BLAINE	2	68	68	.797	40	40	PMS	1640	213	281	8	25	10	16	19	78	75	.2
P066	37+0.321	12.7 S JCT FAP 1	BLAINE	2	59	59	12.714	28	28	PMS	467	74	377	4	17	10	15	27	73	77	3.4
P001	262+0.815	TOOLE CO	TOOLE	2	67	67	.272	40	40	PMS	1256	188	629	5	17	10	20	26	78	77	.1
P003	95+0.089	5.9 N GLACIER CO	GLACIER	2	66	66	5.926	34	34	PMS	692	166	504	9	26	10	5	25	75	77	1.5
P001	263+0.107	0.3 E TOOLE CO	TOOLE	2	65	65	7.491	32	32	PMS	1220	183	666	8	21	10	14	26	79	78	1.6
P003	103+0.350	7.1 S FAP RTE 1	GLACIER	2	60	60	7.233	32	32	RMS	692	166	485	4	17	10	20	25	76	78	1.7
P058	43+0.622	3.8 N BABB	GLACIER	2	61	61	.866	28	28	RMS	567	110	415	6	19	10	20	26	81	83	.2
P001	341+0.907	0.3 E FAS RTE 432	HILL	2	60	60	5.813	32	32	PMS	1268	164	666	7	22	10	20	26	85	84	.9
P003	89+0.220	GLACIER CO	GLACIER	2	68	68	5.858	34	34	PMS	692	166	529	9	26	10	13	25	83	84	1.0
P001	428+0.518	JCT FAP 66	BLAINE	2	68	68	.553	40	40	PMS	1092	141	244	9	26	10	20	21	86	85	.1
P001	414+0.015	1.0 E ZURICH	BLAINE	2	56	73	7.314	32	32	PMS	1552	201	666	8	27	10	18	25	88	86	.9
P001	322+0.620	CHESTER	LIBERTY	2	77	77	3.787	40	40	PMS	1386	180	281	10	30	10	19	20	89	88	.4
P001	321+0.077	0.6 W CHESTER	LIBERTY	2	77	77	.701	40	40	PMS	1114	144	214	10	30	10	20	20	90	89	.1
P001	326+0.338	3.8 E CHESTER	LIBERTY	2	76	76	6.154	40	40	PMS	1118	145	281	10	30	10	20	22	92	91	.5
		DISTRICT TOTAL					374.586														37 138.5

Percent Sufficient

- 0 - 40
- 41 - 60
- 61 - 100
- Under Construction As Of December 31, 1978

SUFFICIENCY RATING
BY
FINANCIAL DISTRICT 3
RURAL PRIMARY SYSTEM

FINANCIAL DISTRICT NUMBER 3

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	SECTION IM	LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	----SUFFICIENCY RATINGS---- FNO	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P061	155+0.525	JCT FAS RTE 363	PHILLIPS	3	38	42	1.398	24	26	RMS	1761	295	259	0	13	8	14	12	48	44	.7
P042	73+0.246	JCT FAP RTE 31	VALLEY	3	34	58	2.174	22	26	RMS	1136	181	367	0	12	9	2	23	46	45	1.2
P001	526+0.523	14.1 W GLASGOW	VALLEY	3	50	55	11.109	24	27	PMS	1378	186	308	2	14	10	2	21	49	47	5.7
P025	46+0.499	ROOSEVELT CO	ROOSEVELT	3	37	37	.503	20	25	RMS	818	106	290	0	10	10	1	25	46	47	.3
P022	43+0.383	JCT FAP 30	SHERIDAN	3	33	40	9.226	20	24	RMS	1052	157	352	0	14	9	2	23	48	48	4.8
P001	629+0.422	3.2 E BROCKTON	ROOSEVELT	3	46	50	5.368	24	32	RMS	1086	141	302	0	16	9	2	23	50	49	2.7
P022	42+0.348	PLENTYWOOD	SHERIDAN	3	33	40	1.033	20	24	RMS	1952	292	526	0	13	10	10	22	55	50	.5
P042	59+0.181	2.9 N VALLEY CO	VALLEY	3	34	34	11.343	22	26	RMS	671	107	324	0	15	7	1	25	48	51	5.9
P022	29+0.335	ARCHER	SHERIDAN	3	37	62	11.850	20	24	RMS	784	117	435	0	10	9	4	26	49	51	6.0
P042	70+0.530	2.7 S FAP RTE 31	VALLEY	3	34	34	2.725	22	26	RMS	912	145	795	0	10	9	5	27	51	52	1.3
P022	7+0.586	7.1 E SCOBEY	DANIELS	3	35	36	10.261	20	24	BST	430	64	210	0	12	8	1	25	46	52	5.5
P032	6+0.294	2.5 N FAP RTE 1	ROOSEVELT	3	33	45	7.831	20	24	RMS	458	64	220	0	12	7	1	26	46	52	4.2
P001	626+0.151	BROCKTON	ROOSEVELT	3	43	57	3.243	24	30	RMS	1092	141	414	0	16	10	3	25	54	53	1.5
P032	48+0.193	2.6 S SCOBEY	DANIELS	3	33	45	2.587	20	24	RMS	450	63	203	0	13	8	1	25	47	53	1.4
P001	591+0.423	WOLF POINT	ROOSEVELT	3	58	58	5.798	32	32	PMS	2473	296	648	6	17	10	4	23	60	54	2.3
P032	39+0.888	4.7 N DANIELS CO	DANIELS	3	33	45	4.599	20	24	RMS	266	37	203	0	12	5	1	27	45	54	2.5
P001	543+0.809	JCT FAP 31	VALLEY	3	62	62	2.430	36	36	PMS	1787	241	616	5	17	10	3	24	59	55	1.0
P022	17+0.900	SHERIDAN CO	SHERIDAN	3	36	36	3.028	22	25	BST	370	55	280	0	11	8	2	27	48	55	1.6
P030	20+0.630	JCT FAS RTE 516	SHERIDAN	3	40	40	2.757	20	24	RMS	403	56	239	0	12	8	2	26	48	55	1.4
P061	118+0.176	15.8 N FAP RTE 66	PHILLIPS	3	49	49	6.251	22	22	BST	351	58	245	0	13	7	2	26	48	56	3.3
P017	3+0.200	3.5 N FAP RTE 42	VALLEY	3	38	63	5.422	20	24	RMS	409	61	390	0	13	7	3	28	51	57	2.7
P061	124+0.473	22.0 N FAP RTE 66	PHILLIPS	3	47	47	5.924	25	25	BST	333	55	312	0	12	8	3	27	50	58	3.0
P001	546+0.252	2.4 E FAP 31	VALLEY	3	53	53	8.404	24	30	RMS	1403	189	631	0	14	10	10	26	60	58	3.4
P032	28+0.175	7.0 S DANIELS CO	ROOSEVELT	3	33	45	7.041	20	24	RMS	239	33	357	0	10	7	2	29	48	58	3.7
P030	10+0.100	10.1 N JCT RTE 22	SHERIDAN	3	40	40	10.490	20	24	RMS	327	45	220	0	13	8	2	27	50	58	5.2
P001	521+0.454	20.0 E VALLEY CO	VALLEY	3	50	55	5.116	24	27	PMS	1198	161	471	3	18	10	4	25	60	59	2.0
P061	142+0.098	14.7 S MALTA	PHILLIPS	3	42	42	5.277	20	24	RMS	312	52	220	0	15	9	2	26	52	60	2.5
P062	1+0.524	CULBERTSON	ROOSEVELT	3	61	61	.496	36	36	PMS	986	147	560	7	16	10	1	26	60	60	.2
P022	20+0.923	3.0 E SHERIDAN CO	SHERIDAN	3	36	36	8.441	22	25	BST	413	61	464	0	12	9	5	28	54	60	3.9
P032	14+0.125	10.0 N JCT FAP 1	ROOSEVELT	3	33	45	9.277	20	24	RMS	290	40	203	0	16	7	1	27	51	60	4.5
P032	35+0.227	DANIELS CO	DANIELS	3	33	45	4.667	20	24	RMS	249	34	185	0	13	8	2	27	50	60	2.3
P001	542+0.429	GLASGOW	VALLEY	3	62	62	1.386	68	68	PMS	3211	433	3600	6	18	10	6	28	68	61	.4
P001	499+1.054	SACO	PHILLIPS	3	55	55	1.515	24	28	RMS	1214	163	586	0	11	10	15	26	62	61	.6
P001	634+0.794	8.6 E BROCKTON	ROOSEVELT	3	52	52	4.409	24	30	RMS	1011	131	442	0	15	10	10	26	61	61	1.7
P001	454+0.550	OOOSON	PHILLIPS	3	49	78	3.137	26	26	RMS	1167	151	500	3	19	8	7	25	62	61	1.2
P031	0+0.000	JCT FAP 42	VALLEY	3	62	62	1.443	28	28	PMS	512	77	396	4	14	9	2	27	56	61	.6
P032	23+0.431	11.8 S DANIELS CO	ROOSEVELT	3	33	45	4.759	20	24	RMS	240	33	220	0	14	8	1	28	51	61	2.3
P061	136+0.797	18.9 S FAS 363	PHILLIPS	3	42	42	5.282	20	24	RMS	306	51	421	0	15	8	3	28	54	62	2.4
P061	147+0.379	9.5 S MALTA	PHILLIPS	3	38	42	8.114	24	26	RMS	555	93	573	0	10	8	12	28	58	62	3.4
P001	581+0.089	ROOSEVELT CO	ROOSEVELT	3	57	61	9.308	32	32	PMS	1452	196	616	3	17	10	9	25	64	62	3.4
P001	597+0.243	JCT FAP RTE 32	ROOSEVELT	3	58	58	4.565	32	32	PMS	1814	217	648	6	18	10	7	25	66	62	1.6
P001	644+1.008	CULBERTSON	ROOSEVELT	3	56	61	3.010	32	32	PMS	1114	150	629	6	16	10	5	26	63	62	1.1
P017	8+0.774	3.1 S NASHUA	VALLEY	3	38	63	1.783	20	24	RMS	448	67	265	4	17	8	1	26	56	62	.8
P032	44+0.481	9.3 N DANIELS CO	DANIELS	3	33	45	3.711	20	24	RMS	311	43	372	0	13	8	5	28	54	62	1.7
P001	508+0.040	6.6 E VALLEY CO	VALLEY	3	66	66	7.595	40	40	PMS	1243	167	296	5	22	10	5	22	64	63	2.7
P061	88+0.068	PHILLIPS CO	PHILLIPS	3	60	60	5.580	28	28	PMS	348	58	584	0	9	10	9	29	57	64	2.4
P001	501+0.410	VALLEY CO	VALLEY	3	55	55	6.588	24	28	RMS	1219	164	500	0	12	9	20	25	66	65	2.2
P001	601+0.789	4.6 E FAP 32	ROOSEVELT	3	60	60	9.761	32	32	PMS	2017	242	680	5	18	10	11	25	69	65	3.0
P017	0+0.000	JCT FAP RTE 42	VALLEY	3	69	69	3.500	24	24	BST	514	77	365	3	17	6	7	27	60	65	1.4
P062	2+0.037	0.5 S CULBERTSON	ROOSEVELT	3	78	78	1.845	40	40	PMS	815	122	135	9	28	10	2	16	65	66	.6
P001	656+0.309	10.8 W N O LINE	ROOSEVELT	3	55	62	5.246	32	32	PMS	843	113	536	7	17	10	4	27	65	66	1.8
P030	0+0.000	JCT FAP RTE 22	SHERIDAN	3	38	40	10.149	20	24	RMS	463	64	387	0	10	7	16	28	61	66	4.0
P001	639+0.172	5.0 W CULBERTSON	ROOSEVELT	3	52	52	3.338	24	30	RMS	967	125	414	0	12	10	20	25	67	67	1.1
P066	0+0.000	JCT FAP RTE 61	PHILLIPS	3	61	61	10.621	28	28	PMS	211	33	608	0	10	10	8	29	57	68	4.6
P022	81+0.351	5.5 S FROID	ROOSEVELT	3	59	59	7.156	32	32	PMS	899	134	362	0	13	10	20	24	67	68	2.4

FINANCIAL DISTRICT NUMBER 3

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P034	0+0.000	JCT FAP 22	SHERIDAN	3	51	60	7.029	24	24	PMS	496	69	336	7	17	9	3	27	63	68	2.6
P001	642+0.523	1.7 W CULBERTSON	ROOSEVELT	3	56	61	1.712	32	32	PMS	991	128	428	0	13	10	20	26	69	69	.5
P001	661+0.539	5.6 W N O LINE	ROOSEVELT	3	55	62	5.605	32	32	PMS	866	116	352	7	17	10	9	25	68	69	1.8
P001	515+0.618	14.2 E VALLEY CO	VALLEY	3	50	55	5.795	24	27	PMS	1215	164	526	4	17	10	14	25	70	69	1.7
P001	466+0.722	12.1 E OOOSON	PHILLIPS	3	53	53	4.948	24	30	RMS	1292	167	554	0	16	10	20	25	71	69	1.4
P017	10+0.569	1.4 S NASHUA	VALLEY	3	57	57	1.424	24	28	RMS	505	76	415	7	17	10	3	27	64	69	.5
P034	7+0.070	RAYMOND	SHERIDAN	3	51	60	8.604	24	24	PMS	267	37	336	7	17	8	1	28	61	70	3.4
P061	110+0.333	8.1 N FAP RTE 66	PHILLIPS	3	57	59	7.800	24	29	PMS	311	52	353	0	13	10	12	28	63	71	2.9
P061	102+0.308	JCT FAP RTE 66	PHILLIPS	3	57	59	8.062	24	29	PMS	307	51	531	0	14	10	10	29	63	71	3.0
P031	16+0.960	JCT AIRBASE ROAD	VALLEY	3	64	64	8.673	30	30	PMS	372	56	367	4	16	10	7	28	65	71	3.0
P001	556+0.131	NASHUA	VALLEY	3	56	70	8.685	32	32	PMS	1003	135	696	7	23	10	5	27	72	72	2.4
P031	32+0.480	15.5 N AIRBASE RD	VALLEY	3	54	54	6.850	24	24	PMS	356	53	266	4	17	10	7	27	65	72	2.4
P061	93+0.534	5.6 N PHILLIPS CO	PHILLIPS	3	60	60	8.793	28	28	PMS	347	58	732	0	7	10	20	29	66	73	3.0
P022	63+0.803	MEDICINE LAKE	SHERIDAN	3	63	63	.265	32	32	PMS	777	116	728	7	23	10	5	28	73	74	.1
P001	648+0.067	3.0 E CULBERTSON	ROOSEVELT	3	61	61	8.291	32	32	PMS	820	110	629	3	14	10	20	27	74	75	2.2
P031	2+0.075	0.6 N FAP 1	VALLEY	3	65	65	14.871	32	32	PMS	1001	151	616	5	18	10	16	26	75	75	3.7
P061	130+0.356	25.0 S FAS RTE 363	PHILLIPS	3	42	42	6.399	20	24	RMS	307	51	400	0	13	8	20	28	69	76	2.0
P001	489+0.049	9.9 W SACO	PHILLIPS	3	67	67	9.965	40	40	PMS	1300	175	569	6	18	10	18	25	77	76	2.3
P001	472+0.410	MALTA	PHILLIPS	3	67	67	8.975	40	40	PMS	1522	197	266	8	23	10	18	19	78	76	2.0
P032	60+0.935	9.2 N SCOBEY	DANIELS	3	45	68	4.884	24	24	RMS	113	15	333	4	16	10	2	29	61	76	1.9
P031	25+0.657	8.6 N AIRBASE ROAD	VALLEY	3	55	55	6.846	24	24	PMS	372	56	312	4	16	9	15	27	71	77	2.0
P022	0+0.523	SCOBEY	DANIELS	3	65	65	7.070	32	32	PMS	652	97	722	6	19	10	13	28	76	78	1.7
P031	39+0.360	11.0 S OPHEIM	VALLEY	3	52	71	11.080	24	24	RMS	339	51	294	8	26	10	1	27	72	78	3.1
P001	457+0.675	3.1 E OOOSON	PHILLIPS	3	63	78	9.025	30	30	PMS	1238	160	576	8	30	10	6	26	80	79	1.8
P022	52+0.606	9.2 S JCT FAP 30	SHERIDAN	3	63	63	11.140	32	32	PMS	758	113	616	6	19	10	16	27	78	79	2.5
P001	446+0.310	PHILLIPS CO	PHILLIPS	3	73	73	7.360	40	40	PMS	1058	137	281	6	21	10	20	23	80	80	1.5
P001	564+0.858	8.8 E NASHUA	VALLEY	3	61	61	6.923	32	32	PMS	1043	140	720	7	28	10	8	27	80	80	1.4
P025	46+1.002	JCT FAP 32	ROOSEVELT	3	78	78	5.381	40	40	PMS	1004	130	720	10	30	10	3	27	80	80	1.1
P032	51+0.736	SCOBEY	DANIELS	3	58	68	9.191	24	26	PMS	234	32	456	8	22	10	2	29	71	80	2.7
P022	73+0.852	2.0 S ROOSEVELT CO	ROOSEVELT	3	71	71	1.992	32	32	PMS	740	111	468	9	25	10	10	26	80	81	.4
P001	481+0.373	9.0 E MALTA	PHILLIPS	3	67	67	7.671	40	40	PMS	1187	154	281	8	23	10	20	22	83	82	1.3
P001	571+0.774	FRAZER	VALLEY	3	58	76	9.318	24	32	PMS	1264	170	720	4	24	10	20	26	84	83	1.5
P031	1+0.443	JCT FAP 1	VALLEY	3	62	62	.642	32	32	PMS	1083	163	672	7	21	10	20	26	84	83	.1
P001	554+0.658	0.5 W NASHUA	VALLEY	3	56	70	.526	32	32	PMS	1298	175	544	7	24	10	20	25	86	85	.1
P001	555+0.899	NASHUA	VALLEY	3	56	70	.095	32	32	PMS	1578	213	528	9	25	10	20	24	88	86	
P031	50+0.833	OPHEIM	VALLEY	3	57	66	10.022	28	28	PMS	94	14	448	7	21	8	6	30	72	86	2.8
P022	75+0.881	FROID	ROOSEVELT	3	71	71	5.469	32	32	PMS	829	124	520	9	24	10	20	26	89	89	.6
P042	56+0.288	VALLEY CO	VALLEY	3	36	66	2.293	30	36	RMS	222	35	774	8	26	10	11	29	84	90	.4
P042	58+0.581	JCT FAP RTE 17	VALLEY	3	36	66	.600	30	36	RMS	651	104	748	8	26	10	20	28	92	93	
P022	71+0.833	ROOSEVELT CO	ROOSEVELT	3	76	76	2.019	32	32	PMS	738	110	546	9	30	10	20	27	96	96	.1
P022	64+0.346	MEDICINE LAKE	SHERIDAN	3	76	76	7.509	32	32	PMS	731	109	494	9	30	10	20	27	96	96	.3
P001	537+0.618	3.3 W GLASGOW	VALLEY	3			3.326	UNDER CONSTRUCTION													
P001	541+0.059	GLASGOW	VALLEY	3			.345	UNDER CONSTRUCTION													
P001	611+0.926	POPLAR	ROOSEVELT	3			13.687	UNDER CONSTRUCTION													
P032	3+0.720	JCT FAP RTE 1	ROOSEVELT	3			2.548	UNDER CONSTRUCTION													
P032	0+0.000	JCT FAP RTE 25	ROOSEVELT	3			3.704	UNDER CONSTRUCTION													
		DISTRICT TOTAL					583.282													35	202.3



Percent Sufficient

- 0 - 40
- 41 - 60
- 61 - 100
- Under Construction As Of December 31, 1978

SUFFICIENCY RATING
BY
FINANCIAL DISTRICT 4
RURAL PRIMARY SYSTEM

FINANCIAL DISTRICT NUMBER 4

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	IM	SECTION LENGTH	WIDTH SRF	RDY	SUF TYP	ADT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	DRN	SAF	CAP	TOT	ADJ	DEFIC MILES
P062	33+0.331	3.6 N SIONEY	RICHLAND	4	37	49	3.662	24	26	RMS	3069	460	470	0	9	9	5	15	38	30	2.3
P020	58+0.614	6.1 N SIONEY	RICHLAND	4	35	35	3.906	20	24	RMS	2083	270	642	0	9	5	4	24	42	37	2.3
P020	52+0.570	SIONEY	RICHLAND	4	35	35	6.066	20	24	RMS	2880	374	762	0	9	5	7	23	44	37	3.4
P020	32+0.967	1.0 N SAVAGE	RICHLAND	4	34	57	9.055	20	24	RMS	1670	217	608	0	8	8	5	25	46	42	4.9
P025	44+0.761	1.8 S ROOSEVELT	MCCONE	4	37	37	1.744	20	25	RMS	694	90	126	0	13	6	1	19	39	42	1.1
P026	0+0.000	JCT FAP RTE 20	RICHLAND	4	36	36	.771	22	25	BST	1772	230	392	0	15	10	1	21	47	43	.4
P025	0+0.054	CIRCLE	MCCONE	4	36	56	7.601	20	24	RMS	780	101	315	0	9	8	1	25	43	45	4.3
P025	7+0.760	7.6 N CIRCLE	MCCONE	4	36	56	13.141	20	25	RMS	669	86	315	0	9	6	2	26	43	46	7.5
P026	0+0.771	0.8 E JCT FAP 20	RICHLAND	4	33	36	6.762	20	24	BST	538	69	205	0	11	5	1	25	42	46	3.9
P062	20+0.286	4.6 N FAS 201	RICHLAND	4	40	49	4.651	24	26	RMS	761	114	255	0	13	8	3	23	47	49	2.5
P025	35+0.506	11.0S ROOSEVELT CO	MCCONE	4	37	37	9.233	20	25	RMS	645	83	185	0	14	6	3	23	46	49	5.0
P062	24+0.961	JCT FAS 201	RICHLAND	4	40	49	4.749	24	26	RMS	1022	153	277	0	16	8	4	22	50	50	2.4
P062	29+0.721	4.7 S JCT FAS 201	RICHLAND	4	38	49	3.628	24	26	RMS	1247	187	387	2	16	8	3	23	52	50	1.7
P025	28+0.107	4.2 N FAS 254	MCCONE	4	40	40	7.404	20	24	RMS	599	77	357	0	10	7	2	27	46	50	4.0
P062	12+0.175	8.3 S RICHLAND CO	RICHLAND	4	40	49	8.089	24	26	RMS	633	94	255	0	14	8	2	24	48	51	4.2
P025	20+0.909	20.7 N CIRCLE	MCCONE	4	35	40	7.203	20	24	RMS	571	74	238	0	13	7	2	25	47	51	3.8
P057	262+0.331	13.9 E FAP 42	MCCONE	4	47	47	5.189	24	24	BST	459	70	492	0	10	8	3	28	49	55	2.6
P057	256+0.590	8.0 E FAP 42	MCCONE	4	40	54	5.800	24	24	RMS	408	62	266	0	12	9	1	27	49	55	3.0
P057	248+0.631	JCT FAP 42	MCCONE	4	40	54	8.010	24	24	RMS	345	52	243	0	12	9	1	27	49	57	4.1
P020	50+0.012	JCT FAP RTES 26 51	RICHLAND	4	73	73	1.750	83	83	PMS	5734	745	1700	7	24	10	4	23	68	57	.6
P020	63+0.923	FAIRVIEW	RICHLAND	4	56	56	.349	24	32	RMS	1810	235	963	7	19	10	1	26	63	59	.1
P020	23+0.110	RICHLAND CO	RICHLAND	4	54	54	5.787	28	28	RMS	1368	177	301	0	14	10	17	21	62	60	2.2
P020	13+0.047	11.3 N GLENDIVE	DAWSON	4	69	69	5.607	40	40	PMS	1304	169	184	6	22	10	9	16	63	61	2.1
P057	330+0.553	0.3 W GLENDIVE	DAWSON	4	48	50	.222	24	34	PMS	2554	306	361	6	19	8	20	17	70	64	.1
P057	267+0.491	JCT FAS RTE 253	MCCONE	4	41	56	10.951	24	25	RMS	553	84	515	0	8	10	14	28	60	64	4.4
P020	31+0.497	SAVAGE	RICHLAND	4	74	74	1.484	40	40	PMS	1584	205	266	10	30	10	2	18	70	67	.4
P020	1+0.761	GLENDIVE	DAWSON	4	64	64	4.375	40	40	PMS	1731	225	222	8	23	10	15	15	71	68	1.3
P042	1+0.983	MCCONE CO	MCCONE	4	60	64	6.310	24	40	BST	143	22	411	0	13	10	4	29	56	70	2.8
P020	18+0.596	4.2 S RICHLAND CO	DAWSON	4	54	54	4.170	28	28	RMS	1277	166	434	0	18	10	20	24	72	71	1.2
P042	46+0.037	10.2 S VALLEY CO	MCCONE	4	57	64	6.173	24	32	BST	130	20	724	0	10	10	9	30	59	73	2.5
P051	9+0.094	0.8 E DAWSON CO	DAWSON	4	59	59	9.669	28	28	PMS	234	32	371	0	13	10	11	29	63	73	3.6
P020	42+0.055	7.9 S FA RTE 51	RICHLAND	4	73	73	7.955	40	40	PMS	2465	320	281	10	27	10	18	13	78	73	1.8
P057	306+0.463	2 MI E LINDSAY	DAWSON	4	67	67	10.240	40	40	PMS	804	104	296	7	25	10	6	25	73	74	2.8
P042	31+0.776	29.8 N MCCONE CO	MCCONE	4	56	64	5.463	24	34	BST	112	17	482	0	15	10	6	29	60	75	2.2
P057	279+0.793	CIRCLE	MCCONE	4	66	66	1.016	32	32	PMS	1363	208	640	7	25	10	10	25	77	75	.2
P062	3+0.941	RICHLAND CO	RICHLAND	4	78	78	4.895	40	40	PMS	665	99	190	9	28	10	4	22	73	75	1.3
P027	66+0.022	10.3 N FAS 413	WIBAUX	4	65	65	5.304	28	28	PMS	415	53	504	8	22	10	2	28	70	75	1.6
P027	54+0.746	WIBAUX CO	WIBAUX	4	65	65	11.265	28	28	PMS	401	52	522	7	21	10	4	29	71	76	3.3
P027	73+0.386	5.7 S WIBAUX	WIBAUX	4	65	65	5.731	28	28	PMS	532	69	480	8	22	10	4	28	72	76	1.6
P057	316+0.709	12.0 E FAS 470	DAWSON	4	61	61	8.026	32	32	PMS	952	123	666	4	21	10	15	27	77	77	1.8
P027	71+0.318	7.9 S WIBAUX	WIBAUX	4	65	65	2.083	28	28	PMS	424	55	312	9	24	10	2	27	72	77	.6
P020	6+0.132	4.4 N GLENDIVE	DAWSON	4	67	67	6.856	40	40	PMS	1356	176	643	7	23	10	14	26	80	78	1.4
P051	18+0.776	10.5 E DAWSON CO	DAWSON	4	59	59	8.456	28	28	PMS	234	32	342	0	15	10	20	29	74	82	2.2
P057	330+0.190	GLENDIVE SPUR	DAWSON	4	60	60	.363	72	88	PMS	3144	377	1920	7	22	10	20	27	86	82	.1
P042	19+0.720	17.7 N MCCONE CO	MCCONE	4	62	71	12.052	30	30	PMS	112	17	434	3	19	10	9	29	70	83	3.6
P042	8+0.299	6.3 N MCCONE CO	MCCONE	4	63	64	11.418	24	42	BST	118	18	795	0	10	10	20	30	70	83	3.4
P042	37+0.240	35.3 N MCCONE CO	MCCONE	4	57	64	8.785	24	32	BST	113	18	482	0	12	10	20	29	71	84	2.5
P051	3+0.340	3.3 E FAP RTE 57	MCCONE	4	60	61	5.001	30	30	PMS	347	48	414	4	17	10	20	28	79	84	1.1
P051	0+0.000	JCT FAP RTE 57	MCCONE	4	60	61	3.326	30	30	PMS	535	74	655	6	21	10	17	28	82	84	.6
P057	289+0.828	DAWSON CO	DAWSON	4	64	64	7.066	32	32	PMS	651	84	448	6	21	10	18	27	82	84	1.3
P020	28+0.894	5.8 N RICHLAND CO	RICHLAND	4	75	75	2.598	40	40	PMS	1518	197	296	9	27	10	20	20	86	84	.4
P042	52+0.226	4.0 S VALLEY CO	MCCONE	4	36	66	4.061	28	28	RMS	200	32	501	6	24	10	8	29	77	85	.9
P057	330+0.775	0.5 W GLENDIVE	DAWSON	4	69	69	.405	24	24	PMS	1923	230	678	8	25	10	20	25	88	86	
P040	0+0.000	JCT FAI 94	PRAIRIE	4	72	72	.116	40	40	PMS	1119	145	257	9	27	10	20	22	88	87	
P051	49+0.250	LAMBERT	RICHLAND	4	56	77	10.645	24	28	PMS	337	47	436	8	30	10	7	28	83	87	1.8

FINANCIAL DISTRICT NUMBER 4

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	YEARS IM	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FND	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P057	287+0.710	7.0 E FAP 51	MCCONE	4	64	64	2.137	32	32	PMS	668	86	403	6	23	10	20	27	86	87	.3
P062	8+0.836	5.0 S RICHLAND CO	RICHLAND	4	70	70	3.328	34	34	PMS	640	96	360	8	23	10	20	26	87	88	.4
P057	296+0.860	7.1 E DAWSON CO	DAWSON	4	76	76	9.622	32	32	PMS	684	88	666	8	28	10	13	28	87	88	1.3
P051	59+0.918	10.6 E LAMBERT	RICHLAND	4	55	77	11.192	24	28	PMS	563	78	395	8	30	10	13	27	88	89	1.3
P051	27+0.527	RICHEY	DAWSON	4	58	77	5.039	24	32	PMS	208	29	592	8	30	10	6	29	83	89	.9
P057	280+0.776	JCT FAP RTE 51	MCCONE	4	66	66	6.933	32	32	PMS	733	95	621	6	24	10	20	28	88	89	.8
P051	8+0.342	DAWSON CO	DAWSON	4	60	61	.775	30	30	PMS	234	32	702	7	22	10	20	29	88	92	.1
P051	32+0.582	RICHLAND CO	RICHLAND	4	58	77	5.840	24	32	PMS	183	25	425	7	28	10	20	29	94	96	.4
P051	38+0.441	5.8 E RICHLAND CO	RICHLAND	4	57	77	10.781	24	28	PMS	238	33	524	8	30	10	18	29	95	97	.5
		DISTRICT TOTAL					372.284													34	126.6

Percent Sufficient

- 0 - 40
- 41 - 60
- 61 - 100
- Under Construction As Of December 31, 1978

SUFFICIENCY RATING BY FINANCIAL DISTRICT 5

RURAL PRIMARY SYSTEM

FINANCIAL DISTRICT NUMBER 5

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST BT IM	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	AOT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	DRN	SAF	CAP	TOT	ADJ	DEFIC MILES
P057	212+0.180	JCT FAP RTE 18	GARFIELD	5 37 47	.268	22	24	RMS	1251	191	263	0	12	8	5	19	44	42	.2
P057	88+0.245	5.1 E LEWISTOWN	FERGUS	5 37 56	6.022	24	30	RMS	1148	149	261	2	13	8	1	21	45	44	3.3
P043	3+0.018	2.4 N LEWISTOWN	FERGUS	5 50 50	6.473	24	28	RMS	1536	199	327	0	14	10	4	21	49	46	3.3
P057	94+0.353	11.1 E LEWISTOWN	FERGUS	5 37 57	8.960	24	30	RMS	1021	132	333	0	13	9	1	24	47	47	4.7
P063	36+0.345	FERGUS CO	FERGUS	5 46 60	3.235	24	24	RMS	1093	142	278	3	13	9	2	22	49	48	1.6
P075	0+0.000	JCT FAP RTE 57	FERGUS	5 49 61	1.680	24	28	RMS	1420	168	249	3	18	8	3	20	52	50	.8
P057	103+0.269	9.6 W FAP 61	FERGUS	5 40 55	9.667	24	32	RMS	955	146	526	0	13	9	3	26	51	51	4.7
P057	206+0.821	5.3 W FA RTE 18	GARFIELD	5 36 57	5.344	22	26	RMS	393	60	360	0	8	7	1	28	44	51	3.0
P043	9+0.492	JCT FAP RTE 81	FERGUS	5 50 50	5.335	24	28	RMS	1117	145	280	2	14	10	5	22	53	52	2.5
P018	48+0.498	10.4 N GARFIELD CO	GARFIELD	5 31 35	4.902	20	24	BST	235	30	470	0	7	5	1	29	42	52	2.8
P057	192+0.200	3.6 E EDWARDS	GARFIELD	5 36 53	6.889	24	24	RMS	383	58	393	0	8	9	1	28	46	53	3.7
P057	226+0.736	8.7 E FAS 341	GARFIELD	5 37 54	12.201	24	24	RMS	385	58	243	0	11	8	1	26	46	53	6.6
P057	73+0.550	8.5 E FAP 63	FERGUS	5 47 54	3.349	24	31	PMS	1932	229	340	6	19	9	4	20	58	53	1.4
P057	218+0.065	JCT FAS RTE 341	GARFIELD	5 36 49	8.693	24	25	BST	414	63	469	0	10	8	1	28	47	53	4.6
P057	171+0.261	8.1 W SAND SPRINGS	GARFIELD	5 48 52	8.146	22	24	RMS	348	53	406	0	9	7	1	28	45	53	4.5
P057	123+0.198	PETROLEUM CO	PETROLEUM	5 31 58	7.767	20	24	RMS	297	45	561	0	7	4	4	29	44	53	4.3
P061	38+0.689	6.5 S FAP RTE 57	FERGUS	5 41 67	4.893	24	30	RMS	784	101	333	0	15	9	2	25	51	53	2.4
P081	32+0.645	9.8 NW JCT FAP 43	FERGUS	5 51 51	9.827	24	24	BST	414	64	193	0	13	8	1	25	47	53	5.2
P057	199+0.094	10.5 E EDWARDS	GARFIELD	5 36 53	7.662	24	24	RMS	390	59	393	0	9	9	1	28	47	54	4.1
P063	19+0.218	FERGUS CO	FERGUS	5 47 73	3.002	24	24	PMS	1205	156	384	3	14	10	4	24	55	54	1.4
P057	148+0.698	9.6 W GARFIELD CO	PETROLEUM	5 51 51	7.983	24	24	BST	394	60	266	0	12	8	1	27	48	55	4.2
P057	213+0.087	JOROAN	GARFIELD	5 37 52	4.996	24	26	RMS	517	79	500	0	12	8	2	28	50	55	2.5
P018	38+0.093	GARFIELD CO	GARFIELD	5 31 35	10.392	20	24	BST	202	26	448	0	7	7	1	29	44	55	5.8
P057	79+0.285	JCT FAP RTE 75	FERGUS	5 47 54	1.761	24	31	RMS	2117	245	676	7	17	9	3	25	61	56	.7
P057	76+0.912	2.3 W FAP 75	FERGUS	5 47 54	2.366	24	31	PMS	2479	295	522	7	20	9	4	22	62	56	.9
P057	242+0.464	3.5 E FAS 462	GARFIELD	5 38 54	6.092	24	24	RMS	312	47	243	0	12	9	1	27	49	57	3.1
P063	22+0.899	FERGUS CO	FERGUS	5 47 62	1.926	24	24	RMS	980	127	429	0	13	10	8	26	57	57	.8
P043	1+0.366	0.7 N LEWISTOWN	FERGUS	5 77 77	1.652	44	44	PMS	2526	328	296	10	30	10	1	13	64	58	.6
P057	238+0.925	JCT FAS 462	GARFIELD	5 38 54	2.537	24	24	RMS	303	46	312	0	12	9	1	28	50	59	1.3
P061	33+0.803	7.2 N FERGUS CO	FERGUS	5 52 52	4.896	24	28	RMS	789	102	333	3	14	10	5	25	57	59	2.1
P063	26+0.629	1.2 N FERGUS CO	FERGUS	5 41 70	6.838	24	24	RMS	1068	138	278	7	18	10	2	23	60	60	2.7
P081	29+0.558	12.9 NW JCT FAP 43	FERGUS	5 73 73	3.087	24	24	RMS	324	50	193	4	14	8	1	26	53	61	1.5
P057	83+0.163	LEWISTOWN	FERGUS	5 42 42	5.079	24	30	PMS	1426	185	377	4	17	10	11	23	65	63	1.8
P061	45+0.150	JCT FAP RTE 57	FERGUS	5 62 62	9.658	30	30	PMS	246	41	485	0	11	10	3	29	53	63	4.5
P057	121+0.739	8.7 E FAP 61	FERGUS	5 29 58	1.467	18	24	RMS	323	49	369	0	8	5	15	28	56	64	.6
P061	43+0.570	1.6 S FAP RTE 57	FERGUS	5 62 62	1.564	32	32	PMS	741	124	500	4	16	10	6	26	62	64	.6
P061	26+0.604	FERGUS CO	FERGUS	5 63 63	1.120	30	30	PMS	790	102	333	7	19	10	1	25	62	64	.4
P080	46+0.112	CHOUTEAU-FERGUS CO	FERGUS	5 62 62	3.745	24	24	PMS	194	29	276	2	14	5	3	28	52	64	1.9
P063	25+0.433	FERGUS CO	FERGUS	5 47 57	1.200	24	24	RMS	1021	132	237	2	12	9	20	22	65	65	.4
P061	70+0.499	3.9 N JCT FAP 43	FERGUS	5 59 63	12.938	28	28	PMS	359	60	510	0	11	10	9	28	58	65	5.4
P057	66+0.986	2.0 E FAP 63	FERGUS	5 47 54	6.539	24	31	PMS	1858	221	522	6	18	9	13	24	70	66	2.0
P061	54+0.837	9.7 N FAP RTE 57	FERGUS	5 61 61	11.832	30	30	PMS	266	44	510	0	12	10	6	29	57	66	5.1
P057	137+0.626	1.1 E WINNETT	PETROLEUM	5 54 54	11.000	24	24	RMS	410	62	384	0	13	10	10	28	61	67	4.3
P061	27+0.705	1.1 N FERGUS CO	FERGUS	5 65 65	6.059	30	30	PMS	790	102	355	6	20	10	5	26	67	68	2.0
P081	26+0.723	12.8 SE DENTON	FERGUS	5 73 73	2.835	24	24	RMS	337	52	354	4	17	10	2	28	61	68	1.1
P061	66+0.624	JCT FAP RTE 43	FERGUS	5 62 62	3.889	30	30	PMS	504	84	333	3	16	10	10	26	65	69	1.4
P061	83+0.411	4.6 S PHILLIPS CO	FERGUS	5 60 60	4.583	28	28	PMS	336	56	584	0	7	10	18	29	64	71	1.6
P043	29+0.037	FERGUS	FERGUS	5 63 63	6.226	28	30	PMS	419	54	554	5	18	10	5	29	67	72	2.1
P081	13+0.840	DENTON	FERGUS	5 73 73	12.883	24	24	PMS	377	58	312	6	23	10	1	27	67	73	4.3
P043	0+0.633	LEWISTOWN LIMITS	FERGUS	5 77 77	.748	48	48	PMS	3262	424	1428	9	28	10	7	26	80	74	.1
P043	14+0.838	JCT FAS RTE 236	FERGUS	5 63 63	10.462	28	30	PMS	681	88	367	3	17	10	16	26	72	74	2.9
P080	49+0.826	JCT FAP RTE 81	FERGUS	5 53 53	1.024	24	24	RMS	273	41	494	6	17	9	5	29	66	74	.3
P061	21+0.885	PETROLEUM CO	PETROLEUM	5 63 63	4.713	30	30	PMS	781	101	485	6	18	10	13	27	74	75	1.2
P043	25+0.294	10.5 N FAS 236	FERGUS	5 63 63	3.738	28	30	PMS	450	58	391	5	19	10	9	28	71	76	1.1
P057	64+0.958	JCT FAP RTE 63	FERGUS	5 71 71	2.017	32	32	PMS	1830	217	621	9	27	10	8	25	79	76	.4

FINANCIAL DISTRICT NUMBER 5

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	YEARS IM	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P081	0+0.000	JCT FAP RTE 80	FERGUS	5	59	59	12.943	24	24	PMS	307	47	386	7	22	10	2	28	69	76	4.0
P057	112+0.981	JCT FAP RTE 61	FERGUS	5	51	78	8.723	24	24	PMS	404	61	424	8	27	9	1	28	73	78	2.4
P018	73+0.587	14.7 N COHAGEN	GARFIELD	5	58	65	9.391	28	28	PMS	347	45	472	6	22	10	7	29	74	80	2.4
P043	35+0.280	RCY	FERGUS	5	62	62	7.565	30	30	PMS	462	60	554	3	18	10	19	28	78	82	1.7
P042	0+0.000	JCT FAP RTE 57	GARFIELD	5	60	64	1.990	24	40	BST	153	24	662	0	13	10	20	29	72	83	.6
P057	161+0.578	3.1 E GARFIELD CO	GARFIELD	5	68	68	9.598	36	36	PMS	332	50	425	4	18	10	20	28	80	85	1.9
P018	63+0.374	4.4 N COHAGEN	GARFIELD	5	67	67	10.222	30	30	PMS	278	36	702	7	23	10	10	29	79	85	2.1
P057	64+0.443	FERGUS CO	FERGUS	5	71	71	.515	32	32	PMS	2123	252	621	9	28	10	20	24	91	89	
P057	180+0.288	SAND SPRINGS	GARFIELD	5	73	73	11.848	32	32	PMS	366	55	400	7	24	10	18	28	87	90	1.5
P057	241+0.447	2.5 E FAS 462	GARFIELD	5	68	68	1.022	36	36	RMS	305	46	212	7	22	10	20	27	86	90	.1
P057	156+0.721	1.6 W GARFIELD CO	PETROLEUM	5	73	73	1.663	30	30	PMS	365	55	567	9	28	10	17	29	93	95	.1
P018	53+0.390	5.4 S COHAGEN	GARFIELD	5	77	77	5.433	30	30	PMS	258	33	549	10	30	10	16	29	95	96	.3
P057	158+0.394	GARFIELD CO	GARFIELD	5	73	73	3.184	30	30	PMS	333	50	567	9	28	10	20	29	96	97	.1
P018	58+0.960	COHAGEN	GARFIELD	5	76	76	4.360	30	30	PMS	262	34	678	9	28	10	20	29	96	97	.2
P057	131+0.037	7.8 E PETROLEUM CO	PETROLEUM	5			4.886	UNDER CONSTRUCTION													
P057	136+0.157	WINNETT	PETROLEUM	5			1.501	UNDER CONSTRUCTION													
		DISTRICT TOTAL					399.004													39	154.1



Percent Sufficient

- 0 - 40
- 41 - 60
- 61 - 100
- Under Construction As Of December 31, 1978

SUFFICIENCY RATING BY FINANCIAL DISTRICT 6 RURAL PRIMARY SYSTEM

FINANCIAL DISTRICT NUMBER 6

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST ST IM	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	AOT	CHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TCT	ADJ	DEFIC MILES
P060	87+0.349	FAS RTES 227 & 228	CASCADE	6 39 71	.996	32	32	RMS	4252	552	240	3	16	10	2	0	31	22	.7
P003	0+0.000	I 15 VAUGHN	CASCADE	6 55 71	1.402	28	32	RMS	4367	567	264	5	18	10	5	0	38	28	.9
P060	81+0.469	7.0 N FAS 331	CASCADE	6 42 52	5.894	26	31	RMS	2993	389	308	0	14	10	3	11	38	31	3.7
P057	41+0.824	5.2 E FAP 80	JUDITH BASIN	6 36 56	12.442	22	24	RMS	2099	249	392	0	11	6	4	20	41	36	7.3
P060	71+0.018	JCT FAP RTE 57	CASCADE	6 55 55	3.606	40	40	RMS	2311	300	315	0	13	10	4	16	43	37	2.1
P003	20+0.191	TETON CO	TETON	6 21 32	2.966	20	22	BST	1600	208	397	0	12	4	2	22	40	37	1.8
P003	23+1.038	FAIRFIELD	TETON	6 21 32	1.492	20	22	BST	1088	141	420	0	12	3	0	25	40	39	.9
P024	116+0.832	CASCADE CO	CASCADE	6 52 52	10.632	24	26	RMS	1337	200	277	0	13	7	2	19	41	39	6.3
P057	26+0.568	4.7 E GEYSER	JUDITH BASIN	6 36 50	6.610	24	25	RMS	2067	245	418	0	10	6	8	21	45	40	3.6
P010	52+0.380	LOMA	CHOUTEAU	6 34 55	2.762	22	24	RMS	1215	157	307	0	10	8	2	22	42	41	1.6
P057	33+0.205	11.3 E GEYSER	JUDITH BASIN	6 37 37	3.438	24	30	RMS	2109	250	737	0	9	9	4	25	47	42	1.8
P057	54+0.311	MOCCASIN	JUDITH BASIN	6 33 71	2.337	22	24	RMS	2126	252	352	3	17	7	1	19	47	42	1.2
P003	41+0.952	CHOTEAU	TETON	6 21 61	12.944	20	22	RMS	933	224	397	0	13	5	1	22	41	42	7.6
P003	68+0.264	PONDERA CO	PONDERA	6 32 32	6.905	20	24	BST	470	113	391	0	6	4	1	26	37	42	4.4
P060	88+0.360	2.0 E GREAT FALLS	CASCADE	6 39 71	2.019	32	32	RMS	4246	551	290	4	17	10	20	2	53	43	.9
P010	51+0.544	0.6 S LOMA	CHOUTEAU	6 36 36	.677	24	24	RMS	1243	161	264	0	14	8	1	21	44	43	.4
P044	21+0.954	7.6 E VALIER	PONDERA	6 48 48	5.911	20	20	RMS	883	125	374	0	9	6	3	25	43	44	3.4
P060	74+0.514	JCT FAS RTE 331	CASCADE	6 52 55	6.955	24	32	PMS	3056	397	340	3	14	10	13	12	52	44	3.3
P003	59+0.625	4.6 N BYNUM	TETON	6 32 53	8.589	20	24	RMS	450	108	246	0	9	6	1	23	39	44	5.2
P010	55+0.129	2.8 N LOMA	CHOUTEAU	6 34 55	8.768	22	24	RMS	1150	149	355	0	11	8	2	24	45	44	4.8
P068	0+0.000	JCT I 15	CASCADE	6 33 53	.174	24	28	RMS	761	231	368	0	14	8	0	21	43	45	.1
P003	75+0.208	DUPUYER	PONDERA	6 28 52	8.382	22	24	RMS	475	114	672	0	8	4	1	27	40	45	5.0
P003	54+0.948	BYNUM	TETON	6 32 53	4.648	20	24	RMS	657	158	364	0	11	6	2	23	42	45	2.7
P024	138+0.485	SUN RIVER	CASCADE	6 36 71	1.321	25	31	RMS	1946	272	396	3	16	9	2	20	50	45	.7
P044	14+0.299	VALIER	PONDERA	6 48 48	7.655	20	20	RMS	926	131	585	0	7	6	5	27	45	46	4.2
P080	4+0.000	1.6 S FT BENTON	CHOUTEAU	6 56 56	1.116	25	25	BST	621	93	257	0	12	4	2	25	43	46	.6
P003	25+0.541	1.5 N FAIRFIELD	TETON	6 21 32	2.698	20	22	BST	1013	131	429	0	12	3	7	25	47	47	1.4
P063	24+0.837	JUDITH BASIN CO	JUDITH BASIN	6 47 62	.581	24	24	RMS	980	127	360	0	12	10	1	25	48	48	.3
P003	18+0.076	2.1 S TETON CO	CASCADE	6 21 32	2.110	22	22	BST	999	129	420	0	11	4	8	25	48	48	1.1
P010	72+0.462	6.9 S BIG SANDY	CHOUTEAU	6 34 55	6.870	22	24	RMS	1074	139	318	0	12	8	5	23	48	48	3.6
P021	0+0.825	3.0 S CONRAD	PONDERA	6 34 64	2.834	24	26	RMS	991	128	632	0	12	8	2	27	49	49	1.4
P057	36+0.650	JCT FAP RTE 80	JUDITH BASIN	6 37 37	5.169	24	30	RMS	2347	279	518	0	8	9	17	22	56	50	2.3
P057	7+0.062	JUDITH BASIN CO	JUDITH BASIN	6 61 61	3.343	32	32	PMS	1910	227	362	5	18	10	2	21	56	51	1.5
P057	10+0.428	JCT FAS RTE 427	JUDITH BASIN	6 64 64	7.500	32	32	PMS	2249	267	315	5	16	10	9	17	57	51	3.2
P003	1+0.866	1.4 W VAUGHN	CASCADE	6 36 48	6.230	24	31	RMS	3621	470	631	3	18	8	12	19	60	51	2.5
P010	63+0.940	11.6 N LOMA	CHOUTEAU	6 34 55	8.465	22	24	RMS	1045	135	333	0	17	8	2	24	51	51	4.1
P010	86+0.041	3.4 S HILL CO	CHOUTEAU	6 33 41	3.371	20	24	BST	1309	170	739	0	9	7	10	27	53	51	1.6
P009	53+0.840	7.8 N FAS 408	TETON	6 36 36	6.133	22	25	RMS	479	76	253	0	12	8	1	25	46	51	3.3
P057	21+0.888	GEYSER	JUDITH BASIN	6 36 50	4.693	24	25	RMS	1980	235	408	0	11	7	19	21	58	53	2.0
P044	2+0.760	2.8 E JCT FAP 3	PONDERA	6 54 54	10.425	24	24	RMS	549	77	530	0	14	7	1	28	50	54	5.2
P003	8+0.105	JCT FAP 24	CASCADE	6 36 61	7.139	24	31	RMS	1025	133	469	0	13	8	7	26	54	54	3.3
P009	46+0.001	JCT FAS 408	TETON	6 35 35	7.848	20	24	RMS	367	58	286	0	12	8	1	27	48	55	4.1
P009	43+0.146	TETON CO	TETON	6 35 35	2.847	20	24	RMS	326	52	237	0	11	8	1	27	47	55	1.5
P057	0+0.000	JCT FAP RTE 60	CASCADE	6 60 60	5.418	32	32	PMS	1742	207	1515	4	19	10	1	28	62	58	2.1
P010	3+0.534	GREAT FALLS	CASCADE	6 40 71	6.102	28	28	PMS	2257	293	480	5	25	9	3	21	63	58	2.3
P003	28+0.226	4.2 N FAIRFIELD	TETON	6 40 40	12.297	24	30	RMS	918	119	600	0	15	7	9	27	58	59	5.2
P010	80+0.000	BIG SANDY	CHOUTEAU	6 33 63	4.793	24	26	RMS	1478	192	889	0	8	7	20	27	62	59	1.8
P063	33+0.456	JUDITH BASIN CO	JUDITH BASIN	6 41 70	2.021	24	24	RMS	1053	136	360	4	14	10	8	24	60	60	.8
P010	9+0.609	6.1 N GR FALLS	CASCADE	6 51 57	6.489	30	30	PMS	1809	235	333	4	17	10	14	19	64	60	2.3
P060	38+0.998	NEIHART	CASCADE	6 52 52	10.527	22	26	PMS	488	73	355	5	14	8	2	27	56	61	4.6
P060	53+0.694	4.2 N MONARCH	CASCADE	6 40 40	6.667	26	26	BST	463	69	448	0	14	9	4	28	55	61	3.0
P009	60+0.000	4.0 S CHOTEAU	TETON	6 36 36	4.013	22	25	RMS	694	111	486	0	14	8	10	27	59	62	1.6
P063	35+0.473	0.9 S FERGUS CO	JUDITH BASIN	6 46 59	.876	24	24	RMS	1062	138	450	0	12	8	18	25	63	63	.3
P057	56+0.674	2.3 E MOCCASIN	JUDITH BASIN	6 55 55	1.138	24	32	RMS	2140	254	503	3	14	10	20	22	69	64	.4
P024	133+0.232	5.7 E SIMMS	CASCADE	6 64 64	5.275	32	32	PMS	1974	276	494	5	23	10	8	22	68	64	1.7

FINANCIAL DISTRICT NUMBER 6

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	AOJ	DEFIC MILES
P080	2+0.366	FORT BENTON	CHOUTEAU	6	62	62	1.631	30	30	RMS	711	107	410	5	21	10	1	26	63	65	.6
P063	22+0.221	JUDITH BASIN CO	JUDITH BASIN	6	47	73	.678	24	24	PMS	1057	137	450	3	14	10	14	25	66	66	.2
P080	0+0.000	JCT FAP 10	CHUUTEAU	6	53	53	1.596	24	24	RMS	628	94	217	7	19	10	3	24	63	66	.6
P010	20+0.058	3.8 N CHOUTEAU CO	CHOUTEAU	6	63	63	9.726	32	32	PMS	1644	213	471	5	19	10	12	23	69	66	3.0
P060	49+0.470	MONARCH	CASCADE	6	52	52	4.234	22	26	PMS	562	84	355	7	18	8	4	26	63	67	1.6
P060	28+0.700	CASCADE CO	CASCADE	6	59	63	7.208	26	26	PMS	394	59	260	6	17	10	1	27	61	67	2.8
P010	16+0.224	CHOUTEAU CO	CHOUTEAU	6	51	57	3.833	30	30	PMS	1775	230	456	3	16	10	19	22	70	67	1.1
P024	127+0.466	SIMMS	CASCADE	6	59	59	5.720	32	32	PMS	1990	278	565	8	24	10	7	23	72	68	1.6
P057	5+0.302	5.3 E FAP 60	CASCADE	6	61	61	1.770	32	32	PMS	1742	207	362	4	17	10	20	21	72	69	.5
P057	17+0.930	7.5 E FAS 427	JUDITH BASIN	6	64	64	3.967	32	32	PMS	2173	258	471	7	19	10	16	22	74	70	1.0
P080	67+0.052	STANFORD	JUDITH BASIN	6	27	27	.122	24	26	BST	1305	197	728	6	17	3	20	26	72	70	
P080	59+0.331	6.7 N STANFORD	JUDITH BASIN	6	53	53	6.712	24	24	RMS	492	74	469	7	17	10	3	28	65	70	2.3
P080	50+0.880	FERGUS-J BASIN CO	JUDITH BASIN	6	53	53	8.418	24	24	RMS	282	42	469	6	17	9	2	29	63	71	3.1
P003	84+0.363	JCT FAP 44	PONDERA	6	66	66	4.863	34	34	PMS	692	166	640	8	24	10	5	26	73	75	1.3
P003	15+0.375	7.3 N FAP 24	CASCADE	6	42	42	1.479	24	30	RMS	966	125	600	4	16	8	20	27	75	75	.4
P021	0+0.000	115 S CONRAD	PONDERA	6	73	73	.825	40	40	PMS	705	91	662	7	26	10	2	28	73	75	.2
P044	0+0.000	JCT FAP 3	PONDERA	6	54	54	2.760	24	24	RMS	442	62	534	3	14	7	20	28	72	77	.8
P057	57+0.839	3.4 E MOCCASIN	JUDITH BASIN	6	71	71	6.520	32	32	PMS	2387	284	666	8	25	10	14	24	81	77	1.2
P080	45+0.606	0.5 N FERGUS CO	CHOUTEAU	6	62	62	.497	24	24	PMS	161	24	518	0	12	5	20	29	66	78	.2
P080	5+0.120	2.7 S FORT BENTON	CHOUTEAU	6	56	78	9.572	24	24	PMS	463	69	331	9	30	7	1	27	74	78	2.5
P003	16+0.870	8.8 N FAP 24	CASCADE	6	62	62	1.232	35	35	BST	976	126	616	4	17	10	20	27	78	78	.3
P060	60+0.343	10.7 N MONARCH	CASCADE	6	69	69	1.923	48	48	PMS	444	66	520	9	27	10	2	28	76	80	.5
P080	29+0.129	GERALDINE	CHOUTEAU	6	64	64	5.317	28	28	PMS	257	38	600	5	23	10	7	29	74	81	1.4
P010	29+0.728	13.5 N CHOUTEAU CO	CHOUTEAU	6	64	64	9.834	32	32	PMS	1764	229	585	7	23	10	20	24	84	82	1.6
P010	84+0.818	4.8 N BIG SANDY	CHOUTEAU	6	70	70	1.223	32	32	PMS	1382	179	720	6	23	10	20	26	85	84	.2
P044	27+0.865	0.5 W JCT 115	PONDERA	6	72	72	.523	34	34	PMS	800	113	640	9	28	10	10	27	84	85	.1
P060	62+0.121	9.2 S FAP RTE 57	CASCADE	6	69	69	9.198	40	40	PMS	508	76	504	9	27	10	8	28	82	85	1.7
P068	1+0.259	CASCADE	CASCADE	6	63	63	.235	30	30	PMS	1170	175	317	9	25	10	20	22	86	85	
P080	39+0.544	1.5 S SQUARE BUTTE	CHOUTEAU	6	64	64	6.073	28	28	PMS	161	24	377	0	17	10	20	29	76	85	1.5
P010	40+0.641	JCT FAP 80	CHOUTEAU	6	74	74	10.901	32	32	PMS	1252	162	546	9	28	10	14	26	87	86	1.4
P080	14+0.671	12.2 S FT BENTON	CHOUTEAU	6	62	62	9.506	30	30	PMS	338	51	367	6	19	10	20	28	83	87	1.6
P003	83+0.648	8.4 N DUPUYER	PONDERA	6	66	66	.713	34	34	PMS	521	125	544	9	26	10	14	27	86	88	.1
P080	34+0.440	5.3 S GERALDINE	CHOUTEAU	6	65	65	5.097	28	28	PMS	177	26	586	4	19	10	20	29	82	89	.9
P021	4+0.995	CONRAD	PONDERA	6	73	73	.178	40	40	PMS	1258	163	326	9	28	10	20	23	90	89	
P080	24+0.255	3.9 N GERALDINE	CHOUTEAU	6	64	64	3.984	30	30	PMS	400	60	576	6	23	10	20	28	87	90	.5
P010	39+0.561	0.4 N FT BENTON	CHOUTEAU	6	74	74	1.138	32	32	PMS	1139	148	468	10	30	10	20	25	95	94	.1
		DISTRICT TOTAL					433.719													42	180.2

Percent Sufficient

- 0 - 40
- 41 - 60
- 61 - 100
- Under Construction As Of December 31, 1978

SUFFICIENCY RATING BY FINANCIAL DISTRICT 7

RURAL PRIMARY SYSTEM

FINANCIAL DISTRICT NUMBER 7

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST BT IM	SECTION LENGTH	WIDTH SRF	WIDTH RDY	SUF TYP	AOT	DHV	SERVICE VOLUME	SUFFICIENCY FND	SUFFICIENCY SRF	SUFFICIENCY ORN	SUFFICIENCY SAF	RATINGS CAP	RATINGS TOT	RATINGS ADJ	DEFIC MILES
P008	34+0.396	5.4 W HELENA	LEWIS AND CLARK	7 33 33	5.434	20	24	RMS	2303	299	299	0	12	8	2	15	37	31	3.4
P024	86+0.130	3.1 E FAS 279	LEWIS AND CLARK	7 57 64	5.093	28	30	PMS	1303	195	104	7	18	10	1	2	38	36	3.2
P024	91+0.218	8.2 E FAS 279	LEWIS AND CLARK	7 48 63	5.818	25	25	RMS	1229	184	132	2	17	8	3	9	39	38	3.5
P024	109+0.051	JCT FAP RTE 9	LEWIS AND CLARK	7 52 52	7.790	24	26	RMS	1105	165	277	0	11	8	2	21	42	41	4.5
P024	100+0.420	JCT FAS RTE 434	LEWIS AND CLARK	7 51 51	8.627	25	25	BST	1233	184	217	0	12	8	6	17	43	42	4.9
P024	97+0.041	14.0 E FAS 279	LEWIS AND CLARK	7 48 63	3.400	25	25	RMS	1167	175	237	0	15	8	4	19	46	45	1.8
P008	52+0.831	3.0 E EAST HELENA	LEWIS AND CLARK	7 69 69	1.669	40	40	PMS	2833	433	320	8	25	10	3	10	56	49	.7
P014	6+0.412	4.0 E FAS 284	BROADWATER	7 37 66	7.187	24	25	RMS	496	74	409	0	10	7	1	27	45	50	4.0
P024	76+0.133	3.9 E LINCOLN	LEWIS AND CLARK	7 60 60	5.888	24	24	PMS	1444	216	258	6	18	10	2	17	53	50	2.8
P013	88+0.763	BROADWATER CO LINE	BROADWATER	7 32 61	4.247	20	24	RMS	466	60	342	0	10	7	2	27	46	51	2.3
P069	0+0.673	WHITEHALL	JEFFERSON	7 33 55	2.318	32	32	RMS	999	149	629	2	11	10	3	26	52	52	1.1
P029	59+0.893	JEFFERSON CO LINE	JEFFERSON	7 36 36	5.790	22	24	RMS	333	49	567	0	10	5	1	29	45	53	3.2
P029	68+0.871	6.1 E JEFF CO LINE	JEFFERSON	7 31 58	6.155	22	26	RMS	485	63	296	0	12	7	2	27	48	53	3.2
P069	5+0.046	4.3 E WHITEHALL	JEFFERSON	7 68 68	1.060	30	30	PMS	950	142	554	0	16	8	4	26	54	54	.5
P014	13+0.545	11.2 E FAS 284	BROADWATER	7 51 51	9.901	20	26	RMS	397	59	252	0	13	5	3	26	47	54	5.2
P013	93+0.363	JCT FAP 8	BROADWATER	7 68 68	.330	40	40	RMS	668	86	67	7	23	10	0	11	51	54	.2
P009	29+0.380	9.3 N FAP 24	LEWIS AND CLARK	7 32 65	9.092	20	24	RMS	291	46	211	0	11	7	1	27	46	55	4.9
P009	38+0.547	AUGUSTA FAS 434	LEWIS AND CLARK	7 35 35	4.582	20	24	RMS	457	73	364	0	13	7	2	27	49	55	2.3
P029	66+0.000	JCT FORMER FAP 2	JEFFERSON	7 31 40	2.000	24	31	RMS	479	62	248	0	13	10	1	26	50	55	1.0
P013	83+0.952	SAPPINGTON JCT	JEFFERSON	7 32 48	5.273	24	30	RMS	466	60	286	0	14	8	1	27	50	56	2.6
P013	83+0.044	JEFFERSON CO LINE	JEFFERSON	7 34 52	.908	22	24	RMS	361	55	306	0	13	8	1	27	49	56	.5
P069	31+0.026	6.0 S BOULDER	JEFFERSON	7 59 59	6.004	24	24	BST	756	113	353	4	16	7	3	25	55	57	2.7
P009	20+0.875	0.8 N FAP 24	LEWIS AND CLARK	7 32 65	8.469	20	24	RMS	294	47	470	0	10	7	2	29	48	57	4.4
P029	67+0.995	7.0 E JEFF CO LINE	JEFFERSON	7 51 51	.888	34	34	RMS	479	62	243	0	12	10	4	26	52	57	.4
P024	65+0.472	LEWIS & CLARK CO	LEWIS AND CLARK	7 60 60	6.787	24	24	PMS	1363	224	328	5	21	10	4	20	60	58	2.7
P008	49+0.577	EAST HELENA	LEWIS AND CLARK	7 78 78	3.266	44	44	PMS	3060	468	320	10	30	10	8	8	66	59	1.1
P008	65+0.437	0.7 S WINSTON	BROADWATER	7 56 65	11.540	32	32	PMS	1894	246	648	5	18	10	6	24	63	59	4.3
P024	72+0.242	LINCOLN	LEWIS AND CLARK	7 60 60	3.867	24	24	PMS	1444	216	450	5	17	10	6	23	61	59	1.5
P024	82+0.008	1.0 W JCT FAS 279	LEWIS AND CLARK	7 57 64	4.105	28	30	PMS	1363	204	333	6	18	10	6	21	61	59	1.6
P055	2+0.411	SIL BOW-JEFFERSON	JEFFERSON	7 53 53	9.717	24	24	RMS	964	159	258	6	17	8	9	21	61	61	3.8
P069	28+0.186	8.8 S BOULDER	JEFFERSON	7 57 57	2.840	24	24	BST	608	91	301	5	18	7	3	25	58	62	1.2
P069	10+0.026	3.9 N FAS RTE 359	JEFFERSON	7 64 64	3.662	28	28	PMS	567	85	312	3	17	10	3	26	59	63	1.5
P069	13+0.688	7.5 N FAS RTE 359	JEFFERSON	7 61 61	8.498	26	26	PMS	537	80	291	6	18	9	1	26	60	64	3.4
P008	54+0.482	JEFFERSON CO	JEFFERSON	7 69 69	1.515	40	40	PMS	2635	403	264	8	25	10	20	7	70	64	.5
P008	98+0.994	0.8 E JCT FAS 437	BROADWATER	7 52 52	8.944	24	28	RMS	1665	216	401	2	14	10	20	22	68	65	2.9
P069	2+0.991	2.3 E WHITEHALL	JEFFERSON	7 68 68	2.055	30	30	PMS	970	145	367	5	25	10	2	24	66	66	.7
P008	87+0.738	TOSTON APPR RD	BROADWATER	7 50 51	11.260	24	26	RMS	1525	198	507	4	15	10	17	24	70	67	3.4
P014	0+0.886	TOWNSEND	BROADWATER	7 64 64	1.514	32	32	PMS	1812	271	569	9	22	10	8	23	72	69	.4
P008	46+0.471	HELENA	LEWIS AND CLARK	7 78 78	2.077	88	88	PMS	8785	1054	2304	10	30	10	6	23	79	69	.4
P008	108+0.854	1.0 S FAI 90	BROADWATER	7 68 68	.321	44	44	RMS	591	76	128	10	27	10	1	21	69	72	.1
P008	27+0.627	LEWIS & CLARK CO	LEWIS AND CLARK	7 77 77	2.263	56	56	PMS	1637	212	1152	8	27	10	3	27	75	72	.6
P009	12+0.412	12.4 N FAI 15	LEWIS AND CLARK	7 63 63	7.749	32	32	PMS	245	39	352	3	16	10	5	28	62	72	2.9
P008	57+0.136	1.1 E BROADWATER	BROADWATER	7 72 72	8.302	34	34	PMS	1904	247	504	7	23	10	13	23	76	73	2.0
P069	22+0.186	14.8 S BOULDER	JEFFERSON	7 57 71	6.000	24	24	PMS	532	79	554	7	22	10	6	28	73	76	1.6
P055	12+0.988	WHITEHALL	JEFFERSON	7 66 66	.090	32	32	PMS	1855	306	299	9	26	10	20	15	80	77	
P008	55+0.996	BROADWATER CO	BROADWATER	7 69 69	1.139	40	40	PMS	2066	268	320	8	25	10	20	17	80	77	.2
P008	30+0.041	2.2e LEW & CL CO	LEWIS AND CLARK	7 78 78	4.151	56	56	PMS	1778	231	1920	10	30	10	4	28	82	79	.7
P069	6+0.106	JCT FAS RTE 359	JEFFERSON	7 70 70	3.920	32	32	PMS	585	87	456	3	17	10	20	27	77	80	.9
P009	0+0.000	JCT FAI 15	LEWIS AND CLARK	7 67 67	2.209	30	30	PMS	274	43	604	8	25	10	4	29	76	83	.5
P008	107+0.894	JCT FAI 90	BROADWATER	7 52 52	.961	24	28	RMS	591	76	503	7	18	10	19	28	82	84	.2
P009	1+0.951	1.9 N FAI 15	LEWIS AND CLARK	7 59 59	10.453	32	32	PMS	306	48	324	6	20	10	20	28	84	88	1.7
P013	93+0.067	0.3 W FAP 8	BROADWATER	7 68 68	.296	40	40	RMS	466	60	88	9	26	10	20	20	85	88	
P009	20+0.149	JCT FAP 24	LEWIS AND CLARK	7 63 63	.726	32	32	PMS	278	44	365	7	18	10	20	28	83	88	.1
P008	78+0.114	TOWNSEND	BROADWATER	7 39 78	9.674	30	32	PMS	1853	240	720	10	30	10	15	25	90	88	1.0
P014	2+0.399	JCT FAS RTE 284	BROADWATER	7 64 64	4.000	32	32	PMS	550	82	487	8	23	10	20	27	88	90	.5

FINANCIAL DISTRICT NUMBER 7

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	YEARS IM	SECTION LENGTH	WIDTH SRF	WIDTH RDY	SUF TYP	ADT	DHV	SERVICE VOLUME	SUFFICIENCY FND	SUFFICIENCY SRF	SUFFICIENCY DRN	SUFFICIENCY SAF	RATINGS CAP	RATINGS TOT	RATINGS ADJ	DEFIC MILES
P069	38+0.095	BOULDER	JEFFERSON	7	73	73	.303	40	40	PMS	1819	272	705	10	30	10	20	24	94	93	
		DISTRICT TOTAL					262.127														40 105.6



SUFFICIENCY RATING BY FINANCIAL DISTRICT 8 RURAL PRIMARY SYSTEM

FINANCIAL DISTRICT NUMBER 8

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BY IMP	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	ADT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	GRN	SAF	CAP	TGT	ADJ	DEFIC MILES
P070	0+0.000	FUT W SUPERIOR INT	MINERAL	8		.200	NON EXISTENT													
P005	0+0.622	0.2 N FAI 90	MISSOULA	8	34 55	3.086	24	24	RMS	4202	613	280	0	15	7	1	0	23	16	2.4
P024	0+1.845	BONNER	MISSOULA	8	36 37	4.040	30	30	RMS	2886	476	234	3	14	4	1	0	22	17	3.2
P005	4+0.000	3.7 N JCT FAI 90	MISSOULA	8	48 54	1.536	24	32	RMS	4135	603	220	0	15	7	5	0	27	19	1.1
P024	12+0.237	11.3 E BONNER	MISSOULA	8	41 63	3.821	24	24	RMS	2204	363	145	2	15	6	2	0	25	21	2.9
P024	22+0.635	6.6 E POTOMAC	MISSOULA	8	41 59	4.022	25	28	RMS	1929	318	204	0	9	7	3	7	26	22	3.0
P024	7+0.551	6.7 E BONNER	MISSOULA	8	40 42	4.668	20	24	RMS	2305	380	260	0	13	5	2	8	28	23	3.4
P007	44+0.578	2.0 S HAMILTON	RAVALLI	8	34 59	2.036	22	24	RMS	4305	559	627	0	9	4	3	17	33	24	1.4
P007	48+0.000	HAMILTON	RAVALLI	8	40 40	1.731	24	30	RMS	5431	706	780	0	8	4	7	16	35	24	1.1
P007	31+0.292	DARBY	RAVALLI	8	34 35	11.755	22	24	RMS	2336	303	252	0	12	6	2	12	32	27	8.0
P006	76+0.641	JCT FAP 36	SANDERS	8	31 34	2.278	18	24	RMS	1373	204	238	0	11	3	0	17	31	29	1.6
P006	51+0.570	THOMPSON FALLS	SANDERS	8	35 36	4.563	20	24	RMS	1799	268	220	0	12	6	4	12	34	30	3.0
P006	68+0.701	WEEKSVILLE	SANDERS	8	38 52	3.890	20	24	RMS	1376	205	201	0	11	4	3	15	33	31	2.6
P007	43+0.042	3.5 S HAMILTON	RAVALLI	8	49 49	1.525	28	28	RMS	3000	390	331	3	13	9	1	12	38	31	.9
P007	82+0.745	LOLO	MISSOULA	8	68 68	.634	44	44	PMS	7207	936	232	10	26	10	1	0	47	33	.3
P007	26+0.490	JCT FAS 473	RAVALLI	8	36 59	4.000	22	26	RMS	2249	292	264	3	14	6	2	13	38	33	2.5
P024	0+0.000	JCT FAI 90	MISSOULA	8	74 74	.975	44	44	PMS	6152	1015	424	8	27	10	1	0	46	33	.5
P006	108+0.148	DIXON	SANDERS	8	27 50	7.086	20	24	RMS	1120	166	406	0	9	4	1	24	38	37	4.4
P006	76+0.261	PLAINS	SANDERS	8	31 34	.380	18	24	RMS	1081	161	259	0	11	3	3	21	38	37	.2
P006	78+0.947	2.3 E JCT FAP 36	SANDERS	8	31 51	6.095	20	24	RMS	1254	186	364	0	10	5	2	22	39	37	3.7
P006	103+0.023	7.4 E PERMA	SANDERS	8	22 57	1.701	20	24	RMS	886	132	281	0	10	3	0	23	36	37	1.1
P006	56+0.095	JCT FAS 556	SANDERS	8	35 49	1.717	20	24	RMS	1041	155	159	0	11	5	7	15	38	38	1.1
P007	49+0.732	1.7 N HAMILTON	RAVALLI	8	53 53	2.249	24	32	RMS	5393	701	1016	0	9	10	11	20	50	38	1.1
P006	64+0.701	8.6 E FAS 556	SANDERS	8	39 39	3.997	26	26	BST	1217	181	294	0	11	6	2	21	40	39	2.4
P006	105+0.123	1.4 W DIXON	SANDERS	8	22 34	1.062	22	24	RMS	890	132	378	0	9	3	1	25	38	39	.7
P006	72+0.578	3.1 W PLAINS	SANDERS	8	31 34	3.141	18	24	RMS	1524	227	597	0	8	6	4	24	42	39	1.8
P006	85+0.033	JCT FAP 35	SANDERS	8	31 51	3.637	20	24	RMS	814	121	391	0	9	4	1	25	39	40	2.2
P007	51+0.984	JCT FAS 373	RAVALLI	8	53 53	7.046	24	32	RMS	3904	507	648	2	11	10	9	18	50	40	3.5
P006	88+0.718	3.6 E JCT FAP 35	SANDERS	8	24 38	1.869	20	24	RMS	825	122	307	0	11	4	0	24	39	40	1.1
P024	55+0.670	JCT FAP 41	POWELL	8	61 61	9.806	24	26	PMS	1247	205	132	5	17	10	2	7	41	40	5.8
P005	5+0.530	5.2 N JCT FAI 90	MISSOULA	8	64 76	9.496	36	36	PMS	3992	582	239	9	26	10	6	0	51	41	4.7
P008	13+0.008	JCT FAP RTE 41	POWELL	8	33 66	10.200	22	24	RMS	1346	174	573	0	9	6	3	25	43	41	5.8
P006	94+0.088	1.1 W PERMA	SANDERS	8	24 38	1.276	20	24	RMS	840	125	201	0	15	3	1	21	40	41	.8
P024	26+0.710	5.2 W FAP 83	MISSOULA	8	49 49	5.164	25	25	BST	1645	271	438	0	10	8	5	21	44	41	2.9
P006	99+0.246	3.6 E PERMA	SANDERS	8	24 38	2.956	20	25	RMS	880	131	406	0	10	4	2	25	41	42	1.7
P019	57+0.499	HALL FAS 512 & 513	GRANITE	8	25 52	5.079	20	22	RMS	799	115	471	0	10	3	1	26	40	42	3.0
P007	23+0.549	2.9 S FAS 473	RAVALLI	8	36 36	2.932	22	25	RMS	1155	150	273	0	14	6	2	22	44	43	1.6
P007	13+0.545	0.8 N SULA	RAVALLI	8	36 39	3.392	24	24	BST	951	123	235	0	13	7	1	22	43	43	1.9
P036	7+0.436	7.5 N FAP 6	SANDERS	8	34 47	6.403	20	24	BST	508	76	115	0	11	6	1	20	38	43	4.0
P005	0+0.000	JCT FAI 90	MISSOULA	8	76 76	.622	64	64	PMS	4256	621	308	10	30	10	4	0	54	44	.3
P007	16+0.756	4.2 N SULA	RAVALLI	8	37 39	3.539	24	24	BST	1054	137	235	0	14	7	2	21	44	44	2.0
P007	0+0.000	IDAHO LINE	RAVALLI	8	40 40	.105	22	22	BST	830	107	329	0	13	5	0	25	43	44	.1
P007	20+0.475	7.7 N SULA	RAVALLI	8	37 39	3.081	24	24	BST	1117	145	220	0	15	7	4	20	46	45	1.7
P007	0+0.105	JCT FAP 46	RAVALLI	8	40 40	7.430	22	22	BST	831	108	329	0	13	5	1	25	44	45	4.2
P019	48+0.325	MAXVILLE	GRANITE	8	31 52	9.137	20	24	RMS	549	79	683	0	8	3	2	28	41	45	5.4
P019	27+0.690	GRANITE CO LINE	GRANITE	8	34 40	3.134	20	24	RMS	619	89	224	0	12	6	0	24	42	45	1.8
P024	4+0.910	4.1 E BONNER	MISSOULA	8	68 68	2.624	40	40	PMS	2391	394	425	5	16	10	4	16	51	45	1.3
P007	76+0.872	MISSOULA CO	MISSOULA	8	74 76	6.045	38	38	PMS	6372	828	344	10	28	10	12	0	60	47	2.4
P083	0+0.000	JCT FAP 24	MISSOULA	8	52 52	14.761	24	24	RMS	945	166	438	0	13	7	4	24	48	48	7.7
P024	31+0.845	JCT FAP 83	MISSOULA	8	54 54	3.823	24	30	RMS	1348	222	459	0	10	10	7	23	50	48	1.9
P036	3+0.657	3.7 N FAP 6	SANDERS	8	41 47	3.802	20	25	BST	558	83	206	0	12	6	2	24	44	48	2.1
P093	0+0.000	MONT-IDAHO LINE	MISSOULA	8	64 64	6.815	30	30	PMS	803	128	238	3	13	8	1	22	47	49	3.6
P006	49+0.684	0.8 THOMPSON FALLS	SANDERS	8	48 54	.787	24	28	PMS	2206	322	211	6	17	9	16	7	55	49	.4
P007	74+0.820	FLORENCE	RAVALLI	8	74 76	2.051	38	38	PMS	5614	729	344	10	27	10	14	0	61	49	.8
P006	57+0.808	1.7 E FAS 556	SANDERS	8	34 49	6.899	20	24	RMS	1058	157	364	0	10	5	10	24	49	49	3.5

FINANCIAL DISTRICT NUMBER 8

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	BT	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	----SUFFICIENCY RATINGS---- FNO	SRF	ORN	SAF	CAP	TOT	AOJ	DEFIC MILES
P077	0+0.000	JCT FAP RTE 36	SANDERS	8	41	41	1.746	20	26	BST	833	124	749	0	8	6	7	28	49	50	.9
P083	14+0.735	SEELEY LAKE	MISSOULA	8	52	52	8.364	22	26	PMS	547	96	192	0	14	7	2	23	46	50	4.5
P036	0+0.000	JCT FAP RTE 6	SANDERS	8	44	47	3.661	20	28	BST	676	101	283	0	10	7	5	25	47	50	1.9
P036	13+0.871	13.9 N FAP 6	SANDERS	8	41	41	2.385	20	26	BST	528	79	267	0	9	6	4	26	45	50	1.3
P083	30+0.815	15.9 N SEELEY LAKE	MISSOULA	8	59	59	11.071	24	24	PMS	624	109	221	2	14	6	3	23	48	51	5.8
P036	26+0.128	7.1 N FAP 77	SANDERS	8	40	40	4.999	20	25	BST	584	87	536	0	8	7	4	28	47	51	2.6
P024	35+0.684	POWELL CO	POWELL	8	61	61	7.494	24	26	PMS	1459	240	277	6	18	10	5	17	56	53	3.3
P024	0+0.975	MILLTOWN	MISSOULA	8	74	74	.870	44	44	PMS	3945	650	544	10	28	10	2	12	62	53	.3
P083	23+0.113	8.3 N SEELEY LAKE	MISSOULA	8	52	52	7.694	22	26	PMS	540	95	175	3	17	7	1	22	50	54	3.8
P006	47+0.218	2.6 E BELKNAP	SANDERS	8	61	64	2.474	32	32	PMS	1336	195	240	7	18	10	3	18	56	54	1.1
P007	59+0.036	VICTOR	RAVALLI	8	56	61	7.721	32	32	PMS	3647	474	720	8	24	10	2	20	64	55	2.8
P035	0+0.000	ST REGIS	MINERAL	8	60	60	3.381	24	24	PMS	841	138	333	3	17	7	3	24	54	55	1.6
P006	37+0.680	WHITE PINE	SANDERS	8	48	54	8.533	24	28	PMS	905	132	435	0	14	9	7	25	55	56	3.8
P024	43+0.145	7.5 E POWELL CO	POWELL	8	61	61	12.512	24	26	PMS	1519	250	299	6	18	10	8	17	59	56	5.1
P008	11+0.262	AVON	POWELL	8	33	66	1.742	22	24	RMS	1356	176	554	0	9	8	17	25	59	57	.7
P007	83+0.388	JCT FAP 93	MISSOULA	8	68	68	6.756	68	68	PMS	8856	1151	1920	9	25	10	5	21	70	57	2.0
P006	106+0.153	2.0 W DIXON	SANDERS	8	44	44	1.991	24	24	BST	894	133	538	0	10	8	13	26	57	58	.9
P093	6+0.837	6.8 E IDAHO LINE	MISSOULA	8	64	64	9.654	30	30	PMS	1026	164	549	5	15	10	3	26	59	59	4.0
P093	16+0.488	16.0 W FAP RTE 7	MISSOULA	8	64	78	4.609	30	30	PMS	1362	217	189	9	28	10	1	13	61	59	1.8
P006	4+0.625	4.6 E IDAHO LINE	SANDERS	8	52	64	3.629	24	28	RMS	652	95	220	5	15	9	3	24	56	59	1.6
P083	41+0.890	5.8 S LAKE CO LINE	MISSOULA	8	59	59	5.856	24	24	PMS	570	100	429	2	14	7	6	27	56	60	2.6
P007	7+0.530	7.4 N JCT FAP 46	RAVALLI	8	40	40	6.016	24	24	BST	838	108	289	0	13	6	17	24	60	61	2.4
P006	12+0.353	1.0 E BULL RIVER	SANDERS	8	58	58	1.214	32	32	BST	764	111	210	7	19	10	2	22	60	62	.5
P007	74+0.249	0.4 S FLORENCE	RAVALLI	8	74	76	.571	64	64	PMS	4549	591	2136	8	24	10	4	26	72	63	.2
P007	73+0.547	1.0 S FLORENCE	RAVALLI	8	74	76	.674	44	44	PMS	4185	544	320	9	27	10	20	5	71	63	.2
P006	23+0.327	TUSCOR	SANDERS	8	59	64	6.097	32	32	PMS	801	116	500	3	17	10	4	27	61	63	2.4
P006	29+0.459	TROUT CREEK	SANDERS	8	48	54	8.234	24	28	PMS	728	106	462	3	12	9	10	27	61	63	3.2
P006	0+0.000	IDAHO LINE	SANDERS	8	52	65	2.260	24	28	RMS	609	88	289	6	18	8	3	25	60	63	.9
P006	10+0.404	JCT FAP 56	SANDERS	8	52	52	.970	24	28	RMS	753	109	220	6	17	10	6	23	62	64	.4
P006	14+0.720	3.4 E BULL RIVER	SANDERS	8	59	64	8.606	32	32	PMS	795	116	290	6	19	10	4	24	63	65	3.2
P007	66+0.762	JCT FAS 269	RAVALLI	8	56	61	6.777	32	32	PMS	3951	513	672	8	24	10	12	19	73	65	1.8
P036	18+0.961	JCT FAP 77	SANDERS	8	63	63	7.161	28	28	PMS	691	103	629	4	14	10	6	28	62	65	2.7
P041	0+0.000	JCT FAP 8	POWELL	8	61	61	6.348	28	28	PMS	219	36	660	0	10	10	6	29	55	66	2.9
P056	0+0.000	JCT FAP RTE 6	SANDERS	8	57	57	8.170	24	24	PMS	334	50	289	4	18	8	1	27	58	66	3.4
P056	8+0.170	8.1 N FAP RTE 6	SANDERS	8	63	63	8.370	28	28	PMS	340	51	280	6	17	8	2	27	60	67	3.3
P006	104+0.678	4.5 W DIXON	SANDERS	8	69	69	.388	32	32	PMS	889	132	268	8	24	10	1	23	66	67	.1
P006	8+0.252	8.2 E IDAHO LINE	SANDERS	8	63	63	2.158	28	28	RMS	676	98	289	8	18	10	4	25	65	68	.8
P006	13+0.530	2.2 E BULL RIVER	SANDERS	8	63	63	1.194	28	28	RMS	770	112	391	7	19	10	4	26	66	68	.4
P006	11+0.402	BULL RIVER	SANDERS	8	63	63	.956	28	28	RMS	758	110	266	8	20	10	4	24	66	68	.3
P024	16+0.038	POTOMAC	MISSOULA	8	68	68	6.575	40	40	PMS	2071	341	385	7	18	10	20	17	72	68	1.8
P041	6+0.348	6.3 N FAP 8	POWELL	8	62	62	5.406	28	28	PMS	180	30	660	0	8	10	11	29	58	70	2.3
P041	16+0.875	14.6 N FAP 8	POWELL	8	70	70	2.966	30	30	PMS	216	36	292	4	16	10	2	28	60	71	1.2
P041	19+0.841	7.6 S FAS 271	POWELL	8	65	65	7.654	30	30	BST	242	40	323	5	15	10	5	28	63	72	2.8
P093	21+0.095	11.4 W FAP RTE 7	MISSOULA	8	64	78	11.465	30	30	PMS	1683	269	512	9	28	10	6	22	75	72	2.9
P008	27+0.319	0.3 W L & C CO	POWELL	8	77	77	.308	56	56	PMS	1582	205	1152	8	27	10	3	27	75	72	.1
P008	3+0.919	3.8 E GARRISON	POWELL	8	57	64	7.362	32	32	PMS	1485	193	406	7	20	10	15	23	75	73	1.8
P019	63+0.222	0.6 S DRUMMOND	GRANITE	8	66	66	.449	32	32	PMS	881	127	720	9	25	10	1	27	72	73	.1
P008	0+0.000	JCT FAI 90	POWELL	8	78	78	3.789	40	40	PMS	1517	197	224	10	30	10	9	17	76	74	.9
P006	46+0.236	1.6 E BELKNAP	SANDERS	8	58	58	.985	32	32	BST	1104	161	405	5	16	10	20	24	75	74	.2
P041	27+0.495	JCT FAS 271	POWELL	8	57	72	5.017	24	24	PMS	277	46	301	7	20	10	3	28	68	76	1.6
P019	38+0.582	.4 N PHILIPSBURG	GRANITE	8	60	60	9.701	32	32	PMS	610	88	428	5	16	10	15	27	73	76	2.6
P070	0+0.200	1.0 W SUPERIOR	MINERAL	8	31	52	1.035	22	24	RMS	87	11	544	0	5	5	20	30	60	77	.4
P006	2+0.265	2.3 E IDAHO LINE	SANDERS	8	63	63	2.361	28	28	RMS	627	91	243	5	17	9	20	24	75	77	.6
P035	7+0.680	MINERAL-SANDERS CO	SANDERS	8	65	69	3.803	30	30	PMS	579	95	410	9	26	10	3	27	75	78	1.0
P036	16+0.265	0.1 SW FAS 382	SANDERS	8	63	63	2.732	28	28	PMS	798	119	599	5	16	10	20	27	78	79	.6

FINANCIAL DISTRICT NUMBER 8

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS 8T	YEARS 1M	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FAO	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P035	3+0.381	3.3 N ST REGIS	MINERAL	8	72	72	4.299	30	30	PMS	630	103	453	8	25	10	7	27	77	79	1.0
P046	0+0.000	JCT FAP RTE 7	RAVALLI	8	60	63	.105	28	28	PMS	270	40	498	9	25	10	0	29	73	80	
P006	102+0.193	6.6 E PERMA	SANDERS	8	69	69	.754	32	32	PMS	884	131	694	6	22	10	15	27	80	80	.2
P035	12+0.947	8.4 SW FAP 6	SANDERS	8	65	69	3.151	30	30	PMS	584	96	550	10	28	10	2	27	77	80	.7
P070	1+0.506	SUPERIOR	MINERAL	8	31	52	.062	22	24	RMS	150	19	716	0	14	5	20	30	69	81	
P035	11+0.483	3.8 NE MINERAL CO	SANDERS	8	63	69	1.464	30	30	PMS	581	95	432	10	28	10	3	27	78	81	.3
P019	30+0.851	7.7 S PHILIPSBURG	GRANITE	8	57	76	7.703	32	32	PMS	713	103	504	8	26	10	10	27	81	82	1.5
P019	62+0.597	1.0 S DRUMMOND	GRANITE	8	66	66	.628	40	40	PMS	808	117	240	9	26	10	13	23	81	82	.1
P006	90+0.589	4.6 W PERMA	SANDERS	8	69	69	3.542	32	32	PMS	833	124	431	7	19	10	20	26	82	83	.6
P041	11+0.754	11.7 N FAP 8	POWELL	8	77	77	5.121	28	28	PMS	187	31	401	9	28	10	2	29	78	86	1.1
P035	16+0.098	5.3 SW FAP 6	SANDERS	8	68	69	5.348	30	30	PMS	590	97	367	10	28	10	11	26	85	87	.8
P008	23+0.219	2.3 E ELLISTON	POWELL	8	73	73	2.363	56	56	PMS	1483	192	1920	8	26	10	16	29	89	88	.3
P008	25+0.582	1.9 W L & C CO	POWELL	8	73	73	1.668	56	56	PMS	1549	201	1920	8	27	10	17	28	90	89	.2
P006	95+0.631	PERMA	SANDERS	8	57	76	3.633	30	30	PMS	871	129	432	8	27	8	20	26	89	89	.4
		DISTRICT TOTAL					530.854														46 241.8

Percent Sufficient

- 0 - 40
- 41 - 60
- 61 - 100
- Under Construction As Of December 31, 1978

SUFFICIENCY RATING BY FINANCIAL DISTRICT 9 RURAL PRIMARY SYSTEM

FINANCIAL DISTRICT NUMBER 9

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	YEARS IM	SECTION LENGTH	WIDTH SRF	WIDTH RDY	SUF TYP	ADT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS FND	SRF	DRN	SAF	CAP	TDT	ADJ	DEFIC MILES
P029	49+0.919	6.6 N TWIN BRIDGES	MADISON	9	36	63	7.355	22	24	RMS	1057	158	201	0	13	6	1	18	38	38	4.6
P049	3+0.037	3.0 E FAI RTE 15	BEAVERHEAD	9	46	62	3.798	24	26	RMS	1403	182	284	0	13	8	2	20	43	41	2.2
P019	24+0.300	3.4 E GRANITE CO	DEER LODGE	9	34	54	3.379	22	24	RMS	893	129	197	0	13	7	3	20	43	44	1.9
P029	80+0.192	JCT FAS 375	SILVER BOW	9	28	71	3.277	24	30	RMS	1142	148	331	0	14	8	1	23	46	45	1.8
P049	0+0.244	DILLON	BEAVERHEAD	9	46	62	2.421	24	26	RMS	954	200	390	0	12	8	4	22	46	46	2.8
P019	10+0.110	ANACONDA	DEER LODGE	9	51	59	6.813	24	28	PMS	2068	268	442	3	17	7	4	21	52	47	1.2
P047	0+0.000	JCT FAP RTE 19	DEER LODGE	9	49	49	5.991	20	26	RMS	1185	165	535	0	13	8	5	25	51	50	2.9
P064	7+0.180	MADISON CO LINE	MADISON	9	73	73	2.450	24	24	GRV	107	14	268	0	0	5	1	29	35	50	1.6
P029	75+0.032	SILVER BOW CO LINE	SILVER BOW	9	34	62	2.823	24	30	RMS	586	76	302	0	14	7	0	26	47	51	1.5
P029	57+0.250	JCT FAP 55	MADISON	9	36	63	1.155	22	24	RMS	322	48	222	0	12	4	0	27	43	51	.7
P049	6+0.804	6.8 E FAI RTE 15	BEAVERHEAD	9	59	59	6.880	24	24	PMS	994	129	220	0	17	10	4	21	52	52	3.3
P029	77+0.863	2.3 E FAS 375	SILVER BOW	9	28	71	2.337	24	30	RMS	745	96	627	0	14	7	1	28	50	52	1.2
P013	49+0.247	ENNIS	MADISON	9	34	34	7.247	20	24	RMS	872	135	431	0	15	8	4	25	52	53	3.5
P019	22+0.028	9.6 W ANACONDA	DEER LODGE	9	51	59	2.255	32	32	PMS	1233	178	456	0	14	8	8	24	54	53	1.0
P029	43+0.258	TWIN BRIDGES	MADISON	9	39	39	6.633	20	24	RMS	1171	175	390	0	13	5	13	23	54	53	3.1
P029	14+0.828	VIRGINIA CITY	MADISON	9	45	45	5.116	20	24	RMS	758	159	315	4	17	5	3	22	51	53	2.5
P029	58+0.396	SILVER BOW CO LINE	SILVER BOW	9	36	63	1.489	22	24	RMS	322	48	540	0	10	5	1	29	45	53	.8
P013	47+0.144	9.3 N CAMERON	MADISON	9	36	58	1.492	22	25	RMS	1117	223	601	0	12	9	10	24	55	54	.7
P013	65+0.316	JCT FAP 84	MADISON	9	34	34	9.543	20	24	RMS	426	66	220	0	14	7	1	26	48	54	5.0
P013	61+0.592	3.7 S NORRIS	MADISON	9	34	34	3.713	20	24	RMS	613	95	211	3	15	8	1	23	50	54	1.9
P013	56+0.524	MCALLISTER	MADISON	9	36	57	5.182	22	24	RMS	698	108	311	2	15	7	2	25	51	54	2.5
P013	24+0.369	13.3 S CAMERON	MADISON	9	34	34	2.648	20	24	RMS	516	103	792	0	8	7	8	28	51	56	1.3
P013	37+0.869	CAMERON	MADISON	9	34	34	9.243	20	24	RMS	704	140	486	0	14	8	6	26	54	57	4.3
P046	65+0.263	0.4 E WISE RIVER	BEAVERHEAD	9	61	61	8.231	26	28	PMS	394	59	311	3	14	6	1	27	51	58	4.0
P029	34+0.189	SHERIDAN	MADISON	9	39	39	8.029	22	24	RMS	1085	227	812	0	10	8	16	26	60	59	3.2
P055	0+0.000	JCT FAP 29	MADISON	9	53	53	2.142	24	24	RMS	792	130	297	6	18	8	3	23	58	60	.9
P029	5+0.698	5.5 W ENNIS	MADISON	9	51	51	5.030	28	32	RMS	540	113	243	5	16	8	4	23	56	60	2.2
P029	0+0.244	ENNIS LIMITS	MADISON	9	50	50	5.436	24	24	RMS	589	123	420	5	16	7	2	26	56	60	2.4
P019	16+0.911	4.4 W ANACONDA	DEER LODGE	9	51	59	5.072	24	28	PMS	1367	198	561	2	14	10	14	24	64	62	1.8
P046	51+0.396	DEER LODGE CO LINE	DEER LODGE	9	61	61	5.577	26	28	PMS	271	40	413	0	13	10	2	29	54	63	2.6
P046	58+0.864	.8 E BEAVERHEAD CO	BEAVERHEAD	9	61	61	6.050	26	28	PMS	336	50	327	2	15	8	3	28	56	64	2.7
P029	25+0.175	1.9 N FAS RTE 357	MADISON	9	40	40	7.929	20	24	RMS	853	179	702	0	9	8	20	26	63	64	2.9
P084	0+0.000	JCT FAP 13	MADISON	9	53	53	6.427	24	24	RMS	448	76	374	6	18	9	1	27	61	66	2.5
P084	6+0.425	6.4 E JCT FAP 13	MADISON	9	52	52	5.052	24	24	RMS	399	67	394	5	17	10	1	27	60	66	2.0
P046	56+0.960	SILVER BOW CO LINE	SILVER BOW	9	61	61	1.055	26	28	PMS	270	40	377	3	15	10	2	28	58	67	.4
P049	13+0.697	MADISON CO LINE	MADISON	9	59	59	2.491	24	24	PMS	945	122	333	0	14	8	20	25	67	67	.8
P049	0+0.000	DILLON	BEAVERHEAD	9	46	74	.102	40	40	RMS	2327	302	828	4	17	6	20	25	72	67	
P013	27+0.156	10.8 S CAMERON	MADISON	9	34	34	10.807	20	24	RMS	514	102	762	0	10	9	15	28	62	67	4.1
P046	41+0.858	DEER LODGE CO LINE	DEER LODGE	9	61	61	9.356	26	28	PMS	292	43	354	5	15	9	2	28	59	68	3.8
P046	64+0.920	WISE RIVER	BEAVERHEAD	9	70	70	.398	44	44	PMS	392	58	464	8	19	10	1	28	66	72	.1
P047	6+0.790	WARM SPRINGS	DEER LODGE	9	78	78	.063	48	48	PMS	707	212	103	10	30	10	20	0	70	72	
P046	58+0.032	BEAVERHEAD CO LINE	BEAVERHEAD	9	61	61	.832	30	33	PMS	277	41	476	6	16	10	4	29	65	73	.3
P047	5+0.988	JCT FORMER US 10	DEER LODGE	9	31	42	.802	24	30	RMS	1131	160	398	6	17	8	20	24	75	74	.2
P046	26+0.350	WISDOM	BEAVERHEAD	9	65	65	5.256	28	28	PMS	294	44	569	7	17	10	3	29	66	74	1.8
P087	1+0.460	1.3 E FAP 13	MADISON	9	72	72	1.586	30	30	PMS	436	94	384	7	25	10	1	26	69	74	.5
P046	76+0.492	0.6 W DIVIDE	SILVER BOW	9	34	76	.490	32	32	PMS	391	58	607	5	15	10	10	29	69	75	.2
P055	2+0.123	MADISON-SILVER BOW	SILVER BOW	9	53	53	.288	24	24	RMS	849	140	348	6	17	8	20	24	75	76	.1
P019	5+0.559	JCT FAP RTE 47	DEER LODGE	9	61	61	1.543	76	76	PMS	5576	724	2208	9	25	10	15	25	84	77	.2
P029	10+0.756	2.3 E VIRGINIA CTY	MADISON	9	56	56	2.337	28	28	PMS	540	113	324	4	16	10	20	25	75	78	.6
P087	3+0.037	6.7 E FAP 13	MADISON	9	63	63	3.728	30	30	PMS	436	94	328	7	26	10	6	26	75	79	.9
P046	36+0.881	4.9 W DEER LDGE CO	BEAVERHEAD	9	65	65	4.966	26	26	PMS	257	38	398	7	18	10	8	29	72	80	1.4
P046	75+0.066	SILVER BOW CO LINE	SILVER BOW	9	68	68	1.422	34	34	PMS	392	58	470	9	26	10	3	28	76	81	.3
P046	7+0.770	6.6 E IDAHO LINE	BEAVERHEAD	9	60	63	9.393	28	28	PMS	270	40	448	7	22	10	6	29	74	81	2.4
P046	73+0.646	8.3 E WISE RIVER	BEAVERHEAD	9	68	68	1.323	34	34	PMS	394	59	425	8	24	10	7	28	77	82	.3

FINANCIAL DISTRICT NUMBER 9

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	YEARS IM	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	ADT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	DRN	SAF	CAP	TOT	ADJ	DEFIC MILES
P019	0+0.000	JCT FAI RTE 90	DEER LODGE	9	64	64	2.889	76	76	PMS	2411	313	2208	8	25	10	14	28	85	82	.4
P019	2+0.896	OPPORTUNITY	DEER LODGE	9	61	61	2.670	76	76	PMS	3334	433	2208	8	24	10	18	27	87	83	.3
P046	4+0.107	2.9 E IDAHO LINE	BEAVERHEAD	9	60	63	3.674	28	28	PMS	270	40	501	5	15	10	20	29	79	85	.8
P013	74+0.873	0.5 S HARRISON	MADISON	9	76	76	5.908	32	32	PMS	412	63	643	8	27	10	7	29	81	85	1.1
P046	1+0.166	IDAHO LINE	BEAVERHEAD	9	60	63	2.945	28	28	PMS	270	40	387	5	18	10	20	28	81	87	.6
P046	16+0.966	9.2 W WISDOM	BEAVERHEAD	9	62	62	9.226	30	30	PMS	330	49	600	5	18	10	20	29	82	87	1.7
P013	0+0.000	IDAHO LINE	MADISON	9	62	76	8.564	34	34	BST	135	27	478	7	26	10	5	29	77	87	2.0
P046	51+0.307	BEAVERHEAD CO LINE	BEAVERHEAD	9	61	61	.089	26	28	PMS	335	50	501	7	18	10	20	29	84	88	
P046	31+0.616	5.3 E WISDOM	BEAVERHEAD	9	65	65	5.283	26	26	PMS	275	41	595	8	18	10	20	29	85	89	.8
P087	0+0.000	JCT FAP 13	MADISON	9	63	63	1.393	30	30	PMS	436	94	390	7	24	10	20	26	87	89	.2
P013	16+0.388	7.7 N FAP 87	MADISON	9	69	69	4.975	40	40	PMS	531	106	568	8	22	10	20	27	87	89	.6
P013	8+0.630	JCT FAP 87	MADISON	9	66	66	7.813	40	40	PMS	546	109	596	8	24	10	20	27	89	90	.9
P013	21+0.332	9.3 S FAS 357	MADISON	9	71	71	2.992	40	40	PMS	522	104	511	8	25	10	20	27	90	91	.3
P046	77+0.114	DIVIDE EAST	SILVER BOW	9	76	76	.784	34	34	PMS	378	56	315	10	30	10	20	27	97	97	
P049	16+0.192	2.5 E MADISON CO	MADISON	9			10.659	UNDER CONSTRUCTION													
		DISTRICT TOTAL					301.571													37	110.6

GALLATIN
SWEET GRASS
MEAGHER
WHEATLAND
PARK
YELLOWSTONE NATIONAL PARK
Bozeman
Livingston
Belgrade
Manhattan
Clyde Park
Big Timber
White Sulphur Springs
Harlowton
Judith Gap
West Yellowstone
Ringling
Hedgesville
Springdale
Trident
Willow Creek
Meagher
Wheatland
Gallatin
Sweet Grass
Park
Yellowstone
Carbon
Stillwater
Musselshell
Golden Valley
Fergus
Judith Basin
Petroleum
Blaine
Hill
Chouteau
Cascade
Meagher
Wheatland
Sweet Grass
Park
Gallatin
Madison
Beaverhead
Jefferson
Broadwater
Powell
Deer Lodge
Silver Bow
Lewis & Clark
Teton
Pondera
Glacier
Toole
Liberty
Hill
Blaine
Phillips
Valley
Daniels
Sheridan
Roosevelt
Richland
Dawson
Prairie
Fallon
Carter
Rosebud
Treasure
Big Horn
Yellowstone
Stillwater
Carbon
Golden Valley
Musselshell
Petroleum
Fergus
Judith Basin
Wheatland
Meagher
Broadwater
Gallatin
Park
Sweet Grass
Stillwater
Yellowstone
Carbon
Big Horn
Treasure
Rosebud
Powder River
Carter
Fallon
Custer
Prairie
Dawson
Wibaux
Richland
Roosevelt
Sheridan
McCone
Garfield
Petroleum
Fergus
Judith Basin
Cascade
Chouteau

FINANCIAL DISTRICT NUMBER 10

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST ST IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	AOJ	DEFIC MILES
P086	0+0.962	BOZEMAN	GALLATIN	10 58 58	2.860	25	25	PMS	2526	505	592	4	18	4	2	17	45	38	1.6
P086	16+0.328	15.3 N BOZEMAN	GALLATIN	10 48 48	2.465	20	20	GRV	385	77	268	0	0	3	3	26	32	38	1.7
P050	81+0.910	JCT FAP 84 85	GALLATIN	10 60 60	5.208	36	36	PMS	5296	794	283	8	26	10	7	0	51	39	2.6
P011	55+0.874	LIVINGSTON	PARK	10 34 34	2.078	20	24	PMS	1940	252	654	0	12	7	3	24	46	41	1.1
P045	0+0.535	BIG TIMBER LIMITS	SWEET GRASS	10 35 56	6.788	22	24	RMS	673	87	176	0	12	5	1	23	41	44	4.0
P063	0+0.000	JCT. FAP RTE 14	WHEATLAND	10 49 54	3.758	24	24	PMS	1026	133	258	0	13	9	2	22	46	46	2.0
P064	3+0.000	3.0 W FAP RTE 50	GALLATIN	10 73 73	4.180	24	24	GRV	199	27	316	0	0	5	1	29	35	46	2.7
P063	13+0.568	13.3 N HARLOWTON	WHEATLAND	10 49 54	4.288	24	24	PMS	1038	134	297	0	12	10	2	23	47	47	2.3
P045	8+0.031	7.4 N BIG TIMBER	SWEET GRASS	10 42 42	7.744	20	24	RMS	475	61	387	0	10	4	1	28	43	48	4.4
P063	18+0.463	JUDITH GAP	WHEATLAND	10 49 54	.733	24	24	PMS	1275	165	258	4	15	10	1	20	50	48	.4
P050	47+0.941	JCT FAP RTE 64	GALLATIN	10 55 55	12.950	28	28	PMS	1418	222	283	5	19	9	2	18	53	51	6.1
P086	18+0.793	12.7 S PARK CO	GALLATIN	10 45 45	12.699	20	20	GRV	119	17	204	0	0	2	6	29	37	51	8.0
P059	15+0.395	CLYDE PARK	PARK	10 38 38	5.039	20	24	RMS	611	91	608	0	9	8	3	28	48	52	2.6
P063	4+0.083	3.8 N HARLOWTON	WHEATLAND	10 49 54	9.470	24	24	PMS	999	129	408	0	14	10	4	25	53	53	4.5
P014	68+0.503	8.7 W WHEATLAND CO	MEAGHER	10 36 63	4.875	22	24	RMS	378	49	451	0	9	7	2	28	46	53	2.6
P059	49+0.499	JCT FAS RTE 294	MEAGHER	10 36 63	8.034	22	24	RMS	431	64	599	0	9	8	3	28	48	54	4.2
P059	4+0.559	4.1 N FAI 90	PARK	10 41 41	10.238	20	24	RMS	769	115	400	0	13	9	4	26	52	54	4.9
P085	0+0.000	JCT FAP 50 FAP 84	GALLATIN	10 53 53	6.708	24	24	RMS	1953	322	534	5	18	8	7	21	59	54	2.8
P014	75+0.152	2.0 W WHEATLAND CO	MEAGHER	10 34 64	2.049	22	24	RMS	409	53	702	0	10	6	3	29	48	54	1.1
P086	3+0.822	2.8 N BOZEMAN	GALLATIN	10 61 61	5.760	30	30	PMS	1498	299	652	5	19	10	1	23	58	55	2.4
P013	94+0.645	1.1 E GALLATIN CO	GALLATIN	10 38 38	1.106	24	28	RMS	668	86	372	3	13	8	1	27	52	55	.5
P014	77+0.214	WHEATLAND CO	WHEATLAND	10 34 64	10.825	22	24	RMS	380	49	642	0	9	7	3	29	48	55	5.6
P028	0+0.000	SILVERGATE	PARK	10 36 72	8.703	22	22	BST	442	99	184	4	17	6	0	22	49	55	4.4
P059	45+0.327	0.3 N RINGLING	MEAGHER	10 36 47	4.192	24	24	RMS	331	49	744	0	9	8	2	29	48	56	2.2
P012	0+0.000	IDAHO LINE	GALLATIN	10 61 61	2.272	34	34	PMS	1650	381	252	8	26	10	8	7	59	56	.9
P014	33+0.493	JCT FAP 59	MEAGHER	10 33 66	8.182	21	24	RMS	851	127	660	0	10	8	10	27	55	56	3.7
P059	40+0.703	2.8 MEAGHER CO	MEAGHER	10 36 47	4.600	24	24	RMS	304	45	515	0	10	6	3	29	48	57	2.4
P084	20+0.309	ANCENEY	GALLATIN	10 55 55	8.744	24	24	RMS	828	140	365	5	18	8	1	24	56	57	3.8
P012	2+0.270	2.3 E IDAHO LINE	GALLATIN	10 61 61	5.777	34	34	PMS	1758	406	552	5	15	10	12	19	61	57	2.3
P014	63+0.148	18.1 E FAP 60	MEAGHER	10 37 65	5.333	21	24	RMS	345	44	448	0	9	8	3	29	49	57	2.7
P050	8+0.524	0.2 N FAP RTE 87	GALLATIN	10 62 72	1.955	32	32	PMS	1071	168	144	9	25	10	1	13	58	58	.8
P045	28+0.272	WHEATLAND CO	WHEATLAND	10 46 55	5.074	24	26	RMS	429	55	355	0	11	10	3	28	52	58	2.4
P013	82+0.240	1.4 N GALLITIN CO	GALLATIN	10 50 50	.830	22	24	RMS	361	55	264	0	15	8	1	27	51	58	.4
P014	73+0.390	3.8 W WHEATLAND CO	MEAGHER	10 36 63	1.779	22	24	RMS	399	51	792	0	10	7	5	29	51	58	.9
P045	33+0.365	5.1 N WHEATLAND CO	WHEATLAND	10 35 39	4.535	20	24	RMS	277	36	400	0	11	7	3	29	50	59	2.3
P050	60+0.889	12.9 N FAP RTE 64	GALLATIN	10 67 67	9.312	28	28	PMS	1442	226	203	9	28	10	1	13	61	59	3.6
P050	0+0.554	WEST YELLOWSTONE	GALLATIN	10 68 68	7.129	40	40	PMS	1845	405	234	8	21	10	20	4	63	59	2.6
P014	23+0.519	MEAGHER CO	MEAGHER	10 60 60	7.823	28	28	PMS	1297	203	354	6	19	10	6	21	62	60	3.0
P084	11+0.483	MADISON-GALLATIN	GALLATIN	10 55 55	9.978	24	27	PMS	463	69	264	4	14	9	1	26	54	60	4.6
P050	76+0.436	5.4 S FAP 84 85	GALLATIN	10 64 64	8.808	24	24	RMS	416	70	243	4	15	9	1	26	55	61	4.0
P059	37+1.030	MEAGHER CO	MEAGHER	10 42 52	5.455	32	32	PMS	2798	439	696	8	23	10	6	21	68	62	1.7
P050	8+0.373	JCT FAP RTE 87	GALLATIN	10 64 64	2.756	24	24	RMS	304	45	774	0	8	8	8	29	53	62	1.3
P011	49+0.902	JCT FAS 540	PARK	10 61 61	.151	52	52	PMS	1134	178	260	8	24	10	2	20	64	63	.1
P014	108+0.043	7.1 E FAP 63	WHEATLAND	10 53 53	1.890	32	32	PMS	2412	518	748	8	25	10	6	20	69	64	.6
P050	31+0.181	YELL PARK BDY	GALLATIN	10 60 60	8.427	24	28	RMS	952	123	486	4	15	10	9	26	64	64	3.0
P013	97+0.115	0.6 E THREE FORKS	GALLATIN	10 64 69	8.921	29	28	PMS	1042	163	386	6	21	10	4	24	65	65	3.1
P013	96+0.554	THREE FORKS	GALLATIN	10 50 55	.217	32	32	PMS	1803	234	406	8	26	10	4	21	69	65	.1
P011	40+0.712	9.1 S FAS 540	PARK	10 65 65	.555	32	32	RMS	1948	253	752	3	13	8	20	25	69	65	.2
P060	25+0.339	3.3 S CASCADE CO	MEAGHER	10 59 63	9.177	32	32	PMS	1622	348	696	8	23	10	5	23	69	66	2.8
P086	9+0.582	8.6 N BOZEMAN	GALLATIN	10 73 73	3.335	26	26	PMS	401	60	488	5	17	10	1	28	61	67	1.3
P011	10+0.864	10.7 N GARDINER	PARK	10 69 69	6.746	31	31	PMS	583	116	414	4	21	10	2	26	63	67	2.5
P014	100+0.898	JCT FAP RTE 63	WHEATLAND	10 65 65	5.766	32	32	BST	996	214	485	8	24	10	2	23	67	67	1.9
P050	16+0.625	8.3 N FAP RTE 87	GALLATIN	10 63 63	7.126	40	40	PMS	1050	136	247	7	21	10	8	22	68	68	2.3
P050	70+0.197	11.7 S FAP 84 85	GALLATIN	10 58 60	14.593	32	32	PMS	937	147	500	5	17	10	11	26	69	69	4.5
					6.250	32	32	PMS	1832	287	643	8	25	10	7	23	73	70	1.7

FINANCIAL DISTRICT NUMBER 10

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	ST	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	FNO	SRF	CRN	SAF	CAP	TOT	ADJ	DEFIC MILES
P059	0+0.000	JCT FAI RTE 90	PARK	10	55	55	1.755	24	36	RMS	1083	162	536	7	17	10	12	25	71	70	.5
P087	6+0.719	MADISON-GALLATIN	GALLATIN	10	67	67	3.316	30	30	PMS	441	95	189	7	25	10	1	22	65	70	1.2
P011	0+0.000	YELL PARK BORY	PARK	10	75	75	1.016	48	48	PMS	1084	233	504	9	28	10	1	23	71	70	.3
P014	55+0.917	10.8 E FAP 60	MEAGHER	10	56	58	7.271	28	28	PMS	306	39	371	3	16	10	5	28	62	70	2.8
P050	7+0.330	7.2 N WEST YELL	GALLATIN	10	64	64	1.047	34	34	PMS	1593	350	552	7	18	10	20	20	75	72	.3
P059	15+0.310	CLYDE PARK	PARK	10	38	38	.061	20	24	RMS	637	95	582	0	13	8	20	28	69	72	
P087	20+0.240	2.1 W JCT FAP 50	GALLATIN	10	67	67	2.194	30	30	PMS	630	136	655	7	22	10	3	27	69	72	.7
P087	10+0.026	3.3 E MADISON CO	GALLATIN	10	67	67	10.223	30	30	PMS	479	103	439	6	22	10	5	26	69	73	2.2
P059	2+0.267	1.8 N FAI 90	PARK	10	41	41	2.293	20	24	RMS	981	147	421	3	17	9	20	25	74	74	.6
P060	9+0.718	9.5 N FAP 14	MEAGHER	10	59	63	7.386	26	26	PMS	488	73	418	7	21	10	5	27	70	74	2.2
P012	8+0.047	0.6 W WEST YELL	GALLATIN	10	30	30	.571	34	34	RMS	2092	483	728	8	27	3	20	20	78	74	.1
P045	7+0.339	6.7 N BIG TIMBER	SWEET GRASS	10	69	69	.695	30	30	RMS	461	59	486	7	23	10	3	28	71	76	.2
P045	15+0.771	15.2 N BIG TIMBER	SWEET GRASS	10	48	78	7.041	24	24	PMS	579	75	349	7	28	10	1	27	73	76	1.9
P045	23+0.831	4.4 S WHEATLAND CO	SWEET GRASS	10	46	78	4.429	24	24	PMS	566	73	312	7	28	10	2	26	73	76	1.2
P059	20+0.487	5.1 N CLYDE PARK	PARK	10	73	73	4.228	32	32	PMS	537	80	643	7	23	10	4	28	72	76	1.2
P011	19+0.339	0.4 S FAS 540	PARK	10	61	61	11.618	32	32	PMS	896	192	696	8	25	10	7	26	76	76	2.8
P011	30+0.977	JCT COUNTY ROAD	PARK	10	61	61	9.708	32	32	PMS	1372	294	696	8	25	10	11	24	78	76	2.1
P011	1+0.365	1.3 N GARDINER	PARK	10	71	71	4.308	34	34	PMS	1038	223	453	7	25	10	11	23	76	76	1.0
P014	88+0.034	11.2 W HARLOWTON	WHEATLAND	10	66	66	4.784	40	40	PMS	445	57	680	7	18	10	7	29	71	76	1.4
P050	10+0.485	2.4 N FAP RTE 87	GALLATIN	10	63	63	6.020	32	32	PMS	981	154	405	6	17	10	20	24	77	77	1.4
P013	93+0.693	GALLATIN CO LINE	GALLATIN	10	49	49	1.107	28	28	RMS	668	86	586	3	15	10	20	28	76	78	.3
P060	17+0.022	11.6 S CASCADE CO	MEAGHER	10	59	63	8.316	26	26	PMS	420	63	418	6	21	10	10	28	75	80	2.1
P060	0+0.000	JCT FAP RTE 14	MEAGHER	10	55	69	9.550	28	28	PMS	464	69	495	8	26	10	4	28	76	80	2.3
P086	31+0.492	GALLATIN-PARK CO	PARK	10	63	63	6.738	28	28	PMS	156	23	477	4	16	10	9	29	68	80	2.2
P064	0+0.000	JCT FAP RTE 50	GALLATIN	10	72	77	3.000	30	30	PMS	649	90	400	10	30	10	2	27	79	81	.6
P014	116+0.456	6.1 W GOLD VAL	WHEATLAND	10	67	67	6.108	40	40	PMS	894	116	247	8	24	10	17	23	82	82	1.1
P014	42+0.708	WHITE SULPHUR	MEAGHER	10	65	65	2.417	40	40	PMS	813	121	281	7	21	10	20	24	82	83	.4
P011	16+0.633	3.1 S FAS 540	PARK	10	61	61	2.712	32	32	PMS	1002	215	696	9	26	10	14	25	84	84	.4
P014	100+0.394	HARLOWTON	WHEATLAND	10	65	65	.504	40	40	PMS	1493	194	806	8	22	10	20	26	86	84	.1
P014	92+0.813	6.5 W HARLOWTON	WHEATLAND	10	68	68	6.513	40	40	PMS	576	74	680	7	19	10	20	28	84	86	1.0
P011	5+0.566	5.0 N GARDINER	PARK	10	69	69	5.149	34	34	PMS	987	212	529	8	25	10	20	24	87	87	.7
P014	45+0.138	JCT FAP RTE 60	MEAGHER	10	65	65	3.943	40	40	PMS	349	45	485	6	18	10	20	29	83	87	.7
P045	37+0.865	6.0 S HARLOWTON	WHEATLAND	10	70	70	5.994	32	32	PMS	350	45	569	8	19	10	20	29	86	89	.8
P045	22+0.797	5.4 S WHEATLAND CO	SWEET GRASS	10	69	78	1.029	24	24	PMS	569	73	248	9	25	10	20	26	90	91	.1
P059	24+0.884	JCT FAP RTE 86	PARK	10	73	73	4.765	32	32	PMS	278	41	666	7	22	10	20	29	88	92	.6
P011	1+0.019	GARDINER NO	PARK	10	75	75	.346	34	34	PMS	1078	231	640	9	28	10	20	25	92	92	
P059	29+0.649	8.3 S MEAGHER CO	PARK	10	73	73	8.379	32	32	PMS	294	44	643	9	27	10	20	29	95	96	.4
P013	80+0.773	GALLATIN CO LINE	GALLATIN	10	76	76	1.444	32	32	PMS	361	55	470	9	28	10	20	28	95	96	.1
P014	48+0.995	3.9 E FAP 60	MEAGHER	10	76	76	6.934	36	36	PMS	293	38	226	10	30	10	20	27	97	98	.2
		DISTRICT TOTAL					491.158													37	180.8



Percent Sufficient

- 0 - 40
- 41 - 60
- 61 - 100
- Under Construction As Of December 31, 1978

SUFFICIENCY RATING BY FINANCIAL DISTRICT II RURAL PRIMARY SYSTEM

FINANCIAL DISTRICT NUMBER 11

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST BT IM	SECTION LENGTH	WIDTH SRF	WIDTH RDY	SUF TYP	AOT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	DRN	SAF	CAP	TOT	AOJ	DEFIC MILES
P004	52+0.256	1.4 N YELLOWST CO	YELLOWSTONE	11 22 39	1.598	24	30	RMS	5378	699	652	4	15	7	2	14	42	30	.9
P016	46+0.202	KLEIN	MUSSELSHELL	11 37 37	1.838	20	24	RMS	2286	297	283	0	13	8	1	14	36	31	1.2
P004	26+0.285	BRIDGER	CARBON	11 23 51	6.413	22	24	RMS	2411	313	453	0	11	6	4	20	41	35	3.8
P014	167+0.532	JCT FAP RTE 16	MUSSELSHELL	11 33 56	.969	26	30	RMS	2844	369	780	0	12	6	1	23	42	35	.6
P016	23+0.243	1.8 S MUSSEL CO	YELLOWSTONE	11 34 58	1.815	22	24	RMS	1481	192	272	0	12	7	1	19	39	36	1.1
P016	11+0.880	7.0 N BILLINGS	YELLOWSTONE	11 34 51	9.638	20	24	RMS	1674	217	448	0	10	5	1	23	39	36	5.9
P053	6+0.308	2.0 N BILLINGS	YELLOWSTONE	11 48 48	9.590	20	24	RMS	1276	165	185	0	13	8	1	17	39	37	5.8
P004	57+0.393	2.1 E LAUREL	YELLOWSTONE	11 23 68	.805	55	55	RMS	3305	429	705	3	13	8	1	21	46	38	.4
P016	25+0.140	MUSSELSHELL CO	MUSSELSHELL	11 34 34	4.505	20	24	RMS	1395	181	277	0	13	6	1	20	40	38	2.7
P078	29+0.991	JCT FAS RTE 419	STILLWATER	11 35 45	15.864	20	24	RMS	1169	192	450	0	10	5	1	24	40	39	9.5
P028	68+0.573	REO LODGE	CARBON	11 34 57	.117	22	24	RMS	1417	318	508	0	10	8	2	21	41	39	.1
P004	50+0.814	YELLOWSTONE CO	YELLOWSTONE	11 49 65	1.390	28	32	RMS	4796	623	616	4	15	9	9	15	52	41	.7
P014	133+0.003	2.5 E RYEGATE	GOLDEN VALLEY	11 37 37	3.978	20	24	RMS	835	108	283	0	9	6	1	24	40	41	2.4
P061	13+0.075	12.0 N ROUNDUP	MUSSELSHELL	11 35 66	8.809	22	24	RMS	897	116	239	0	12	5	1	23	41	42	5.2
P004	55+0.309	LAUREL	YELLOWSTONE	11 23 68	2.084	55	55	RMS	3554	462	872	4	14	8	3	22	51	42	1.0
P028	64+0.237	4.5 S REO LODGE	CARBON	11 34 57	4.147	22	22	RMS	731	164	510	0	6	8	1	25	40	42	2.5
P028	70+0.311	REO LODGE	CARBON	11 21 54	11.712	22	24	RMS	1698	339	544	0	11	8	6	21	46	42	6.3
P048	1+0.060	JCT FAI 90	BIG HORN	11 70 70	.284	40	40	RMS	1738	243	151	7	23	10	1	6	47	43	.2
P053	23+0.140	COMANCHE	YELLOWSTONE	11 48 48	8.421	20	24	RMS	1065	138	354	0	12	7	2	24	45	45	4.6
P053	32+0.044	BROADVIEW	YELLOWSTONE	11 48 48	2.171	20	24	RMS	911	118	220	0	14	7	1	22	44	45	1.2
P004	42+0.765	JCT FAP 28	CARBON	11 68 68	.160	40	40	PMS	4175	542	432	7	24	10	3	11	55	45	.1
P037	0+0.000	JCT FAI RTE 90	BIG HORN	11 54 54	7.865	24	24	PMS	987	133	441	0	9	8	4	25	46	46	4.2
P053	34+0.273	GOLDEN VALLEY CO	GOLDEN VALLEY	11 48 57	6.295	22	28	RMS	931	121	438	0	10	8	3	26	47	48	3.3
P028	82+0.066	ROBERTS	CARBON	11 36 36	8.931	21	24	RMS	1135	227	486	0	13	8	5	23	49	48	4.6
P037	7+0.879	7.9 E JCT FAI 90	BIG HORN	11 54 54	9.343	24	24	PMS	939	126	469	0	11	8	2	26	47	48	5.0
P072	14+0.502	6.9 S JCT FAP 4	CARBON	11 48 48	6.987	24	24	RMS	1023	163	396	3	15	6	2	24	50	50	3.5
P072	10+0.384	BELFRY	CARBON	11 49 49	1.126	24	24	BST	909	145	673	2	14	5	1	27	49	50	.6
P061	1+0.021	ROUNDUP	MUSSELSHELL	11 50 54	5.953	24	30	PMS	1125	146	308	0	13	10	6	23	52	51	2.9
P014	182+0.021	11.9 E ROUNDUP	MUSSELSHELL	11 39 39	5.582	20	24	RMS	527	68	210	0	12	8	1	25	46	51	3.0
P078	27+0.412	2.3 N CARBON CO	STILLWATER	11 35 35	2.579	20	20	RMS	381	62	391	0	10	6	1	28	45	52	1.4
P014	137+0.000	6.5 E RYEGATE	GOLDEN VALLEY	11 37 37	9.104	20	24	RMS	872	113	515	0	9	8	8	27	52	53	4.4
P014	170+0.161	ROUNDUP	MUSSELSHELL	11 39 39	11.871	20	24	RMS	742	96	333	0	13	10	2	26	51	53	5.8
P004	42+0.925	0.2 N FAP 28	CARBON	11 49 70	7.959	28	32	RMS	4351	565	580	4	17	10	18	15	64	54	2.9
P014	187+0.619	17.5 E ROUNDUP	MUSSELSHELL	11 39 39	4.478	20	24	RMS	492	63	354	0	11	8	3	27	49	54	2.3
P014	160+0.456	7.1 W FAP RTE 16	MUSSELSHELL	11 36 50	7.063	20	24	RMS	404	52	377	0	11	6	2	28	47	54	3.7
P037	17+0.211	17.2 E JCT FAI 90	BIG HORN	11 54 54	7.296	24	24	PMS	906	122	220	0	12	8	11	22	53	54	3.4
P037	24+0.493	BUSBY	BIG HORN	11 54 54	2.712	24	24	PMS	1153	155	683	0	10	10	8	27	55	54	1.2
P053	40+0.546	6.3 N GOLD VAL CO	GOLDEN VALLEY	11 56 56	4.841	30	30	BST	968	125	355	0	11	10	9	25	55	55	2.2
P014	151+0.679	MUSSELSHELL CO	MUSSELSHELL	11 37 37	3.424	20	24	RMS	244	31	201	0	12	4	1	28	45	55	1.9
P014	146+0.071	JCT FAP RTE 53	GOLDEN VALLEY	11 37 37	5.631	20	24	RMS	262	34	201	0	13	4	1	27	45	55	3.1
P028	96+0.673	JOLIET	CARBON	11 74 74	4.685	44	44	PMS	1941	388	344	8	26	10	3	13	60	55	1.9
P072	11+0.754	0.5 N BELFRY	CARBON	11 49 49	2.812	20	24	RMS	932	149	451	0	12	4	14	25	55	56	1.3
P053	15+0.901	ACTON	YELLOWSTONE	11 48 48	7.281	20	24	RMS	1039	135	584	0	9	9	12	27	57	57	3.1
P016	4+0.649	BILLINGS	YELLOWSTONE	11 77 77	7.049	40	40	PMS	1873	243	189	8	26	10	6	11	61	57	2.7
P078	0+0.472	RED LODGE	CARBON	11 52 52	5.580	24	24	RMS	592	97	556	4	15	7	1	27	54	58	2.6
P078	6+0.052	5.5 W RED LODGE	CARBON	11 53 53	7.264	24	24	RMS	303	49	278	0	15	6	1	27	49	58	3.7
P078	45+0.855	0.5 S COLUMBUS	STILLWATER	11 57 57	.591	28	28	RMS	1734	286	425	8	24	10	1	20	63	59	.2
P004	53+0.841	3.0 N YELLOWST CO	YELLOWSTONE	11 64 64	.432	68	68	PMS	5775	750	1424	7	22	10	9	22	70	59	.1
P048	1+0.344	0.8 N HARDIN	BIG HORN	11 41 63	5.459	21	24	RMS	831	116	453	3	17	8	5	26	59	60	2.2
P053	4+0.315	BILLINGS	YELLOWSTONE	11 63 63	2.024	32	32	PMS	4563	593	565	8	24	10	13	14	69	60	.6
P014	192+0.108	JCT FAS 310	MUSSELSHELL	11 39 39	3.283	20	24	RMS	461	59	357	0	9	8	9	28	54	60	1.5
P072	5+0.604	4.8 S BELFRY	CARBON	11 61 61	4.864	30	30	PMS	747	119	384	4	17	7	6	25	59	61	2.0
P078	13+0.316	12.8 W RED LODGE	CARBON	11 57 57	6.370	24	24	PMS	206	33	591	0	13	6	2	29	50	61	3.2
P028	101+0.121	0.6 S FAP 4	CARBON	11 68 68	.587	40	40	PMS	2328	465	662	6	19	10	12	19	66	61	.2
P014	195+0.388	3.3 E FAS 310	MUSSELSHELL	11 39 39	8.309	20	24	RMS	404	52	354	0	13	9	7	28	57	63	3.6

FINANCIAL DISTRICT NUMBER 11

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST BT IM	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	ADT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS FND	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P014	130+0.503	RYEGATE	GOLDEN VALLEY	11 37 37	2.478	20	24	RMS	844	109	333	0	11	6	20	25	62	63	.9
P028	47+0.309	2.3 N WYO BDRY	CARBON	11 65 65	6.415	28	28	PMS	442	99	291	5	17	10	0	25	57	63	2.8
P072	0+0.000	MONT-WYOMING LINE	CARBON	11 61 61	5.184	30	30	PMS	645	103	414	0	15	8	12	26	61	64	2.0
P004	33+0.798	0.6 N FROMBERG	CARBON	11 68 68	8.918	40	40	PMS	2732	355	643	7	22	10	9	22	70	64	2.7
P004	0+0.516	0.5 N WYO LINE	CARBON	11 56 63	12.924	32	32	PMS	966	125	569	0	17	10	10	27	64	64	4.7
P016	38+0.172	8.0 MI S KLEIN	MUSSELSHELL	11 65 65	8.038	32	32	PMS	1428	185	680	4	17	10	9	26	66	64	2.7
P048	0+2.507	HARDIN	BIG HORN	11 70 70	.192	40	40	PMS	3486	488	368	8	24	10	20	10	72	65	.1
P048	0+0.000	JCT FAI 90	BIG HORN	11 71 71	.294	40	40	PMS	2733	355	464	9	28	10	6	19	72	66	.1
P048	6+0.777	6.1 N HARDIN	BIG HORN	11 45 45	4.865	20	24	RMS	523	73	406	3	17	9	6	27	62	66	1.8
P048	0+1.916	HARDIN	BIG HORN	11 76 76	.555	48	48	PMS	2286	320	872	9	28	10	1	24	72	67	.2
P037	33+0.061	5.6 W ROSEBUD CO	BIG HORN	11 74 74	5.621	40	40	PMS	1153	155	151	9	27	10	7	15	68	67	1.8
P004	13+0.435	13.4 N WYO LINE	CARBON	11 59 59	5.773	32	32	PMS	1178	153	599	0	14	10	19	26	69	68	1.8
P004	33+0.199	FROMBERG	CARBON	11 54 54	.599	24	32	RMS	2613	339	828	4	16	10	20	24	74	69	.2
P014	158+0.003	6.3 E MUSSELS CO	MUSSELSHELL	11 56 56	2.482	24	28	RMS	298	38	586	2	15	10	5	29	61	69	1.0
P028	53+0.726	8.7 N WYO BDRY	CARBON	11 65 65	6.274	28	28	PMS	442	99	437	7	19	10	1	27	64	69	2.3
P028	45+0.000	MONT WYO BDRY	CARBON	11 65 65	2.331	28	28	PMS	442	99	658	6	17	10	3	28	64	69	.8
P004	54+0.307	JCT FAI 90	YELLOWSTONE	11 64 64	.224	68	68	PMS	6973	906	1424	7	22	10	20	20	79	70	
P048	0+0.294	0.3 S FAI 90	BIG HORN	11 76 76	.897	44	44	PMS	2756	358	806	9	28	10	6	23	76	71	.2
P053	46+0.272	LAVINA	GOLDEN VALLEY	11 56 56	.418	30	30	BST	978	127	535	2	13	10	20	26	71	71	.1
P079	0+0.000	JCT FAI 94 HYSHAM	TREASURE	11 64 64	1.953	30	30	PMS	552	71	576	5	22	10	3	28	68	72	.6
P004	0+0.000	WYOMING LINE	CARBON	11 49 49	.516	24	30	RMS	900	117	648	8	21	10	5	27	71	72	.1
P014	124+0.946	2.4 E GOLD VAL CO	GOLDEN VALLEY	11 56 71	4.540	28	28	PMS	853	110	486	3	16	10	15	27	71	72	1.3
P014	205+0.177	MELSTONE	MUSSELSHELL	11 46 63	1.991	20	24	RMS	449	71	538	0	10	10	20	28	68	73	.6
P016	29+0.682	4.5 N MUSSELSH CO	MUSSELSHELL	11 66 66	8.466	32	32	PMS	1288	167	548	7	21	10	11	25	74	73	2.2
P004	23+0.235	1.5 S FAP 72	CARBON	11 72 72	1.501	40	40	PMS	1656	215	266	8	26	10	15	18	77	74	.3
P028	90+0.985	BOYD	CARBON	11 74 74	4.433	40	40	PMS	1301	260	309	9	28	10	11	17	75	74	1.1
P072	5+0.118	5.1 N WYO-MONT	CARBON	11 70 70	.486	30	30	PMS	694	111	402	6	21	10	10	26	73	75	.1
P048	11+0.644	11.0 N HARDIN	BIG HORN	11 54 54	6.665	24	24	RMS	317	44	494	4	18	10	9	29	70	77	2.0
P016	21+0.519	3.5 S MUSSEL CO	YELLOWSTONE	11 68 68	1.739	40	40	PMS	1565	203	403	7	23	10	17	22	79	77	.4
P014	122+0.568	GOLDEN VALLEY CO	GOLDEN VALLEY	11 67 67	2.375	40	40	PMS	847	110	260	7	23	10	12	24	76	77	.6
P014	155+0.157	3.4 E MUSSELS CO	MUSSELSHELL	11 56 56	2.851	24	28	RMS	273	35	301	0	12	9	20	28	69	77	.9
P004	19+0.206	6.5 S BRIDGER	CARBON	11 72 72	4.035	40	40	PMS	1313	170	448	4	22	10	20	24	80	79	.8
P048	29+0.507	0.3 S JCT I 94	YELLOWSTONE	11 74 74	.302	34	34	PMS	657	91	399	10	30	10	2	27	79	81	.1
P078	25+0.103	CARBON-STILLWATER	STILLWATER	11 60 60	2.309	24	24	PMS	282	46	348	9	27	9	1	28	74	81	.6
P078	19+0.686	ROSCOE	CARBON	11 60 60	4.234	24	24	PMS	217	35	440	7	26	9	5	29	76	84	1.0
P061	7+0.094	6.0 N ROUNDUP	MUSSELSHELL	11 77 77	6.000	40	40	PMS	1064	138	200	10	30	10	17	20	87	87	.8
P037	27+0.205	2.7 E BUSBY	BIG HORN	11 76 76	5.843	40	40	PMS	1153	155	296	8	28	10	20	22	88	87	.7
P048	18+0.321	4.4 S YELLOWSTONE	BIG HORN	11 63 63	4.388	28	28	PMS	211	29	353	9	27	10	6	29	81	88	.8
P028	60+0.000	8.7 S REO LODGE	CARBON	11 69 69	4.227	34	34	PMS	485	109	447	8	25	10	17	26	86	88	.6
P004	24+0.737	JCT FAP 72	CARBON	11 72 72	.940	40	40	PMS	2364	307	828	9	28	10	20	24	91	89	.1
P078	47+0.250	COLUMBUS	STILLWATER	11 72 72	.433	44	44	PMS	1365	177	795	8	26	10	20	27	91	90	
P048	22+0.705	YELLOWSTONE CO	YELLOWSTONE	11 63 63	3.682	28	28	PMS	310	43	332	9	27	10	18	28	92	94	.3
P048	26+0.401	3.7 N YELLOWST CO	YELLOWSTONE	11 63 63	3.103	28	28	PMS	541	75	579	10	27	10	20	28	95	95	.2
P078	23+0.920	CARBON-STILLWATER	STILLWATER	11 60 60	.397	24	24	PMS	235	38	394	9	26	10	20	29	94	96	
P078	24+0.317	STILLWATER-CARBON	CARBON	11 60 60	.786	24	24	PMS	235	38	522	9	27	10	20	29	95	97	
		DISTRICT TOTAL			434.615														43 186.4



Percent Sufficient

- 0 - 40
- 41 - 60
- 61 - 100
- Under Construction As Of December 31, 1978

SUFFICIENCY RATING BY FINANCIAL DISTRICT 12

RURAL PRIMARY SYSTEM

FINANCIAL DISTRICT NUMBER 12

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	SECTION LENGTH	WIDTH SRF	RDY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P023	77+0.811	1.5 S FAP 37	POWDER RIVER	12 28 36	1.305	20	22	BST	1538	223	250	0	12	4	1	17	34	31	.9
P023	2+0.111	MILES CITY LIMITS	CUSTER	12 20 36	.061	25	25	RMS	3282	426	243	0	15	8	20	4	47	39	
P037	46+0.552	4.2 E LAME DEER	ROSEBUD	12 54 54	7.110	24	24	PMS	883	119	90	4	15	8	1	10	38	39	4.4
P023	2+0.172	JCT FAI RTE 94	CUSTER	12 20 36	3.282	25	25	RMS	1530	198	307	0	13	8	2	20	43	40	1.9
P039	31+0.745	9.0 NC COLSTRIP	ROSEBUD	12 49 70	4.830	24	24	RMS	620	93	243	0	11	5	1	24	41	44	2.8
P023	5+0.440	3.3 S FAI RTE 94	CUSTER	12 36 36	9.137	22	25	RMS	918	133	425	0	10	7	2	25	44	45	5.1
P023	44+0.152	6.4 N POWDER R CO	CUSTER	12 32 60	3.712	18	24	RMS	423	61	316	0	8	4	2	27	41	47	2.2
P023	83+0.090	JCT FAP RTE 54	POWDER RIVER	12 31 56	2.448	20	24	RMS	693	100	203	0	12	7	2	23	44	47	1.4
P039	42+0.430	8.8 SO JCT I 94	ROSEBUD	12 51 67	2.021	24	24	RMS	659	98	441	0	10	5	2	27	44	47	1.1
P023	79+0.767	BROADUS	POWDER RIVER	12 40 40	3.346	24	24	RMS	1122	162	297	0	11	9	7	22	49	48	1.7
P023	33+0.176	17.2 N POWDER R CO	CUSTER	12 31 60	10.961	18	24	RMS	450	65	438	0	7	4	4	28	43	49	6.2
P039	36+0.575	13.8 NO COLSTRIP	ROSEBUD	12 53 67	5.855	24	24	RMS	629	94	414	0	10	8	1	27	46	49	3.2
P002	4+0.822	MILES CITY	CUSTER	12 50 50	1.527	20	24	RMS	1649	214	551	3	13	10	4	24	54	50	.7
P027	29+0.146	JCT FAS RTE 322	FALLON	12 48 48	5.510	25	25	BST	779	101	393	0	7	9	6	26	48	50	2.9
P002	6+0.885	0.7 E JCT FAI 94	CUSTER	12 50 50	6.326	20	24	RMS	638	82	228	0	13	9	1	25	48	51	3.3
P002	70+0.895	PLEVNA	FALLON	12 39 39	11.726	24	30	RMS	851	110	286	0	14	10	2	24	50	51	5.9
P039	22+0.745	COLSTRIP	ROSEBUD	12 49 67	3.309	24	24	RMS	834	125	249	4	15	8	1	22	50	51	1.7
P037	42+0.082	LAME DEER FAP 39	ROSEBUD	12 54 54	4.469	24	24	PMS	1190	160	237	2	14	9	7	20	52	51	2.1
P002	0+0.000	194 W MILES CITY	CUSTER	12 62 62	.908	32	32	PMS	2054	232	488	6	16	10	2	23	57	52	.4
P023	85+0.569	2.4 S JCT FAP 54	POWDER RIVER	12 53 53	10.018	24	28	RMS	738	107	266	0	11	10	5	24	50	52	5.0
P018	23+0.937	3.9 N ROSEBUD CO	ROSEBUD	12 31 35	10.946	20	24	BST	305	39	448	0	8	7	1	29	45	53	6.0
P023	72+0.957	3.4 N FAP 37	POWDER RIVER	12 28 41	3.379	24	24	BST	492	71	221	2	11	8	2	25	48	53	1.8
P023	55+0.758	COALWOOD	POWDER RIVER	12 49 55	8.797	24	24	RMS	386	55	217	0	11	9	1	26	47	54	4.7
P018	20+0.059	ROSEBUD CO	ROSEBUD	12 28 35	3.899	20	24	BST	336	43	627	0	8	8	3	29	48	56	2.0
P039	26+0.054	3.3 NO COLSTRIP	ROSEBUD	12 49 70	5.691	24	24	RMS	666	99	301	4	17	6	1	25	53	56	2.7
P018	34+0.903	JCT FAS RTE 462	ROSEBUD	12 31 56	3.183	20	24	BST	180	23	422	0	7	7	2	29	45	57	1.8
P023	64+0.651	8.8 S COALWOOD	POWDER RIVER	12 29 41	8.397	24	24	BST	438	63	258	0	11	10	4	26	51	57	4.1
P023	47+0.867	2.7 N POWDER R CO	CUSTER	12 52 52	2.703	22	28	PMS	404	58	196	0	11	10	3	26	50	57	1.4
P037	53+0.681	11.3 E LAME DEER	ROSEBUD	12 54 54	8.693	24	24	PMS	904	122	258	4	17	9	3	23	56	57	3.8
P027	7+0.242	6.9 N EKALAKA	CARTER	12 50 50	4.818	22	24	PMS	312	40	220	0	12	10	1	27	50	58	2.4
P037	64+0.304	POWDER RIVER CO	POWDER RIVER	12 57 57	5.314	24	28	PMS	728	98	289	0	13	10	8	25	56	58	2.3
P002	84+0.000	BAKER	FALLON	12 68 68	5.059	40	40	PMS	985	128	599	3	16	10	3	27	59	59	2.1
P039	0+0.000	JCT 37 LAME DEER	ROSEBUD	12 64 64	4.230	24	24	PMS	585	87	431	4	17	7	0	27	55	59	1.9
P039	21+0.410	1.3 SO COLSTRIP	ROSEBUD	12 49 67	1.335	24	24	RMS	556	83	218	5	17	8	1	24	55	59	.6
P018	1+0.000	MILES CITY LIMITS	CUSTER	12 57 57	1.135	32	32	BST	1438	186	456	6	20	10	2	24	62	60	.4
P014	207+0.150	ROSEBUD CO	ROSEBUD	12 46 57	5.287	20	24	RMS	351	55	333	0	11	10	3	28	52	60	2.5
P027	12+0.063	FALLON CO	FALLON	12 50 50	10.442	22	24	PMS	298	38	387	0	7	10	6	29	52	61	5.0
P014	224+0.418	5.1 W INGOMAR	ROSEBUD	12 48 63	5.122	25	25	RMS	281	44	258	0	14	10	2	27	53	62	2.4
P023	50+0.580	POWDER RIVER CO	POWDER RIVER	12 52 60	5.179	24	28	RMS	379	54	642	0	10	10	6	29	55	62	2.3
P027	0+0.355	EKALAKA	CARTER	12 50 50	6.902	22	24	PMS	348	45	377	0	13	10	3	28	54	62	3.2
P023	108+0.475	HAMMOND	CARTER	12 55 73	11.000	28	28	PMS	763	110	486	0	11	10	12	27	60	62	4.4
P037	69+0.625	6.3 E POWDER R CO	POWDER RIVER	12 67 67	9.659	28	28	PMS	621	83	435	3	13	10	6	27	59	62	4.0
P054	0+0.000	WYOMING LINE	POWDER RIVER	12 59 66	9.121	24	24	BST	230	29	327	0	11	10	2	29	52	63	4.4
P027	35+0.755	BAKER	FALLON	12 57 60	8.648	28	28	RMS	712	92	492	0	8	10	16	27	61	63	3.4
P014	229+0.532	INGOMAR	ROSEBUD	12 55 63	12.892	20	20	RMS	280	44	290	0	14	9	4	28	55	64	5.8
P037	62+0.327	ASHLAND	ROSEBUD	12 57 57	1.966	24	28	PMS	876	118	435	4	16	10	7	26	63	64	.7
P027	22+0.502	JCT FAS RTE 494	FALLON	12 48 48	6.612	25	25	BST	455	59	418	0	8	9	15	28	60	65	2.6
P018	13+0.047	7.0 S ROSEBUD CO	CUSTER	12 63 63	5.000	30	30	PMS	360	46	663	2	13	10	5	29	59	66	2.1
P037	82+0.471	CUSTER FOR BURY	POWDER RIVER	12 67 67	2.271	28	28	PMS	593	80	289	4	16	10	6	26	62	66	.9
P014	212+0.433	5.3 E ROSEBUD CO	ROSEBUD	12 46 57	4.717	20	24	RMS	296	47	357	0	10	10	10	28	58	67	2.0
P018	2+0.123	1.1 N MILES CITY	CUSTER	12 64 64	10.937	32	32	PMS	517	67	580	4	14	10	8	28	64	68	3.9
P014	259+0.489	7.2 E VANADA	ROSEBUD	12 54 54	5.579	24	24	RMS	231	36	450	0	15	10	4	29	58	68	2.3
P014	252+0.337	VANADA	ROSEBUD	12 54 54	7.162	24	24	RMS	221	35	258	2	15	10	3	28	58	69	3.0
P014	217+0.153	10.0 E ROSEBUD CO	ROSEBUD	12 48 63	7.269	25	25	RMS	248	39	408	0	15	10	5	29	59	69	3.0
P023	95+0.564	6.0 N CARTER CO	POWDER RIVER	12 54 54	6.028	24	28	RMS	741	107	732	0	10	10	20	28	68	70	1.9

FINANCIAL DISTRICT NUMBER 12

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	ST	IM	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	AOT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P002	89+0.046	5.1 E BAKER	FALLON	12	68	68	6.442	40	40	PMS	602	78	629	3	17	10	10	28	68	71	2.1
P023	76+0.303	JCT FAP RTE 37	POWDER RIVER	12	69	69	1.530	28	28	PMS	1298	188	276	8	26	10	10	20	74	72	.4
P023	101+0.585	CARTER CO	CARTER	12	54	54	6.878	24	28	RMS	713	103	462	2	11	10	20	27	70	72	2.1
P014	242+0.413	AHLES	ROSEBUD	12	50	63	9.949	20	24	RMS	235	37	354	0	14	9	12	28	63	73	3.7
P018	18+0.057	2.0 S ROSEBUD CO	CUSTER	12	28	35	2.023	20	24	BST	347	45	655	0	9	8	20	29	66	73	.7
P037	79+0.284	15.0 E POWDER R CO	POWDER RIVER	12	67	67	3.193	28	28	PMS	552	74	252	5	17	10	13	26	71	74	.9
P002	34+0.095	2.6 E LOCATE	CUSTER	12	65	65	11.760	40	40	PMS	399	51	569	5	17	10	10	29	71	76	3.4
P002	6+0.197	I 94 E MILES CITY	CUSTER	12	62	62	.688	32	32	PMS	638	82	235	7	19	10	14	25	75	77	.2
P037	95+0.715	EPSIE	POWDER RIVER	12	60	69	7.908	28	28	PMS	699	94	368	7	25	10	7	26	75	77	2.0
P037	84+0.754	2.1 E FOR BORY	POWDER RIVER	12	58	69	10.979	28	28	PMS	685	92	435	5	18	10	17	27	77	79	2.5
P014	270+0.888	FORSYTH SPUR	ROSEBUD	12	77	77	.332	28	28	PMS	1889	245	448	8	24	10	20	22	84	81	.1
P039	13+0.279	9.5 SO COLSTRIP	ROSEBUD	12	58	78	.664	26	26	PMS	332	49	264	9	30	10	1	27	77	82	.2
P054	9+0.128	BIDDLE	POWDER RIVER	12	68	68	8.767	30	32	PMS	296	38	529	7	24	10	7	29	77	83	2.0
P037	41+0.208	0.8 W LAME DEER	ROSEBUD	12	75	75	.872	48	48	PMS	1549	209	272	10	30	10	17	18	85	83	.1
P002	45+0.879	5.9 W FALLON CO	CUSTER	12	67	67	5.873	40	40	PMS	405	52	406	6	16	10	20	28	80	84	1.2
P002	51+0.731	FALLON CO	FALLON	12	67	67	6.054	40	40	PMS	432	56	431	6	16	10	20	28	80	84	1.2
P037	38+0.689	ROSEBUD CO	ROSEBUD	12	75	75	.873	40	40	PMS	1211	163	168	10	30	10	20	15	85	84	.1
P002	57+0.772	JCT. FAS RTE. 320	FALLON	12	58	72	12.362	32	32	PMS	542	70	592	6	24	10	15	28	83	85	2.1
P027	44+0.455	8.6 N BAKER	FALLON	12	58	78	10.261	28	28	PMS	428	55	368	9	27	10	9	28	83	86	1.7
P014	265+0.114	12.6 E VANADA	ROSEBUD	12	57	75	5.387	32	32	PMS	300	47	546	10	30	10	3	29	82	87	1.0
P039	13+0.943	8.8 SO COLSTRIP	ROSEBUD	12	58	77	7.467	26	26	PMS	393	58	396	9	30	10	7	28	84	87	1.2
P039	4+0.230	NO CHEYENNE IND R	ROSEBUD	12	64	78	9.049	26	26	PMS	314	47	418	9	30	10	5	28	82	87	1.6
P037	39+0.577	0.8 E ROSEBUD CO	ROSEBUD	12	75	75	1.113	48	48	PMS	1345	181	272	9	30	10	20	20	89	88	.1
P054	17+0.695	8.8 N BIDDLE	POWDER RIVER	12	74	75	5.910	30	30	PMS	344	44	530	8	27	10	11	29	85	89	.9
P002	13+0.171	7.0 E JCT FAI 94	CUSTER	12	70	70	7.734	34	34	PMS	600	78	448	7	24	10	20	27	88	89	.9
P023	119+0.471	20.4 N WYO LINE	CARTER	12	55	78	10.845	26	26	PMS	780	113	513	7	25	10	20	27	89	89	1.2
P023	130+0.301	9.6 N WYO LINE	CARTER	12	65	78	9.551	34	34	PMS	870	130	585	7	25	10	20	27	89	89	1.1
P023	27+0.820	22.7 N POWDER R CO	CUSTER	12	77	77	5.365	34	34	PMS	477	69	585	9	28	10	13	28	88	90	.6
P014	270+0.819	FORSYTH	ROSEBUD	12	77	77	.068	40	40	PMS	765	121	230	10	30	10	20	22	92	92	
P023	14+0.655	12.4 S FAI RTE 94	CUSTER	12	62	76	13.187	28	28	PMS	501	72	522	8	27	10	20	28	93	94	.9
P054	23+0.736	5.6 S FA RTE 23	POWDER RIVER	12	76	76	5.516	30	30	PMS	349	45	512	9	27	10	20	29	95	96	.3
P037	40+0.709	1.3 W LAME DEER	ROSEBUD	12	75	75	.522	56	56	PMS	1456	196	1608	10	30	10	20	28	98	97	
P002	27+0.464	4.1 W LOCATE	CUSTER	12	73	73	6.279	34	34	PMS	415	53	448	10	30	10	20	28	98	98	.1
P002	20+0.912	10.6 W LOCATE	CUSTER	12	75	75	6.532	34	34	PMS	481	62	425	10	30	10	20	28	98	98	.1
P039	44+0.451	6.8 SC JCT I 94	ROSEBUD	12			6.767	UNDER CONSTRUCTION													
		DISTRICT TOTAL					525.933													36	187.0
		SYSTEM TOTAL					5266.401													392	080.1

Urban Deficiency Ratings by Federal Aid Route And City

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST +	MILEPOST .	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
						ND LANES	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	AVERAGE DAILY TRAFFIC	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
1	13	947	1	TROY	1.33	2	24	30	3	6	2200	24	44	3	12	0	0	0	133	200	32	36.5	0.48
1	31	889	1	LIBBY	0.29	4	68	68	3	12	8632	68	68	3	12	0	0	0	0	0	0	0.0	0.00
1	32	180	1	LIBBY	0.13	4	68	68	3	12	9506	68	68	3	12	0	0	0	0	0	0	0.0	0.00
1	32	313	1	LIBBY	0.43	4	68	68	3	12	10150	68	68	3	12	0	0	0	0	0	0	0.0	0.00
1	119	622	1	KALISPELL	0.57	4	48	48	3	12	5904	48	68	3	12	0	0	0	0	0	29	2.9	0.01
1	120	185	1	KALISPELL	0.21	4	80	80	3	12	12555	80	80	3	12	0	0	0	0	0	0	0.0	0.00
1	120	397	1	KALISPELL	0.51	4	45	61	3	12	12903	48	68	3	12	0	0	0	19	0	10	2.9	0.01
1	120	903	1	KALISPELL	0.64	4	45	61	3	12	16855	48	68	3	12	0	0	0	19	0	10	2.9	0.01
1	121	631	1	KALISPELL	0.18	4	52	52	3	12	18882	52	68	3	12	0	0	0	0	0	24	2.4	0.00
1	121	813	1	KALISPELL	0.70	4	66	66	3	12	18743	66	68	3	12	0	0	0	0	0	3	0.3	0.00
1	122	354	1	KALISPELL	0.56	4	64	64	3	12	13490	64	68	3	12	0	0	0	0	0	6	0.6	0.00
1	122	916	1	KALISPELL	0.30	2	44	44	3	12	8236	48	68	3	12	0	0	0	25	0	35	6.0	0.01
1	221	881	2	BROWNING	0.48	4	64	64	3	12	7443	64	68	3	12	0	0	0	0	0	6	0.6	0.00
1	221	1362	2	BROWNING	0.24	4	68	68	3	12	5827	68	68	3	12	0	0	0	0	0	0	0.0	0.00
1	254	524	2	CUT BANK	0.05	3	42	42	3	10	2695	42	56	3	12	0	0	93	50	50	25	21.8	0.01
1	254	807	2	CUT BANK	0.28	2	60	60	3	10	4615	60	60	3	12	0	0	0	50	50	0	10.0	0.02
1	255	134	2	CUT BANK	0.61	2	50	50	3	10	5740	50	68	3	12	0	0	0	50	50	26	12.6	0.07
1	255	741	2	CUT BANK	0.29	2	48	48	3	12	3763	48	48	3	12	0	0	0	0	0	0	0.0	0.00
1	279	228	2	SHELBY	0.21	2	57	60	3	12	5925	57	68	3	12	0	0	0	50	0	12	6.2	0.01

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
					NO LANES	WIDTH		DEPTH		AVERAGE DAILY TRAFFIC	WIDTH		DEPTH		EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
						SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
1	279.437	2	SHELBY	0.27	2	52	52	3	12	7606	52	68	3	12	0	0	0	50	0	24	7.4	0.02
1	279.709	2	SHELBY	0.07	2	24	44	3	12	6134	48	68	3	12	0	0	0	175	0	35	21.0	0.01
1	279.778	2	SHELBY	0.18	2	24	31	3	12	4662	24	44	3	12	0	0	0	50	0	30	8.0	0.01
1	279.958	2	SHELBY	0.15	2	32	32	3	12	1718	32	44	3	12	0	0	0	0	0	27	2.7	0.00
1	321.778	2	CHESTER	0.87	2	46	46	3	12	2360	46	48	3	12	0	0	0	0	0	4	0.4	0.00
1	347.718	2	HINGHAM	0.50	2	32	32	3	12	1248	32	44	3	12	0	0	0	0	0	27	2.7	0.01
1	380.679	2	HAVRE	0.64	3	40	40	2	12	5615	40	56	3	12	0	0	0	167	100	29	29.6	0.18
1	381.318	2	HAVRE	0.18	4	70	70	3	12	5799	70	70	3	12	0	0	0	0	0	0	0.0	0.00
1	381.503	2	HAVRE	1.14	4	70	70	3	12	9460	70	70	3	12	0	0	0	0	0	0	0.0	0.00
1	382.640	2	HAVRE	0.43	4	67	67	3	12	10430	67	68	3	12	0	0	0	0	0	1	0.1	0.00
1	383.68	2	HAVRE	0.60	4	67	67	3	12	7127	67	68	3	12	0	0	0	0	0	1	0.1	0.00
1	383.665	2	HAVRE	0.15	2	24	30	3	12	6092	48	68	3	12	0	0	0	175	0	56	23.1	0.03
1	403.595	2	CHINOOK	0.50	2	48	48	3	12	3480	48	48	3	12	0	0	0	0	0	0	0.0	0.00
1	424.649	2	HARLEM	0.06	2	40	40	3	12	1755	40	44	3	12	0	0	0	0	0	9	0.9	0.00
1	453.653	3	OOOSDN	0.37	2	40	40	3	12	1335	40	48	3	12	0	0	0	0	0	17	1.7	0.00
1	454.146	3	OOOSDN	0.40	2	24	30	2	6	1340	24	44	3	12	0	0	0	167	200	32	39.9	0.16
1	471.689	3	MALTA	0.08	2	24	42	2	12	2635	24	44	3	12	0	0	0	167	100	5	27.2	0.02
1	471.769	3	MALTA	0.11	2	30	30	2	8	2715	30	44	3	12	0	0	0	167	167	32	36.6	0.04
1	471.884	3	MALTA	0.48	2	41	41	3	12	2740	41	44	3	12	0	0	0	0	0	7	0.7	0.00

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST + .	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
					NO LANES	WIDTH		DEPTH		AVERAGE DAILY TRAFFIC	WIDTH		DEPTH		EXCESS GRADES	EXCESS CURVES	SIGHT OISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
						SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
1	499 130	3	SACO	0.18	2	24	32	3	8	1376	24	44	3	12	0	0	0	133	167	27	32.7	0.05
1	499 313	3	SACO	0.74	2	24	28	2	12	1455	24	44	3	12	0	0	0	167	100	36	30.3	0.22
1	540 985	3	GLASGOW	0.11	2	24	26	3	12	3537	24	44	3	12	0	0	0	50	0	41	9.1	0.01
1	541 427	3	GLASGOW	0.21	2	24	32	3	12	7918	48	68	3	12	0	0	0	217	100	53	37.0	0.07
1	541 639	3	GLASGOW	0.08	4	48	68	3	12	8288	48	68	3	12	0	0	0	0	0	0	0.0	0.00
1	541 718	3	GLASGOW	0.80	4	48	68	3	12	6310	48	68	3	12	0	0	0	0	0	0	0.0	0.00
1	555 152	3	NASHUA	0.75	2	32	32	3	12	1305	32	44	3	12	0	0	0	0	0	27	2.7	0.02
1	555 994	3	NASHUA	0.14	2	32	32	3	12	1578	32	44	3	12	0	0	0	0	0	27	2.7	0.00
1	590 383	3	WLF POINT	0.22	4	68	84	3	12	3143	68	84	3	12	0	0	0	0	0	0	0.0	0.00
1	590 602	3	WLF POINT	0.36	4	68	84	3	12	5132	68	84	3	12	0	0	0	0	0	0	0.0	0.00
1	590 960	3	WLF POINT	0.45	4	48	68	3	12	4174	48	68	3	12	0	0	0	0	0	0	0.0	0.00
1	611 551	3	POPLAR	0.08	2	34	60	3	12	4172	34	60	3	12	0	0	0	0	0	0	0.0	0.00
1	611 636	3	POPLAR	0.29	2	62	62	3	12	4653	62	62	3	12	0	0	0	0	0	0	0.0	0.00
*1	625 605	3	BROCKTON	0.53	2	42	42	3	7	1400	42	44	3	12	0	0	0	0	125	5	13.0	0.06
1	644 245	3	CLBERTSON	0.30	2	32	44	3	12	1280	32	44	3	12	0	0	0	0	0	0	0.0	0.00
1	644 550	3	CLBERTSON	0.46	2	32	44	3	12	2761	32	44	3	12	0	0	0	0	0	0	0.0	0.00
			TOTAL FAP 1	20.89																	7.4	1.54
2	0 908	12	MILES CTY	0.63	2	24	30	3	11	2496	24	44	3	12	0	0	0	50	25	32	10.7	0.06
2	1 543	12	MILES CTY	0.69	2	22	28	3	11	2938	24	44	3	12	0	0	0	147	117	36	30.0	0.20

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST + .	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
					NO LANES	WIDTH		DEPTH		AVERAGE DAILY TRAFFIC	WIDTH		DEPTH		EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
						SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
2	2 230	12	MILES CTY	0.33	2	20	24	3	11	5736	24	44	3	12	0	0	0	161	117	45	32.3	0.1
2	2 562	12	MILES CTY	0.19	2	54	54	3	5	8814	54	68	3	12	0	0	0	100	217	21	33.8	0.0
2	2 756	12	MILES CTY	0.44	2	54	54	3	6	12481	54	68	3	12	0	0	0	133	200	21	35.4	0.1
2	3 194	12	MILES CTY	0.55	2	22	36	3	8	5754	48	68	3	12	0	0	0	224	167	47	43.8	0.24
2	3 745	12	MILES CTY	1.08	2	24	32	2	12	4295	24	44	3	12	0	0	0	167	100	27	29.4	0.31
2	70 138	12	PLEVNA	0.35	2	24	30	1	6	545	24	44	3	12	0	0	0	267	200	32	49.9	0.17
2	70 493	12	PLEVNA	0.40	2	22	30	1	6	815	24	44	3	12	0	0	0	269	200	32	50.1	0.20
2	82 616	12	BAKER	0.44	2	43	43	3	12	3443	43	44	3	12	0	0	0	0	0	2	0.2	0.00
2	83 54	12	BAKER	0.71	2	43	43	3	12	3346	43	44	3	12	0	0	0	0	0	2	0.2	0.00
2	83 762	12	BAKER	0.22	2	44	44	3	12	1800	44	44	3	12	0	0	0	100	100	0	20.0	0.04
			TOTAL FAP 2	6.03																	25.4	1.53
3	23 172	6	FAIRFIELD	0.11	2	20	22	3	6	1897	24	44	3	12	0	0	0	133	200	50	38.3	0.04
3	23 283	6	FAIRFIELD	0.19	2	22	40	3	6	2932	24	44	3	12	0	0	0	117	200	9	32.6	0.06
3	23 475	6	FAIRFIELD	0.23	2	72	72	3	6	2755	72	72	3	12	0	0	0	100	200	0	30.0	0.06
3	23 704	6	FAIRFIELD	0.15	2	22	32	3	6	1738	24	44	3	12	0	0	0	117	200	27	34.4	0.05
3	23 856	6	FAIRFIELD	0.18	2	20	22	3	6	1115	24	44	3	12	0	0	0	133	200	50	38.3	0.06
3	40 463	6	CHOTEAU	0.61	2	24	36	3	9	1566	24	44	3	12	0	0	0	133	150	18	30.1	0.18
3	41 94	6	CHOTEAU	0.12	2	48	48	3	9	2533	48	48	3	12	0	0	0	133	150	0	28.3	0.03
3	41 214	6	CHOTEAU	0.46	2	70	70	3	3	4582	70	70	3	12	0	0	0	100	250	0	35.0	0.16

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST +	MILEPOST .	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
						NO. LANES	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	AVERAGE DAILY TRAFFIC	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
3	41	676	6	CHOTEAU	0.28	2	24	30	3	4	3123	24	44	3	12	0	0	0	100	233	32	36.5	0.10
				TOTAL FAP 3	2.33																	31.8	0.74
4	25	676	11	BRIDGER	0.07	2	40	40	3	12	2803	40	44	3	12	0	0	0	0	0	9	0.9	0.00
4	25	748	11	BRIDGER	0.47	4	80	80	3	12	3242	80	80	3	12	0	0	0	0	0	0	0.0	0.00
4	26	215	11	BRIDGER	0.07	2	24	30	3	4	2809	24	44	3	12	0	0	0	100	233	32	36.5	0.02
4	32	773	11	FROMBERG	0.20	2	24	32	2	12	2588	24	44	3	12	0	0	0	100	0	27	12.7	0.02
4	32	973	11	FROMBERG	0.23	2	24	44	2	12	2675	24	44	3	12	0	0	0	100	0	0	10.0	0.02
4	54	531	11	LAUREL	0.16	2	24	34	2	5	6973	24	44	3	12	0	0	0	200	217	23	44.0	0.06
4	54	688	11	LAUREL	0.09	2	28	28	3	5	6973	28	44	3	12	0	0	0	100	217	36	35.3	0.03
4	54	783	11	LAUREL	0.52	2	60	83	3	4	5068	60	83	3	12	0	0	0	100	233	0	33.3	0.17
				TOTAL FAP 4	1.81																	17.7	0.32
5	32	613	1	ST IGNATS	0.15	2	32	32	3	12	3026	32	44	3	12	0	0	0	0	0	27	2.7	0.00
5	46	572	1	RONAN	0.77	2	44	44	3	12	7305	44	44	3	12	0	0	39	0	0	0	3.9	0.02
5	59	335	1	POLSON	0.98	2	40	40	3	12	7564	48	68	3	12	0	0	0	50	0	41	9.1	0.08
5	60	330	1	POLSON	0.39	2	40	40	3	12	7712	48	68	3	12	0	0	0	50	0	41	9.1	0.03
5	60	719	1	POLSON	0.29	2	40	40	3	12	4653	40	44	3	12	0	0	0	0	0	9	0.9	0.00
5	109	612	1	KALISPELL	1.37	2	38	38	2	12	6846	48	68	3	12	0	0	0	142	0	44	18.6	0.25
5	110	965	1	KALISPELL	0.61	2	38	38	2	12	9530	48	68	3	12	0	0	0	142	0	44	18.6	0.11
5	111	584	1	KALISPELL	0.41	4	48	60	3	12	12025	48	68	3	12	0	0	0	0	0	12	1.2	0.00

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST + .	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
					NO. LANES	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	AVERAGE DAILY TRAFFIC	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
5	112 14	1	KALISPELL	0.67	4	48	60	3	12	15276	48	68	3	12	0	0	0	100	100	12	21.2	0.14
5	112 687	1	KALISPELL	0.39	4	64	70	3	12	9708	64	70	3	12	0	0	0	100	100	0	20.0	0.07
5	113 46	1	KALISPELL	0.78	4	48	64	3	12	7896	48	68	3	12	0	0	0	0	0	6	0.6	0.00
5	114 124	1	KALISPELL	0.74	2	80	80	3	12	6725	80	80	3	12	0	0	0	0	0	0	0.0	0.00
5	126 948	1	WHITEFISH	0.47	2	24	26	3	12	10265	48	68	3	12	0	0	0	150	0	47	19.7	0.09
5	127 433	1	WHITEFISH	0.28	2	40	40	3	12	9356	48	68	3	12	0	0	0	50	0	41	9.1	0.02
5	127 710	1	WHITEFISH	0.20	2	46	46	3	5	7724	48	68	3	12	0	0	0	108	217	32	35.7	0.07
5	127 909	1	WHITEFISH	0.16	2	22	30	3	5	5290	24	44	3	12	0	0	0	117	217	32	36.6	0.05
5	128 78	1	WHITEFISH	0.41	2	22	23	3	6	4800	24	44	3	12	0	0	0	208	150	48	50.6	0.20
5	178 89	1	EUREKA	0.48	2	22	24	2	5	1690	24	44	3	12	0	0	0	178	217	45	44.0	0.20
5	178 566	1	EUREKA	0.56	2	24	30	3	5	2262	24	44	3	12	0	0	27	133	217	32	40.9	0.23
5	179 175	1	EUREKA	0.19	2	24	50	3	6	3420	24	50	3	12	0	0	134	100	200	0	43.4	0.08
5	179 361	1	EUREKA	0.33	2	24	30	3	5	3571	24	44	3	12	0	0	15	100	217	32	36.4	0.12
			TOTAL FAP 5	10.63																	16.6	1.76
6	50 498	8	THMPSN FL	0.40	2	24	32	2	12	3352	24	44	3	12	0	0	0	67	100	27	29.4	0.11
6	50 901	8	THMPSN FL	0.65	2	40	40	3	5	3346	40	44	3	12	0	0	0	133	217	9	35.9	0.23
6	75 707	8	PLAINS	0.45	2	40	40	3	5	2933	40	44	3	12	0	0	0	0	175	9	18.4	0.08
6	76 158	8	PLAINS	0.10	2	20	30	3	3	3653	24	44	3	12	0	0	0	133	250	32	41.5	0.04
			TOTAL FAP 6	1.60																	28.8	0.46

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST +	MILEPOST .	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS					DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
						NO. LANES	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	AVERAGE DAILY TRAFFIC	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
7	30	484	8	DARBY	0.12	2	22	26	2	6	2732	24	44	3	12	0	0	0	208	200	41	44.9	0.05
7	30	603	8	DARBY	0.28	2	22	42	3	4	3315	24	44	3	12	0	0	0	117	233	5	35.5	0.10
7	30	887	8	DARBY	0.40	2	22	36	3	4	2880	24	44	3	12	0	0	0	224	267	18	50.9	0.20
7	46	619	8	HAMILTON	0.70	2	24	36	3	12	8084	48	68	3	12	0	0	0	200	100	47	34.7	0.24
7	47	307	8	HAMILTON	0.02	2	60	60	3	6	10280	60	68	3	12	0	0	0	100	200	12	31.2	0.00
7	47	325	8	HAMILTON	0.66	2	24	36	3	10	8456	48	68	3	12	0	0	0	200	133	47	38.0	0.25
7	90	152	8	MISSOULA	0.10	4	48	68	3	12	9010	48	68	3	12	0	0	0	0	0	0	0.0	0.00
7	90	250	8	MISSOULA	0.38	4	88	88	3	12	10761	88	88	3	12	0	0	0	0	0	0	0.0	0.00
7	90	627	8	MISSOULA	0.79	4	88	88	3	12	12872	88	88	3	12	0	0	0	0	0	0	0.0	0.00
7	91	411	8	MISSOULA	0.50	4	40	54	3	2	15930	48	68	3	12	0	0	0	133	267	21	42.1	0.20
7	91	909	8	MISSOULA	0.66	4	40	54	3	2	19600	48	68	3	12	0	0	0	133	267	21	42.1	0.27
7	92	832	8	MISSOULA	0.40	4	48	56	3	2	16955	48	68	3	12	0	0	0	100	267	18	38.5	0.15
7	93	218	8	MISSOULA	0.65	2	40	40	1	4	14685	48	68	3	12	0	0	0	272	233	41	54.4	0.35
7	93	868	8	MISSOULA	0.08	4	48	55	2	6	18482	48	68	3	12	0	0	0	100	150	19	26.9	0.02
7	94	41	8	MISSOULA	0.07	2	40	40	3	8	22858	40	44	3	12	0	0	0	50	100	9	15.9	0.01
7	94	110	8	MISSOULA	1.14	4	88	88	3	12	14106	88	88	3	12	0	0	0	0	0	0	0.0	0.00
7	95	250	8	MISSOULA	0.19	4	56	60	3	12	16488	56	60	3	12	0	0	0	0	0	0	0.0	0.00
7	95	438	8	MISSOULA	0.07	4	56	76	3	12	18869	56	76	3	12	0	0	0	0	0	0	0.0	0.00
				TOTAL FAP 7	7.21																	25.5	1.84

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
					NO LANES	WIDTH		DEPTH		AVERAGE DAILY TRAFFIC	WIDTH		DEPTH		EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
						SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
8	39.654	7	HELENA	0.93	2	20	30	2	2	3730	24	44	3	12	0	0	0	189	267	32	48.8	0.45
8	40.550	7	HELENA	0.14	4	72	72	3	12	5168	72	72	3	12	0	0	0	0	0	0	0.0	0.00
8	40.691	7	HELENA	1.29	4	72	72	3	12	7870	72	72	3	12	0	0	0	0	0	0	0.0	0.00
8	41.429	7	HELENA	1.11	4	72	72	3	12	14163	72	72	3	12	0	0	0	0	0	0	0.0	0.00
8	43.57	7	HELENA	0.45	4	74	74	3	12	14697	74	74	3	12	0	0	0	0	0	0	0.0	0.00
8	43.503	7	HELENA	0.53	4	60	60	3	12	11177	60	68	3	12	0	0	0	50	0	12	6.2	0.03
8	44.29	7	HELENA	0.57	4	64	64	3	12	19143	64	68	3	12	0	0	0	50	0	6	5.6	0.03
8	44.597	7	HELENA	0.63	4	48	72	3	12	19740	48	72	3	12	0	0	0	0	0	0	0.0	0.00
8	44.1223	7	HELENA	0.19	4	48	80	3	12	18009	48	80	3	12	0	0	0	0	0	0	0.0	0.00
8	45.140	7	HELENA	0.79	4	48	72	3	12	16325	48	72	3	12	0	0	0	0	0	0	0.0	0.00
8	45.931	7	HELENA	0.21	4	48	80	3	12	10936	48	80	3	12	0	0	0	0	0	0	0.0	0.00
8	45.1140	7	HELENA	0.33	4	60	76	3	12	14500	60	76	3	12	0	0	0	0	0	0	0.0	0.00
8	45.1471	7	HELENA	0.68	4	95	95	3	12	10930	95	95	3	12	0	0	0	0	0	0	0.0	0.00
8	48.536	7	E HELENA	1.03	4	88	88	3	12	5150	88	88	3	12	0	0	0	0	0	0	0.0	0.00
8	76.981	7	TOWNSEND	0.56	2	32	32	3	10	4365	32	44	3	12	0	0	0	0	50	27	7.7	0.04
8	77.531	7	TOWNSEND	0.55	2	24	32	3	11	3601	24	44	3	12	0	0	0	50	25	27	10.2	0.05
			TOTAL FAP 8	9.99																	6.0	0.60
9	64.40	6	CHOTEAU	0.44	2	22	24	2	4	1099	24	44	3	12	0	0	11	208	233	45	49.7	0.21
9	64.476	6	CHOTEAU	0.12	2	24	36	2	4	1400	24	44	3	12	0	0	0	200	233	18	45.1	0.05

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST +	.	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
						NO. LANES	WIDTH		DEPTH		AVERAGE DAILY TRAFFIC	WIDTH		DEPTH		EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	RDADWAY	TOTAL	
							SURFACE	RDADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
9	64	596	6	CHOTEAU	0.16	2	34	34	2	4	1535	34	44	3	12	0	0	0	200	233	23	45.6	0.07
9	64	756	6	CHOTEAU	0.03	2	34	48	2	4	1670	34	48	3	12	0	0	0	200	233	0	43.3	0.01
				TOTAL FAP 9	0.75																	45.3	0.34
10	0	0	6	GT FALLS	2.74	4	70	70	3	8	15213	70	70	3	12	0	0	0	0	100	0	10.0	0.27
10	1	83	6	GT FALLS	0.45	4	88	88	3	12	14685	88	88	3	12	0	0	0	0	0	0	0.0	0.00
10	1	533	6	GT FALLS	0.24	4	68	68	3	12	14417	68	68	3	12	0	0	0	0	0	0	0.0	0.00
10	1	777	6	GT FALLS	1.09	4	62	62	3	12	8495	62	68	3	12	0	0	0	0	0	9	0.9	0.00
10	3	276	6	GT FALLS	0.26	4	48	64	3	12	4015	48	68	3	12	0	0	0	0	0	6	0.6	0.00
10	79	360	6	BIG SANDY	0.22	2	22	24	1	5	2049	24	44	3	12	0	0	0	269	217	45	53.1	0.11
10	79	580	6	BIG SANDY	0.42	2	24	26	2	9	1685	24	44	3	12	0	0	0	200	150	41	39.1	0.16
				TOTAL FAP 10	5.42																	10.0	0.54
11	51	812	10	LVNGSTN	1.10	2	32	32	3	12	3400	32	44	3	12	0	0	0	0	0	27	2.7	0.02
11	52	915	10	LVNGSTN	0.14	4	68	68	3	12	4160	68	68	3	12	0	0	0	0	0	0	0.0	0.00
11	53	68	10	LVNGSTN	0.17	4	68	68	3	12	7952	68	68	3	12	0	0	0	0	0	0	0.0	0.00
11	53	242	10	LVNGSTN	0.51	2	24	42	3	12	7952	48	68	3	12	0	0	0	150	0	38	18.8	0.09
11	53	757	10	LVNGSTN	0.41	2	44	44	3	12	9655	48	68	3	12	0	0	0	25	0	35	6.0	0.02
11	54	122	10	LVNGSTN	0.26	2	46	46	3	12	10362	48	68	3	12	0	0	0	108	100	32	24.0	0.06
11	54	380	10	LVNGSTN	0.11	2	36	46	3	5	7684	48	68	3	12	0	0	0	150	217	32	39.9	0.04
11	54	495	10	LVNGSTN	0.51	2	36	42	3	6	7208	48	68	3	12	0	0	0	150	200	38	38.8	0.19

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST		FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
						NO LANES	WIDTH		DEPTH		AVERAGE DAILY TRAFFIC	WIDTH		DEPTH		EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
	+	.					SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
11	55	9	10	LVNGSTN	0.36	2	24	40	3	6	5515	24	44	3	12	0	0	0	100	200	9	30.9	0.11
11	55	366	10	LVNGSTN	0.51	2	20	24	3	3	3265	48	68	3	12	0	0	0	217	250	65	53.2	0.27
				TOTAL FAP 11	4.08																	19.6	0.80
12	8	618	10	W YLWSTN	0.67	2	18	50	3	2	2815	24	50	3	12	0	0	0	238	283	0	52.1	0.35
				TOTAL FAP 12	0.67																	52.2	0.35
13	48	642	9	ENNIS	0.55	2	70	70	2	4	2574	70	70	3	12	0	0	9	200	233	0	44.2	0.24
13	49	180	9	ENNIS	0.07	2	22	30	2	4	1102	24	44	3	12	0	0	0	208	233	32	47.3	0.03
13	95	730	10	TH FORKS	0.36	2	22	34	3	3	1621	24	44	3	12	0	0	0	117	250	23	39.0	0.14
13	96	91	10	TH FORKS	0.46	2	72	72	3	5	3867	72	72	3	12	0	0	0	100	217	0	31.7	0.14
				TOTAL FAP 13	1.44																	38.2	0.55
14	0	0	7	TOWNSENO	0.34	2	56	56	3	12	4550	56	68	3	12	0	0	0	0	0	18	1.8	0.00
14	0	346	7	TOWNSEND	0.26	2	51	51	3	12	5793	51	68	3	12	0	0	0	0	0	25	2.5	0.00
14	0	605	7	TOWNSENO	0.28	2	32	32	3	12	4629	32	44	3	12	0	0	0	0	0	27	2.7	0.00
14	41	678	10	W SUL SPG	0.49	2	40	40	3	12	2222	40	40	3	12	0	0	0	0	0	0	0.0	0.00
14	42	207	10	W SUL SPG	0.50	2	55	55	3	12	3329	55	55	3	12	0	0	0	0	0	0	0.0	0.00
14	99	338	10	HARLOWTON	0.11	2	45	45	3	12	1648	45	45	3	12	0	0	0	0	0	0	0.0	0.00
14	99	450	10	HARLOWTON	0.89	2	45	45	3	12	3251	45	45	3	12	0	0	0	0	0	0	0.0	0.00
14	129	506	11	RYEGATE	1.00	2	28	30	1	12	1305	28	44	3	12	0	0	0	230	0	32	26.2	0.26
14	168	500	11	ROUNDUP	0.39	2	45	45	2	6	3570	45	45	3	12	0	0	13	200	200	0	41.3	0.16

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST +	MILEPOST .	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
						NO. LANES	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	AVERAGE DAILY TRAFFIC	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
14	168	895	11	ROUNDUP	0.28	2	66	66	3	6	5510	66	68	3	12	0	0	0	100	200	3	30.3	0.08
14	169	175	11	ROUNDUP	0.28	2	77	77	3	6	6283	77	77	3	12	0	0	18	133	200	0	35.1	0.09
14	169	452	11	ROUNDUP	0.71	2	21	26	3	9	1042	24	24	3	12	0	0	0	154	150	0	30.4	0.21
14	203	707	11	MELSTONE	0.40	2	24	26	2	11	539	24	44	3	12	0	0	0	153	117	41	31.1	0.12
14	204	111	11	MELSTONE	0.50	2	24	40	1	12	675	24	44	3	12	0	0	0	267	100	9	37.6	0.18
14	204	611	11	MELSTONE	0.55	2	24	30	1	12	675	24	44	3	12	0	0	0	267	100	32	39.9	0.22
14	270	503	12	FORSYTH	0.32	2	84	84	1	12	765	84	84	3	12	0	0	0	230	0	0	23.0	0.07
14	271	217	12	FORSYTH	1.19	2	48	48	2	12	2295	48	48	3	12	0	0	0	100	0	0	10.0	0.11
14	272	407	12	FORSYTH	0.09	2	28	28	3	12	2005	28	28	3	12	0	0	0	0	0	0	0.0	0.00
				TOTAL FAP 14	8.58																	17.5	1.50
16	0	0	11	BILLINGS	0.24	4	64	80	3	12	12398	64	80	3	12	0	0	0	0	0	0	0.0	0.00
16	0	245	11	BILLINGS	0.19	2	36	36	3	12	12398	48	68	3	12	0	0	0	75	0	47	12.2	0.02
16	0	440	11	BILLINGS	0.83	2	28	40	2	6	13086	48	68	3	12	0	0	0	222	200	41	46.3	0.38
16	1	255	11	BILLINGS	0.28	4	44	46	3	12	19912	48	68	3	12	0	0	0	117	100	32	24.9	0.06
16	1	534	11	BILLINGS	0.06	4	61	61	3	12	22070	61	68	3	12	0	0	0	0	0	10	1.0	0.00
16	1	593	11	BILLINGS	2.06	4	56	56	3	12	23998	56	68	3	12	0	0	0	0	0	18	1.8	0.03
16	3	659	11	BILLINGS	1.08	2	32	32	2	11	5335	48	68	3	12	0	0	0	167	25	53	24.5	0.26
				TOTAL FAP 16	4.74																	15.8	0.75
17	12	23	3	NASHUA	1.00	2	24	28	2	12	1015	24	44	3	12	0	0	0	167	100	36	30.3	0.30

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST		FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
						NO. LANES	WIDTH		DEPTH		AVERAGE DAILY TRAFFIC	WIDTH		DEPTH		EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
	+	•					SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
				TOTAL FAP 17	1.00																	30.0	0.30
18	0	0	12	MILES CITY	0.33	2	54	54	3	5	7276	54	68	3	12	0	0	0	100	217	21	33.8	0.11
18	0	339	12	MILES CITY	0.27	2	48	48	2	30	4708	48	48	3	12	0	0	0	200	0	0	20.0	0.05
18	0	611	12	MILES CITY	0.37	2	46	46	1	12	3397	46	46	3	12	0	0	0	230	0	0	23.0	0.08
				TOTAL FAP 18	0.97																	24.7	0.24
19	7	0	9	ANACONOA	0.10	4	68	68	3	12	5576	76	76	3	12	0	0	0	32	0	11	4.3	0.00
19	7	103	9	ANACONOA	3.63	4	48	68	3	12	8483	48	68	3	12	0	0	0	0	0	0	0.0	0.00
19	9	0	9	ANACONOA	0.49	4	72	72	3	12	6572	72	72	3	12	0	0	0	0	0	0	0.0	0.00
19	9	495	9	ANACONOA	0.51	4	93	93	2	10	7203	93	93	3	12	0	0	0	100	50	0	15.0	0.07
19	10	0	9	ANACONOA	0.11	2	24	28	3	12	5725	48	68	3	12	0	0	0	150	0	59	20.9	0.02
19	63	671	8	DRUMMONO	0.29	2	32	32	3	12	920	32	44	3	12	0	0	0	0	0	27	2.7	0.00
19	63	962	8	DRUMMONO	0.04	2	32	32	3	12	1600	32	44	3	12	0	0	0	0	0	27	2.7	0.00
19	64	0	8	DRUMMONO	0.24	2	28	28	3	12	1417	28	44	3	12	0	0	0	0	0	36	3.6	0.00
19	64	236	8	ORUMMONO	0.71	2	24	46	3	5	1776	24	46	3	12	0	0	0	100	217	0	31.7	0.22
19	64	943	8	DRUMMONO	0.04	2	32	32	3	12	1067	32	44	3	12	0	0	0	0	0	27	2.7	0.00
				TOTAL FAP 19	6.16																	5.0	0.31
20	0	0	4	GLENOIVE	0.60	2	24	40	3	12	4259	24	44	3	12	0	0	0	0	0	9	0.9	0.00
20	0	605	4	GLENOIVE	0.25	2	24	40	3	12	3698	24	44	3	12	0	0	0	0	0	9	0.9	0.00
20	0	857	4	GLENOIVE	0.90	2	40	44	3	12	2915	24	44	3	12	0	0	0	0	0	0	0.0	0.00

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST +	MILEPOST .	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
						NO LANES	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	AVERAGE DAILY TRAFFIC	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
20	51	761	4	SIDNEY	0.48	4	60	60	3	12	9655	60	68	3	12	0	0	0	0	0	12	1.2	0.00
20	52	226	4	SIONEY	0.21	4	58	58	3	6	11933	58	68	3	12	0	0	0	0	150	15	16.5	0.03
20	52	436	4	SIONEY	0.13	4	44	60	3	6	4734	48	68	3	12	0	0	0	117	200	12	32.9	0.04
20	62	525	4	FAIRVIEW	0.28	2	20	24	3	8	2334	24	44	3	12	0	0	0	161	167	45	37.3	0.10
20	62	807	4	FAIRVIEW	0.36	2	20	26	3	8	2578	24	44	3	12	0	0	0	161	167	41	36.9	0.13
20	63	204	4	FAIRVIEW	0.29	2	20	24	3	6	3800	24	44	3	12	0	0	0	161	200	45	40.6	0.11
20	63	494	4	FAIRVIEW	0.21	2	64	64	3	7	2403	64	64	3	12	0	0	0	50	125	0	17.5	0.03
20	63	709	4	FAIRVIEW	0.21	2	63	63	2	12	1962	63	63	3	12	0	0	0	100	0	0	10.0	0.02
			TOTAL FAP 20		3.92																	11.7	0.46
21	3	788	6	CONRAD	0.33	2	44	44	3	12	4733	48	68	3	12	0	0	0	25	0	35	6.0	0.01
21	4	119	6	CONRAO	0.38	2	56	56	3	12	6607	56	68	3	12	0	0	0	0	0	18	1.8	0.00
21	4	498	6	CONRAD	0.33	2	53	53	3	12	2661	53	53	3	12	0	0	0	0	0	0	0.0	0.00
21	4	833	6	CONRAO	0.16	2	40	40	3	12	1598	40	48	3	12	0	0	0	0	0	17	1.7	0.00
			TOTAL FAP 21		1.20																	0.8	0.01
22	0	0	3	SCOBEY	0.35	2	46	46	3	12	1769	46	46	3	12	0	0	0	0	0	0	0.0	0.00
22	0	348	3	SCOBEY	0.17	2	32	32	3	12	988	32	44	3	12	0	0	0	0	0	27	2.7	0.00
22	41	167	3	PLENTYWO	1.19	2	47	47	3	12	4087	48	68	3	12	0	0	0	6	0	31	3.7	0.04
22	63	746	3	MEDICNE LK	0.06	2	32	36	3	12	777	32	44	3	12	0	0	0	0	0	18	1.8	0.00
22	64	75	3	MEDICNE LK	0.13	2	32	36	3	12	777	32	44	3	12	0	0	0	0	0	18	1.8	0.00

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST + .	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
					NO. LANES	WIDTH		DEPTH		AVERAGE DAILY TRAFFIC	WIDTH		DEPTH		EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
						SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
22	64 205	3	MEDICNE LK	0.14	2	32	32	3	12	777	32	32	3	12	0	0	0	0	0	0	0.0	0.00
22	75 857	3	FROID	0.02	2	42	32	3	12	803	32	44	3	12	0	0	0	0	0	27	2.7	0.00
22	88 489	3	CULBERTSON	0.13	2	40	40	3	12	1037	40	48	3	12	0	0	0	0	0	17	1.7	0.00
			TOTAL FAP 22	2.19																	1.8	0.04
23	0 0	12	MILES CITY	0.48	2	48	48	3	6	5570	48	68	3	12	0	0	0	100	200	29	32.9	0.15
23	0 489	12	MILES CITY	0.28	2	22	26	2	8	4507	24	44	3	12	0	0	0	208	167	41	41.6	0.11
23	1 135	12	MILES CITY	0.59	2	22	25	2	5	3929	24	44	3	12	0	0	51	208	217	43	51.9	0.30
23	1 722	12	MILES CITY	0.25	2	24	26	2	5	3351	24	44	3	12	0	0	0	200	217	41	45.8	0.11
23	1 972	12	MILES CITY	0.14	2	22	25	2	5	3351	24	44	3	12	0	0	0	208	217	43	46.8	0.06
23	79 165	12	BROADUS	0.23	2	20	24	1	2	2257	24	44	3	12	0	0	22	272	267	45	60.6	0.13
23	79 394	12	BROADUS	0.37	2	24	42	3	7	1912	24	44	3	12	0	0	27	100	183	5	31.5	0.11
			TOTAL FAP 23	2.34																	41.5	0.97
25	0 0	4	CIRCLE	0.05	2	30	30	3	12	938	30	44	3	12	0	0	98	0	0	32	13.0	0.00
25	52 380	3	WLF POINT	0.45	2	44	44	3	12	3594	44	44	3	12	0	0	0	50	0	0	5.0	0.02
25	52 833	3	WLF POINT	0.07	4	68	68	3	12	10229	68	68	3	12	0	0	0	50	0	0	5.0	0.00
25	52 908	3	WLF POINT	0.02	2	40	40	3	12	11620	40	48	3	12	0	0	0	0	0	17	1.7	0.00
25	52 925	3	WLF POINT	0.06	2	30	30	3	12	9935	30	44	3	12	0	0	0	0	0	32	3.2	0.00
25	52 988	3	WLF POINT	0.10	2	51	51	3	8	8249	51	51	3	12	0	0	0	0	100	0	10.0	0.00
			TOTAL FAP 25	0.75																	2.7	0.02

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST +	MILEPOST .	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS: NO LANES	PRESENT CONDITIONS: WIDTH SURFACE	PRESENT CONDITIONS: WIDTH ROADWAY	PRESENT CONDITIONS: DEPTH SURFACE	PRESENT CONDITIONS: DEPTH BASE	AVERAGE DAILY TRAFFIC	DESIGN STDS: WIDTH SURFACE	DESIGN STDS: WIDTH ROADWAY	DESIGN STDS: DEPTH SURFACE	DESIGN STDS: DEPTH BASE	PERCENT DEFICIENT: EXCESS GRADES	PERCENT DEFICIENT: EXCESS CURVES	PERCENT DEFICIENT: SIGHT DISTANCE	PERCENT DEFICIENT: SURFACE	PERCENT DEFICIENT: BASE	PERCENT DEFICIENT: ROADWAY	PERCENT DEFICIENT: TOTAL	EQUIVALENT DEFICIENT MILEAGE
27	0	0	12	EKALAKA	0.35	2	22	24	2	12	369	24	44	3	12	0	0	0	178	100	45	32.3	0.11
27	34	643	12	BAKER	0.60	2	24	32	1	4	1533	24	44	3	12	0	0	8	253	233	27	52.1	0.31
27	35	236	12	BAKER	0.14	2	24	30	2	4	3963	24	44	3	12	0	0	69	167	233	32	50.1	0.07
27	35	380	12	BAKER	0.06	2	74	74	3	5	4792	74	74	3	12	0	0	0	133	217	0	35.0	0.02
27	35	445	12	BAKER	0.06	2	74	74	3	5	3722	74	74	3	12	0	0	0	133	217	0	35.0	0.02
27	35	510	12	BAKER	0.24	2	78	78	3	12	2115	78	78	3	12	0	0	0	100	100	0	20.0	0.04
27	79	102	12	WIBAUX	0.66	2	22	26	2	12	1433	24	44	3	12	0	0	8	178	100	41	32.7	0.21
27	79	767	12	WIBAUX	0.31	2	22	40	3	7	2652	24	44	3	12	0	0	16	147	183	9	35.5	0.11
27	80	77	4	WIBAUX	0.40	2	24	30	2	12	1755	24	44	3	12	0	0	0	167	100	32	29.9	0.11
27	80	473	4	WIBAUX	0.13	2	24	44	3	12	1056	24	44	3	12	0	0	0	0	0	0	0.0	0.00
27	80	601	4	WIBAUX	0.17	2	24	44	3	11	1742	24	44	3	12	0	0	0	133	117	0	25.0	0.04
27	80	774	4	WIBAUX	0.17	2	24	44	3	12	1300	24	44	3	12	0	0	0	50	0	0	5.0	0.00
				TOTAL FAP 27	3.29																	31.6	1.04
28	68	346	11	RED LODGE	0.23	2	22	24	2	5	1546	24	44	3	12	0	0	0	208	217	45	47.0	0.10
28	68	690	11	RED LODGE	0.63	2	22	26	3	4	1919	24	44	3	12	0	0	8	117	233	41	39.9	0.25
28	69	303	11	RED LODGE	0.48	2	50	50	3	5	3050	50	50	3	12	0	0	0	0	175	0	17.5	0.08
28	69	782	11	RED LODGE	0.47	2	22	26	2	8	2932	24	44	3	12	0	0	32	208	167	41	44.8	0.20
28	95	389	11	JOLIET	1.05	2	44	44	3	12	1598	44	44	3	12	0	0	0	50	0	0	5.0	0.05
				TOTAL FAP 28	2.86																	23.8	0.68

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST +	MILEPOST .	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
						NO LANES	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	AVERAGE DAILY TRAFFIC	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
29	0	0	9	ENNIS	0.08	2	22	26	2	4	1386	24	44	3	12	0	0	0	208	233	41	48.2	0.04
29	0	103	9	ENNIS	0.14	2	24	26	2	3	960	24	44	3	12	0	0	71	167	250	41	52.9	0.07
29	13	54	9	VRGNA CY	0.84	2	24	28	2	10	540	24	44	3	12	0	0	6	100	50	36	19.2	0.16
29	13	891	9	VRGNA CY	0.60	2	24	30	3	8	1100	24	44	3	12	0	0	17	133	167	32	34.9	0.20
29	14	495	9	VRGNA CY	0.33	2	20	24	3	8	690	24	44	3	12	0	0	0	161	167	45	37.3	0.12
29	33	97	9	SHERIDAN	0.38	2	78	78	3	11	997	78	78	3	12	0	0	0	133	117	0	25.0	0.09
29	33	479	9	SHERIDAN	0.72	2	20	24	3	7	1970	24	44	3	12	0	0	0	133	183	45	36.1	0.26
29	42	237	9	TWN 8ROGES	0.21	2	24	44	3	12	1112	24	44	3	12	0	0	0	0	0	0	0.0	0.00
29	42	452	9	TWN 8ROGES	0.39	4	52	72	3	12	1295	52	72	3	12	0	0	0	0	0	0	0.0	0.00
29	42	844	9	TWN 8ROGES	0.41	4	52	72	3	12	2423	52	72	3	12	0	0	0	0	0	0	0.0	0.00
29	83	474	9	8UTTE	0.28	2	28	54	3	6	2946	28	54	3	12	0	0	0	133	200	0	33.3	0.09
29	83	757	9	8UTTE	2.00	2	28	54	2	12	8878	28	54	3	12	0	0	0	167	100	0	26.7	0.53
29	85	757	9	8UTTE	0.40	2	28	54	3	12	9023	28	54	3	12	0	0	0	0	0	0	0.0	0.00
29	86	159	9	8UTTE	0.24	4	70	90	3	12	12669	70	90	3	12	0	0	0	0	0	0	0.0	0.00
29	86	397	9	8UTTE	0.25	4	70	90	3	12	16548	70	90	3	12	0	0	0	0	0	0	0.0	0.00
29	86	652	9	8UTTE	0.60	4	70	70	2	5	16951	70	70	3	12	0	0	0	233	258	0	49.1	0.29
29	87	257	9	8UTTE	0.28	4	64	64	3	12	16749	64	68	3	12	0	0	0	0	0	6	0.6	0.00
29	87	538	9	8UTTE	0.48	4	70	70	2	5	18152	70	70	3	12	0	0	0	233	258	0	49.1	0.23
29	88	18	9	8UTTE	0.79	2	44	44	2	11	18152	48	68	3	12	0	0	0	178	117	35	33.0	0.26

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST + .	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
					NO LANES	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	AVERAGE DAILY TRAFFIC	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
29	88 813	9	BUTTE	0.73	2	56	56	3	5	6608	56	68	3	12	0	0	0	100	217	18	33.5	0.24
29	89 545	9	BUTTE	0.55	4	70	70	3	12	1259	70	70	3	12	0	0	0	50	0	0	5.0	0.02
29	90 430	9	BUTTE	0.53	4	66	72	3	12	3085	66	72	3	12	0	0	0	0	0	0	0.0	0.00
			TOTAL FAP 29	11.23																	23.2	2.60
30	23 396	3	WESTBY	0.47	2	20	26	2	7	492	24	40	3	12	0	0	0	217	183	35	43.5	0.20
30	23 870	3	WESTBY	0.19	2	69	69	2	7	492	69	69	3	12	0	0	0	200	183	0	38.3	0.07
30	24 72	3	WESTBY	0.15	2	22	26	2	6	492	24	44	3	12	0	0	0	208	200	41	44.9	0.06
			TOTAL FAP 30	0.81																	40.7	0.33
31	50 397	3	OPHEIM	0.44	2	28	28	2	12	346	28	44	3	12	0	0	0	60	0	36	9.6	0.04
			TOTAL FAP 31	0.44																	9.1	0.04
32	50 788	3	SCOBEY	0.53	2	56	56	3	12	513	56	68	3	12	0	0	0	0	0	18	1.8	0.00
32	51 317	3	SCOBEY	0.08	2	56	56	3	12	2254	56	56	3	12	0	0	0	0	0	0	0.0	0.00
32	51 393	3	SCOBEY	0.13	2	26	30	2	10	1746	26	44	3	12	0	0	0	167	133	32	33.2	0.04
32	51 521	3	SCOBEY	0.21	2	24	26	3	12	488	24	44	3	12	0	0	0	0	0	41	4.1	0.00
			TOTAL FAP 32	0.95																	4.2	0.04
33	0 0	1	LIBBY	0.44	2	44	44	3	12	4833	48	68	3	12	0	0	0	25	0	35	6.0	0.02
33	0 453	1	LIBBY	0.20	2	37	37	3	8	5641	48	68	3	12	0	0	0	172	167	46	38.5	0.07
			TOTAL FAP 33	0.64																	14.1	0.09
38	6 405	1	CLMBA FLS	0.72	2	24	34	3	7	7940	48	68	3	12	0	0	0	217	183	50	45.0	0.32

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST + .	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS: NO LANES	PRESENT CONDITIONS: WIDTH SURFACE	PRESENT CONDITIONS: WIDTH ROADWAY	PRESENT CONDITIONS: DEPTH SURFACE	PRESENT CONDITIONS: DEPTH BASE	AVERAGE DAILY TRAFFIC	DESIGN STDS. WIDTH SURFACE	DESIGN STDS. WIDTH ROADWAY	DESIGN STDS. DEPTH SURFACE	DESIGN STDS. DEPTH BASE	PERCENT DEFICIENT: EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	EQUIVALENT DEFICIENT MILEAGE
38	7 125	1	CLM8A FLS	0.26	2	24	28	3	5	7721	24	44	3	12	0	0	38	133	217	36	42.4	0.11
			TOTAL FAP 38	0.98																	43.9	0.43
40	0 116	4	TERRY	0.29	2	40	40	3	12	1119	40	44	3	12	0	0	0	0	0	9	0.9	0.00
			TOTAL FAP 40	0.29																	0.0	0.00
42	75 417	3	GLASGOW	0.23	2	36	40	3	6	1736	36	44	3	12	0	0	0	100	200	9	30.9	0.07
42	75 646	3	GLASGOW	0.35	4	50	50	3	12	2807	50	68	3	12	0	0	0	133	100	26	25.9	0.09
42	76 0	3	GLASGOW	0.14	2	30	30	3	12	8656	48	68	3	12	0	0	0	175	100	56	33.1	0.04
			TOTAL FAP 42	0.72																	27.8	0.20
43	0 0	5	LEWISTOWN	0.30	4	50	50	3	12	6898	50	68	3	12	0	0	0	0	0	26	2.6	0.00
43	0 312	5	LEWISTOWN	0.21	4	50	50	3	12	3417	50	50	3	12	0	0	0	0	0	0	0.0	0.00
43	0 529	5	LEWISTOWN	0.10	4	50	50	3	12	3261	50	50	3	12	0	0	0	0	0	0	0.0	0.00
			TOTAL FAP 43	0.61																	0.0	0.00
44	13 185	6	VALIER	0.55	2	20	20	2	11	761	24	44	3	12	0	0	0	217	117	55	38.9	0.21
44	13 738	6	VALIER	0.35	2	66	66	2	10	2545	66	66	3	12	0	0	0	100	50	0	15.0	0.05
44	14 90	6	VALIER	0.21	2	20	20	2	11	1408	24	44	3	12	0	0	0	217	117	55	38.9	0.08
			TOTAL FAP 44	1.11																	30.6	0.34
45	0 0	10	BIG TMBR	0.51	2	20	24	3	4	1497	24	44	3	12	0	0	0	231	267	45	54.3	0.27
45	43 874	10	HARLOWTON	0.06	2	12	44	4	30	616	2	44	4	30	0	0	156	0	0	0	15.6	0.01
			TOTAL FAP 45	0.57																	47.4	0.27

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST +	MILEPOST •	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
						NO. LANES	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	AVERAGE DAILY TRAFFIC	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
48	0	1191	11	HARDIN	0.22	2	44	44	3	12	4130	44	44	3	12	0	0	0	0	0	0	0.0	0.00
48	0	1409	11	HARDIN	0.51	2	68	68	3	12	5049	68	68	3	12	0	0	0	0	0	0	0.0	0.00
48	0	2471	11	HARDIN	0.04	2	40	40	3	12	3773	40	44	3	12	0	0	0	0	0	9	0.9	0.00
				TOTAL FAP 48	0.77																	0.0	0.00
49	0	102	9	DILLON	0.14	2	40	40	3	12	2327	40	44	3	12	0	0	0	0	0	9	0.9	0.00
49	26	873	9	TWN BRDGS	0.29	2	20	24	3	10	1328	24	44	3	12	0	0	0	133	133	45	31.1	0.09
49	27	161	9	TWN BRDGS	0.31	2	32	32	3	10	1493	32	32	3	12	0	0	0	100	133	0	23.3	0.07
49	27	473	9	TWN BRDGS	0.13	2	46	46	3	10	1493	46	46	3	12	0	0	0	100	133	0	23.3	0.03
				TOTAL FAP 49	0.87																	21.8	0.19
50	0	0	10	W YLOWSTON	0.37	4	70	70	3	12	2758	48	68	3	12	0	0	0	0	0	0	0.0	0.00
50	0	366	10	W YLOWSTON	0.19	4	70	70	3	12	3733	48	68	3	12	0	0	0	0	0	0	0.0	0.00
50	87	95	10	BOZEMAN	0.12	4	52	52	3	12	6807	52	68	3	12	0	0	0	0	0	24	2.4	0.00
50	87	216	10	BOZEMAN	0.56	2	36	36	3	12	13940	48	68	3	12	0	0	0	75	0	47	12.2	0.06
50	87	781	10	BOZEMAN	0.54	4	90	90	3	12	13940	90	90	3	12	0	0	0	0	0	0	0.0	0.00
50	88	315	10	BOZEMAN	0.52	4	59	59	3	12	19350	59	59	3	12	0	0	0	0	0	0	0.0	0.00
50	88	833	10	BOZEMAN	0.70	4	52	72	3	12	19142	52	72	3	12	0	0	0	0	0	0	0.0	0.00
50	89	529	10	BOZEMAN	0.40	4	62	62	3	12	15504	62	68	3	12	0	0	0	0	0	9	0.9	0.00
50	90	101	10	BOZEMAN	0.53	4	68	82	3	12	10685	68	82	3	12	0	0	0	0	0	0	0.0	0.00
50	90	630	10	BOZEMAN	0.17	3	56	76	3	12	10685	56	76	3	12	0	0	0	0	0	0	0.0	0.00

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
					NO LANES	WIDTH		DEPTH		AVERAGE DAILY TRAFFIC	WIDTH		DEPTH		EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
						SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
			TOTAL FAP 50	4.10																	1.5	0.06
51	27 212	4	RICHEY	0.31	2	28	28	3	7	234	28	44	3	12	0	0	0	0	125	36	16.1	0.05
			TOTAL FAP 51	0.31																	16.1	0.05
53	0 0	11	BILLINGS	0.60	4	72	72	3	12	8047	72	72	3	12	0	0	0	0	0	0	0.0	0.00
53	0 600	11	BILLINGS	1.68	4	72	72	3	12	10891	72	73	3	12	0	0	0	0	0	1	0.1	0.00
53	0 2278	11	BILLINGS	0.46	4	50	50	3	5	13736	50	68	3	12	0	0	0	100	217	26	34.3	0.15
53	0 2736	11	BILLINGS	1.16	4	50	50	5	5	10842	50	68	3	12	0	0	0	0	217	26	24.3	0.28
53	1 1158	11	BILLINGS	1.14	4	50	50	2	8	15100	50	68	3	12	0	0	0	167	167	26	36.0	0.41
53	2 238	11	BILLINGS	0.84	4	48	64	3	12	13933	48	68	3	12	0	0	0	0	0	6	0.6	0.00
53	3 78	11	BILLINGS	1.31	2	32	32	3	12	7901	32	44	3	12	0	0	0	0	0	27	2.7	0.03
53	31 557	11	BROADVIEW	0.48	2	22	24	2	8	1081	24	44	3	12	0	0	21	208	167	45	44.1	0.21
53	45 390	11	LAVINA	0.87	2	26	30	1	12	1145	26	44	3	12	0	0	0	253	100	32	38.5	0.33
			TOTAL FAP 53	8.54																	16.5	1.41
55	12 176	7	WHITEHALL	0.35	4	62	62	3	12	13333	62	68	3	12	0	0	0	0	0	9	0.9	0.00
55	12 523	7	WHITEHALL	0.42	2	40	40	3	12	2826	40	44	3	12	0	0	0	0	0	9	0.9	0.00
55	12 939	7	WHITEHALL	0.05	2	32	32	3	12	2080	32	44	3	12	0	0	0	0	0	27	2.7	0.00
			TOTAL FAP 55	0.82																	0.0	0.00
57	80 823	5	LEWISTOWN	0.13	2	24	32	3	12	2117	24	44	3	12	0	0	0	50	0	27	7.7	0.01
57	80 956	5	LEWISTOWN	1.11	2	53	53	3	12	5614	53	53	3	12	0	0	0	0	0	0	0.0	0.00

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST +	MILEPOST •	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
						NO. LANES	WIDTH		DEPTH		AVERAGE DAILY TRAFFIC	WIDTH		DEPTH		EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
							SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
57	82	55	5	LEWISTOWN	0.13	2	33	33	3	12	7966	48	68	3	12	0	0	0	94	0	51	14.5	0.01
57	82	187	5	LEWISTOWN	0.73	2	49	49	3	9	7966	49	68	3	12	0	0	27	0	75	28	13.0	0.09
57	135	594	5	WINNETT	0.18	2	21	24	3	3	293	24	44	3	12	0	0	0	125	250	45	42.0	0.07
57	135	776	5	WINNETT	0.71	2	22	24	3	3	293	24	44	3	12	0	0	0	117	250	45	41.2	0.29
57	212	448	5	JORDAN	0.48	2	52	52	3	5	1551	52	52	3	12	0	0	0	100	217	0	31.7	0.15
57	212	932	5	JORDAN	0.15	2	22	24	3	5	1029	24	44	3	12	0	0	34	117	217	45	41.3	0.06
57	278	394	4	CIRCLE	0.33	2	24	24	2	6	853	24	44	3	12	0	0	0	187	200	45	43.2	0.14
57	278	726	4	CIRCLE	0.27	2	46	46	3	12	2047	46	46	3	12	0	0	0	0	0	0	0.0	0.00
57	278	998	4	CIRCLE	0.54	2	44	44	3	12	1969	44	44	3	12	0	0	0	0	0	0	0.0	0.00
57	279	534	4	CIRCLE	0.26	2	40	40	3	12	2755	40	44	3	12	0	0	39	0	0	9	4.6	0.01
57	324	644	4	GLENDIVE	1.33	2	32	36	3	12	4394	32	44	3	12	0	0	0	0	0	18	1.5	0.02
57	325	992	4	GLENDIVE	0.68	4	72	72	3	12	7632	72	72	3	12	0	0	0	0	0	0	0.0	0.00
57	326	665	4	GLENDIVE	0.05	4	72	72	3	12	9383	72	72	3	12	0	0	0	0	0	0	0.0	0.00
57	326	720	4	GLENDIVE	0.38	4	72	72	3	12	10628	72	72	3	12	0	0	0	0	0	0	0.0	0.00
57	327	100	4	GLENDIVE	0.67	2	56	56	3	12	10628	56	68	3	12	0	0	0	0	0	18	1.8	0.01
57	327	766	4	GLENDIVE	0.65	4	60	60	3	6	12348	60	68	3	12	0	0	0	0	150	12	16.2	0.10
57	328	439	4	GLENDIVE	0.90	4	56	56	3	12	10877	56	68	3	12	0	0	0	0	0	18	1.8	0.01
57	329	339	4	GLENDIVE	0.85	4	72	88	3	12	4316	72	88	3	12	0	0	0	0	0	0	0.0	0.00
				TOTAL FAP 57	10.53																	9.2	0.97

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
					NO LANES	WIDTH		DEPTH		AVERAGE DAILY TRAFFIC	WIDTH		DEPTH		EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
						SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
59	14 + 905	10	CLYO PARK	0.17	2	20	30	2	5	745	24	44	3	12	0	0	0	217	217	32	46.6	0.07
59	15 + 24	10	CLYO PARK	0.27	2	20	40	2	5	1128	24	44	3	12	0	0	18	217	217	9	46.1	0.12
59	15 + 296	10	CLYO PARK	0.04	2	20	24	3	6	1074	24	44	3	12	0	0	0	161	200	45	40.6	0.01
			TOTAL FAP 59	0.48																	41.7	0.20
60	35 + 842	6	NEIHART	0.64	2	28	28	1	12	392	28	44	3	12	0	0	0	230	0	36	26.6	0.17
60	36 + 480	6	NEIHART	0.98	2	20	24	2	5	1190	24	44	3	12	0	0	0	217	217	45	47.9	0.46
60	37 + 460	6	NEIHART	1.53	2	22	26	2	4	436	24	44	3	12	0	0	13	117	200	41	37.1	0.56
60	90 + 366	6	GT FALLS	0.08	2	48	62	3	12	8505	48	38	3	12	0	0	66	50	0	0	11.6	0.00
60	90 + 442	6	GT FALLS	1.15	4	48	62	3	12	8505	48	38	3	12	0	0	0	0	0	0	0.0	0.00
60	91 + 597	6	GT FALLS	1.37	4	48	62	3	12	19300	48	68	3	12	0	0	0	0	0	9	0.9	0.01
60	92 + 966	6	GT FALLS	0.50	4	61	76	3	12	29750	61	76	3	12	0	0	0	50	0	0	5.0	0.02
60	93 + 464	6	GT FALLS	0.82	4	64	80	3	12	29750	64	80	3	12	0	0	0	50	0	0	5.0	0.04
60	94 + 280	6	GT FALLS	0.18	4	48	70	2	12	25056	48	70	3	12	0	0	113	100	0	0	21.3	0.03
60	94 + 457	6	GT FALLS	0.40	2	28	28	2	12	21581	48	68	3	12	0	0	0	183	0	59	24.2	0.09
60	94 + 853	6	GT FALLS	0.45	4	48	68	2	12	21581	48	68	3	12	0	0	0	100	0	0	10.0	0.04
60	95 + 301	6	GT FALLS	0.22	4	48	68	2	12	21581	48	68	3	12	0	0	0	100	0	0	10.0	0.01
60	95 + 525	6	GT FALLS	0.10	4	48	70	2	12	19265	48	70	3	12	0	0	0	100	0	0	10.0	0.01
60	95 + 625	6	GT FALLS	0.09	4	48	68	2	12	8920	48	68	3	12	0	0	0	100	0	0	10.0	0.01
			TOTAL FAP 60	8.51																	16.9	1.44

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST +	MILEPOST .	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS					AVERAGE DAILY TRAFFIC	DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
						NO. LANES	WIDTH		DEPTH			WIDTH		DEPTH		EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
							SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
61	0	0	11	ROUNOUP	0.25	2	69	69	3	7	6150	69	69	3	12	0	0	40	133	183	0	35.6	0.08
61	0	250	11	ROUNOUP	0.26	2	22	36	3	7	3644	24	44	3	12	0	0	0	147	183	18	34.8	0.09
61	0	512	11	ROUNDUP	0.15	2	24	30	3	12	1138	24	44	3	12	0	0	0	133	100	32	26.5	0.04
61	156	919	3	MALTA	0.43	4	48	48	2	7	2576	48	48	3	12	0	0	0	167	183	0	35.0	0.15
61	157	360	3	MALTA	0.16	4	54	54	1	3	4650	54	54	3	12	0	0	0	267	250	0	51.7	0.08
61	157	522	3	MALTA	0.09	2	30	30	2	12	4875	30	44	3	12	0	0	0	100	0	32	13.7	0.01
				TOTAL FAP 61	1.34																	33.6	0.45
62	0	0	3	CL8ERTSON	0.55	2	44	44	3	12	1947	44	44	3	12	0	0	0	0	0	0	0.0	0.00
62	1	200	3	CL8ERTSON	0.32	2	32	32	3	12	1910	32	44	3	12	0	0	0	0	0	27	2.7	0.00
62	37	0	4	SIONEY	0.68	2	24	36	3	6	4205	24	44	3	12	0	0	0	120	200	18	33.8	0.23
62	37	685	4	SIDNEY	0.35	2	48	48	3	11	6266	48	68	3	12	0	0	14	120	117	29	28.0	0.09
				TOTAL FAP 62	1.90																	16.8	0.32
63	17	860	10	JUDTH GAP	0.62	2	24	36	3	12	1254	24	44	3	12	0	0	8	50	0	18	7.6	0.04
				TOTAL FAP 63	0.62																	6.5	0.04
67	0	0	2	SHEL8Y	0.46	2	24	30	3	7	3898	24	44	3	12	0	0	0	133	183	32	34.8	0.16
67	0	466	2	SHEL8Y	0.25	2	22	30	3	5	3537	24	44	3	12	0	0	0	147	217	32	39.6	0.09
				TOTAL FAP 67	0.71																	35.2	0.25
68	0	174	6	CASCAOE	0.47	2	20	24	3	3	761	24	44	3	12	0	0	0	133	250	45	42.9	0.20
68	0	646	6	CASCADE	0.19	2	34	34	3	3	1347	34	44	3	12	0	0	0	100	250	23	37.3	0.06

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
					NO LANES	WIDTH		DEPTH		AVERAGE DAILY TRAFFIC	WIDTH		DEPTH		EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
						SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
68	0 833	6	CASCADE	0.10	2	50	50	3	3	1710	50	50	3	12	0	0	0	100	250	0	35.0	0.03
68	0 933	6	CASCADE	0.25	2	34	34	3	3	1440	34	44	3	12	0	0	0	100	250	23	37.3	0.09
68	1 180	6	CASCADE	0.08	2	24	24	3	12	1170	24	44	3	12	0	0	0	0	0	45	4.5	0.00
			TOTAL FAP 68	1.09																	34.9	0.38
69	0 0	7	WHITEHALL	0.67	4	62	62	3	12	2946	62	68	3	12	0	0	0	0	0	9	0.9	0.00
69	37 30	7	BOULDER	0.28	2	24	24	1	9	1158	24	44	3	12	0	0	0	253	150	45	44.8	0.12
69	37 351	7	BOULDER	0.28	2	24	24	1	9	1158	24	44	3	12	0	0	0	253	150	45	44.8	0.12
69	37 636	7	BOULDER	0.23	2	24	24	0	6	1819	24	44	3	12	0	0	0	280	200	45	52.5	0.12
69	37 868	7	BOULDER	0.23	2	40	40	3	12	1819	40	44	3	12	0	0	0	0	0	9	0.9	0.00
			TOTAL FAP 69	1.69																	21.3	0.36
70	1 235	8	SUPERIOR	0.27	2	22	24	2	5	150	24	44	3	12	0	0	0	254	258	45	55.7	0.15
70	1 568	8	SUPERIOR	0.84	2	22	24	3	5	150	24	44	3	12	0	0	0	224	258	45	52.7	0.44
70	2 405	8	SUPERIOR	0.16	2	30	30	3	12	2884	30	44	3	12	0	0	0	0	0	32	3.2	0.00
70	2 564	8	SUPERIOR	0.20	2	48	48	3	12	2891	48	48	3	12	0	0	0	0	0	0	0.0	0.00
70	2 765	8	SUPERIOR	0.03	2	24	24	3	12	3172	24	44	3	12	0	0	0	0	0	45	4.5	0.01
			TOTAL FAP 70	1.50																	39.3	0.59
71	0 0	8	MISSOULA	0.95	2	42	42	3	12	3684	42	44	3	12	0	0	0	0	0	5	0.5	0.01
71	0 951	8	MISSOULA	0.07	2	30	30	3	12	3684	30	44	3	12	0	0	0	0	0	32	3.2	0.00
71	1 17	8	MISSOULA	1.19	4	72	88	3	12	10302	72	88	3	12	0	0	0	0	0	0	0.0	0.00

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
					NO. LANES	WIDTH		DEPTH		AVERAGE DAILY TRAFFIC	WIDTH		DEPTH		EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
						SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
71	2.208	8	MISSOULA	0.76	4	68	72	3	12	14110	68	72	3	12	0	0	0	0	0	0	0.0	0.00
71	2.968	8	MISSOULA	0.86	4	62	62	3	8	15973	62	68	3	12	0	0	0	50	100	9	15.9	0.13
71	3.827	8	MISSOULA	0.59	4	62	62	3	8	10123	62	68	3	12	0	0	0	50	100	9	15.9	0.09
71	4.417	8	MISSOULA	0.21	4	72	72	3	12	14404	72	72	3	12	0	0	0	0	0	0	0.0	0.00
71	4.632	8	MISSOULA	0.14	4	48	68	3	12	14404	48	68	3	12	0	0	0	0	0	0	0.0	0.00
			TOTAL FAP 71	4.77																	4.8	0.22
75	1.680	5	LEWISTOWN	0.50	2	24	28	3	12	1420	24	44	3	12	0	0	0	0	0	36	3.6	0.01
75	2.184	5	LEWISTOWN	0.25	2	24	30	3	12	3115	24	44	3	12	0	0	0	0	0	32	3.2	0.00
75	2.434	5	LEWISTOWN	0.26	2	24	28	3	12	3715	24	44	3	12	0	0	0	100	100	36	23.4	0.06
75	2.695	5	LEWISTOWN	0.25	2	24	36	3	12	3260	24	44	3	12	0	0	0	100	100	18	21.3	0.05
			TOTAL FAP 75	1.26																	9.5	0.12
77	1.746	8	HOT SPRGS	0.25	2	24	46	1	9	833	24	44	3	12	0	0	0	250	75	0	32.5	0.06
			TOTAL FAP 77	0.25																	32.0	0.08
78	0.0	11	RED LODGE	0.47	2	24	24	2	10	838	24	44	3	12	0	0	0	167	133	45	34.5	0.16
78	46.446	11	COLUMBUS	0.30	2	28	28	2	6	1803	28	44	3	12	0	0	0	167	200	36	40.3	0.12
78	46.744	11	COLUMBUS	0.06	2	28	28	2	6	2892	28	44	3	12	0	0	0	233	250	36	51.4	0.03
78	46.808	11	COLUMBUS	0.15	2	28	40	3	8	2576	28	44	3	12	0	0	0	100	167	9	27.5	0.04
78	46.959	11	COLUMBUS	0.29	2	44	44	3	12	1643	44	44	3	12	0	0	0	0	0	0	0.0	0.00
			TOTAL FAP 78	1.27																	27.6	0.35

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST + .	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS: NO LANES	PRESENT CONDITIONS: WIDTH SURFACE	PRESENT CONDITIONS: WIDTH ROADWAY	PRESENT CONDITIONS: DEPTH SURFACE	PRESENT CONDITIONS: DEPTH BASE	AVERAGE DAILY TRAFFIC	DESIGN STDS. WIDTH SURFACE	DESIGN STDS. WIDTH ROADWAY	DESIGN STDS. DEPTH SURFACE	DESIGN STDS. DEPTH BASE	PERCENT DEFICIENT: EXCESS GRADES	PERCENT DEFICIENT: EXCESS CURVES	PERCENT DEFICIENT: SIGHT DISTANCE	PERCENT DEFICIENT: SURFACE	PERCENT DEFICIENT: BASE	PERCENT DEFICIENT: ROADWAY	PERCENT DEFICIENT: TOTAL	EQUIVALENT DEFICIENT MILEAGE
79	2 294	11	HYSHAM	0.56	2	30	30	3	12	552	30	44	3	12	0	0	0	0	0	32	3.2	0.01
			TOTAL FAP 79	0.56																	1.8	0.01
80	1 594	6	FT BENTON	0.10	2	24	24	2	11	628	24	44	3	12	0	0	0	167	117	45	32.9	0.03
80	1 694	6	FT BENTON	0.30	2	20	20	2	4	2510	24	44	3	12	0	0	0	217	233	55	50.5	0.15
80	1 996	6	FT BENTON	0.37	2	48	48	2	7	1382	48	48	3	12	0	0	0	167	183	0	35.0	0.12
80	28 186	6	GERALDINE	0.95	2	30	30	3	12	420	30	44	3	12	0	0	0	0	0	32	3.2	0.03
80	66 59	6	STANFORD	0.55	2	24	24	3	12	589	24	44	3	12	0	0	0	100	100	45	24.5	0.13
80	66 614	6	STANFORD	0.44	2	24	26	1	7	1412	24	44	3	12	0	0	0	277	242	41	56.0	0.24
			TOTAL FAP 80	2.71																	25.8	0.70
81	12 943	5	DENTON	0.90	2	76	76	3	12	588	76	76	3	12	0	0	0	0	0	0	0.0	0.00
			TOTAL FAP 81	0.90																	0.0	0.00
86	0 0	10	BOZEMAN	0.15	2	40	40	2	6	6440	40	44	3	12	0	0	0	167	200	9	37.6	0.05
86	0 150	10	BOZEMAN	0.78	2	28	28	2	12	5564	28	44	3	12	0	0	0	167	100	36	30.3	0.23
86	0 932	10	BOZEMAN	0.03	2	24	24	3	12	5274	24	44	3	12	0	0	0	0	0	45	4.5	0.00
			TOTAL FAP 86	0.96																	29.2	0.28
	GRAND TOTAL FAP			185.6																		30.50

Sufficiency Ratings by Section - Statewide

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	FIN YEARS BT	FIN YEARS IM	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TCT	ADJ	DEFIC MILES
P070	0+0.000	FUT W SUPERIOR INT	MINERAL	8			.200	NON EXISTENT													.2
P052	33+0.584	JCT FAP RTE 83	FLATHEAD	1	35	57	.344	22	22	RMS	3691	546	132	0	11	5	0	0	16	11	.3
P005	128+0.492	WHITEFISH	FLATHEAD	1	34	54	6.201	22	23	RMS	2448	318	117	0	13	4	1	0	18	14	5.1
P038	8+0.079	0.6 E COL FALLS	FLATHEAD	1	37	55	.576	22	24	RMS	4482	627	280	0	11	6	6	0	23	15	.4
P005	0+0.622	0.2 N FAI 90	MISSOULA	8	34	55	3.086	24	24	RMS	4202	613	280	0	15	7	1	0	23	16	2.4
P024	0+1.845	BONNER	MISSOULA	8	36	37	4.040	30	30	RMS	2886	476	234	3	14	4	1	0	22	17	3.2
P052	30+0.238	2.0 N FLATHEAD CO	FLATHEAD	1	56	56	1.975	24	28	RMS	3241	479	198	0	12	10	3	0	25	19	1.5
P005	4+0.000	3.7 N JCT FAI 90	MISSOULA	8	48	54	1.536	24	32	RMS	4135	603	220	0	15	7	5	0	27	19	1.1
P038	4+0.354	0.3 W FAS 206	FLATHEAD	1	39	53	2.055	24	24	RMS	7012	981	759	0	10	8	3	11	32	20	1.4
P001	124+0.638	0.7 E KALISPELL	FLATHEAD	1	40	64	3.634	30	30	RMS	4565	547	348	0	12	8	3	6	29	20	2.6
P001	138+0.380	JCT FAP RTE 38	FLATHEAD	1	34	66	1.705	24	30	RMS	4338	607	365	0	13	8	4	5	30	21	1.2
P024	12+0.237	11.3 E BONNER	MISSOULA	8	41	63	3.821	24	24	RMS	2204	363	145	2	15	6	2	0	25	21	2.9
P060	87+0.349	FAS RTES 227 & 228	CASCADE	6	39	71	.996	32	32	RMS	4252	552	240	3	16	10	2	0	31	22	.7
P024	22+0.635	6.6 E POTOMAC	MISSOULA	8	41	59	4.022	25	28	RMS	1929	318	204	0	9	7	3	7	26	22	3.0
P052	32+0.237	1.3 S FAP RTE 83	FLATHEAD	1	22	49	1.347	24	24	RMS	3252	481	335	0	14	6	2	8	30	23	.9
P052	0+0.000	JCT FAP RTE 5	LAKE	1	40	50	7.134	21	24	BST	2179	322	210	0	12	7	1	7	27	23	5.2
P024	7+0.551	6.7 E BONNER	MISSOULA	8	40	42	4.668	20	24	RMS	2305	380	260	0	13	5	2	8	28	23	3.4
P052	28+0.294	FLATHEAD CO	FLATHEAD	1	36	64	2.004	24	24	RMS	2075	307	208	0	13	5	2	8	28	24	1.4
P007	44+0.578	2.0 S HAMILTON	RAVALLI	8	34	59	2.036	22	24	RMS	4305	559	627	0	9	4	3	17	33	24	1.4
P007	48+0.000	HAMILTON	RAVALLI	8	40	40	1.731	24	30	RMS	5431	706	780	0	8	4	7	16	35	24	1.1
P001	25+0.405	6.4 W LIBBY	LINCOLN	1	38	52	4.437	24	24	RMS	2026	263	249	0	11	3	1	14	29	25	3.2
P001	16+0.932	JCT FAP 56	LINCOLN	1	34	38	4.574	20	24	RMS	1880	244	211	0	11	3	3	13	30	26	3.2
P001	221+1.600	BROWNING	GLACIER	2	32	70	2.814	22	24	RMS	3652	712	477	3	13	9	1	8	34	26	1.9
P038	7+0.387	COLUMBIA FALLS	FLATHEAD	1	37	55	.373	22	24	RMS	5029	704	243	0	11	7	20	0	38	27	.2
P001	140+0.073	1.7 E FAP 38	FLATHEAD	1	29	65	2.443	24	24	RMS	3947	552	469	0	13	10	1	12	36	27	1.6
P005	168+0.284	FORTINE	LINCOLN	1	31	52	9.654	22	22	RMS	1433	186	126	0	15	5	1	8	29	27	6.9
P007	31+0.292	DARBY	RAVALLI	8	34	35	11.755	22	24	RMS	2336	303	252	0	12	6	2	12	32	27	8.0
P052	26+0.286	2.0 S FLATHEAD CO	LAKE	1	36	59	1.995	24	24	RMS	1797	265	220	0	11	5	4	12	32	28	1.4
P001	142+0.567	1.0 W HUNGRY HORSE	FLATHEAD	1	31	34	10.727	20	24	RMS	2652	371	415	0	11	5	1	17	34	28	7.1
P003	0+0.000	I 15 VAUGHN	CASCADE	6	55	71	1.402	28	32	RMS	4367	567	264	5	18	10	5	0	38	28	.9
P005	24+0.366	9.3 N LAKE CO	LAKE	1	55	60	3.147	32	32	PMS	4054	591	302	5	17	10	4	1	37	28	2.0
P006	76+0.641	JCT FAP 36	SANDERS	8	31	34	2.278	18	24	RMS	1373	204	238	0	11	3	0	17	31	29	1.6
P005	57+0.826	1.1 S FAP 52	LAKE	1	5R	58	1.188	32	32	PMS	6062	885	454	6	17	10	8	1	42	29	.7
P062	33+0.331	3.6 N SIDNEY	RICHLAND	4	37	49	3.662	24	26	RMS	3069	460	470	0	9	9	5	15	38	30	2.3
P004	52+0.256	1.4 N YELLOWST CO	YELLOWSTONE	11	22	39	1.598	24	30	RMS	5378	699	652	4	15	7	2	14	42	30	.9
P005	15+0.054	LAKE CO	LAKE	1	40	40	3.437	24	30	RMS	4021	587	507	0	15	8	4	13	40	30	2.1
P006	51+0.570	THOMPSON FALLS	SANDERS	8	35	36	4.563	20	24	RMS	1799	268	220	0	12	6	4	12	34	30	3.0
P005	104+0.255	JCT FAP 82	FLATHEAD	1	49	61	5.341	38	38	RMS	6836	820	383	5	17	10	12	0	44	30	3.0
P060	81+0.469	7.0 N FAS 331	CASCADE	6	42	52	5.894	26	31	RMS	2993	389	308	0	14	10	3	11	38	31	3.7
P007	43+0.042	3.5 S HAMILTON	RAVALLI	8	49	49	1.525	28	28	RMS	3000	390	331	3	13	9	1	12	38	31	.9
P006	68+0.701	WEEKSVILLE	SANDERS	8	38	52	3.890	20	24	RMS	1376	205	201	0	11	4	3	15	33	31	2.6
P005	179+0.692	EUREKA	LINCOLN	1	43	57	1.370	22	24	RMS	2434	316	319	0	13	8	1	15	37	31	.9
P008	34+0.396	5.4 W HELENA	LEWIS AND CLARK	7	33	33	5.434	20	24	RMS	2303	299	299	0	12	8	2	15	37	31	3.4
P016	46+0.202	KLEIN	MUSSELSHELL	11	37	37	1.838	20	24	RMS	2286	297	283	0	13	8	1	14	36	31	1.2
P023	77+0.811	1.5 S FAP 37	POWDER RIVER	12	28	36	1.305	20	22	BST	1538	223	250	0	12	4	1	17	34	31	.9
P052	7+0.124	7.1 N FAP 5	LAKE	1	47	47	3.214	24	24	BST	1451	214	208	0	12	6	1	15	34	32	2.1
P058	17+0.315	5.2 N KIOWA JCT	GLACIER	2	28	40	8.213	20	24	RMS	903	176	221	0	9	4	0	18	31	32	5.7
P005	86+0.330	2.0 S ROLLINS	LAKE	1	33	65	6.417	24	24	RMS	1554	209	374	0	8	4	1	22	35	32	4.2
P033	0+0.658	LIBBY	LINCOLN	1	59	59	.558	26	37	BST	3663	476	313	6	18	10	1	7	42	33	.3
P058	12+0.053	KIOWA JCT	GLACIER	2	28	40	5.269	20	24	RMS	912	177	221	0	10	4	0	18	32	33	3.6
P005	79+0.397	1.8 N JCT FAP 36	LAKE	1	32	52	6.932	22	24	RMS	1551	209	341	0	10	4	1	21	36	33	4.4
P007	82+0.745	LOLO	MISSOULA	8	68	68	.634	44	44	PMS	7207	936	232	10	26	10	1	0	47	33	.3
P007	26+0.490	JCT FAS 473	RAVALLI	8	36	59	4.000	22	26	RMS	2249	292	264	3	14	6	2	13	38	33	2.5
P024	0+0.000	JCT FAI 90	MISSOULA	8	74	74	.975	44	44	PMS	6152	1015	424	8	27	10	1	0	46	33	.5
P052	33+0.928	JCT FAP RTE 82	FLATHEAD	1	34	55	7.644	22	24	RMS	1814	268	390	0	13	4	1	20	38	34	4.7

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS 1ST	8T	1M	SECTION LENGTH	WIDTH	SURF	TYP	ADT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	DRN	SAF	CAP	TOT	ADJ	DEFIC MILES
P005	56+0.943	2.0 S FAP 52	LAKE	1	73	73	.882	40	40	PMS	5804	847	3C8	6	21	10	9	0	46	34	.5
P006	115+0.193	LAKE CO	LAKE	1	34	52	.936	20	24	RMS	1196	178	182	0	11	8	1	15	35	34	.6
P052	41+0.541	CRESTON	FLATHEAD	1	34	55	3.975	22	24	RMS	2455	363	435	0	17	4	3	17	41	35	2.3
P001	379+0.167	JCT FAP RTE 10	HILL	2	52	52	1.516	40	40	RMS	5249	561	654	0	12	10	8	17	47	35	.8
P005	35+0.331	2.3 N ST IGNATIUS	LAKE	1	50	50	5.797	24	30	RMS	3376	492	453	2	15	8	4	14	43	35	3.3
P004	26+0.285	BRIDGER	CARBON	11	23	51	6.413	22	24	RMS	2411	313	453	0	11	6	4	20	41	35	3.8
P005	159+0.617	STRYKER	LINCOLN	1	31	64	8.683	24	24	RMS	986	128	123	0	16	4	1	14	35	35	5.6
P014	167+0.532	JCT FAP RTE 16	MUSSELSHELL	11	33	56	.969	26	30	RMS	2844	369	780	0	12	6	1	23	42	35	.6
P057	41+0.824	5.2 E FAP 80	JUDITH BASIN	6	36	56	12.442	22	24	RMS	2099	249	392	0	11	6	4	20	41	36	7.3
P001	128+0.337	JCT FAP RTE 52	FLATHEAD	1	34	51	10.056	22	24	RMS	2866	401	716	0	9	8	4	22	43	36	5.7
P001	15+0.265	TROY	LINCOLN	1	37	38	1.655	20	24	RMS	2104	273	365	0	10	5	7	19	41	36	1.0
P005	114+0.862	KALISPELL	FLATHEAD	1	57	60	5.799	36	36	PMS	5591	670	500	5	18	10	5	10	48	36	3.0
P016	23+0.243	1.8 S MUSSEL CO	YELLOWSTONE	11	34	58	1.815	22	24	RMS	1481	192	272	0	12	7	1	19	39	36	1.1
P016	11+0.880	7.0 N BILLINGS	YELLOWSTONE	11	34	51	9.638	20	24	RMS	1674	217	448	0	10	5	1	23	39	36	5.9
P024	86+0.130	3.1 E FAS 279	LEWIS AND CLARK	7	57	64	5.093	28	30	PMS	1303	195	104	7	18	10	1	2	38	36	3.2
P053	6+0.308	2.0 N BILLINGS	YELLOWSTONE	11	48	48	9.590	20	24	RMS	1276	165	185	0	13	8	1	17	39	37	5.8
P060	71+0.018	JCT FAP RTE 57	CASCADE	6	55	55	3.606	40	40	RMS	2311	300	315	0	13	10	4	16	43	37	2.1
P001	106+0.450	12.9 W KALISPELL	FLATHEAD	1	49	63	6.886	24	27	RMS	1571	204	198	0	13	8	4	15	40	37	4.1
P001	220+0.489	1.3 W BROWNING	GLACIER	2	45	45	1.390	24	24	RMS	1503	210	278	0	13	7	1	19	40	37	.8
P003	20+0.191	TETON CO	TETON	6	21	32	2.966	20	22	BST	1600	208	397	0	12	4	2	22	40	37	1.8
P006	103+0.023	7.4 E PERMA	SANDERS	8	22	57	1.701	20	24	RMS	886	132	281	0	10	3	0	23	36	37	1.1
P006	76+0.261	PLAINS	SANDERS	8	31	34	.380	18	24	RMS	1081	161	259	0	11	3	3	21	38	37	.2
P006	108+0.148	DIXON	SANDERS	8	27	50	7.086	20	24	RMS	1120	166	406	0	9	4	1	24	38	37	4.4
P005	120+0.676	5.8 N KALISPELL	FLATHEAD	1	60	60	4.785	36	36	PMS	5863	703	500	4	16	10	11	9	50	37	2.4
P006	78+0.947	2.3 E JCT FAP 36	SANDERS	8	31	51	6.095	20	24	RMS	1254	186	364	0	10	5	2	22	39	37	3.7
P020	52+0.570	SIDNEY	RICHLAND	4	35	35	6.066	20	24	RMS	2880	374	762	0	9	5	7	23	44	37	3.4
P020	58+0.614	6.1 N SIDNEY	RICHLAND	4	35	35	3.906	20	24	RMS	2083	270	642	0	9	5	4	24	42	37	2.3
P029	49+0.919	6.6 N TWIN BRIDGES	MADISON	9	36	63	7.355	22	24	RMS	1057	158	201	0	13	6	1	18	38	38	4.6
P086	0+0.962	BOZEMAN	GALLATIN	10	58	58	2.860	25	25	PMS	2526	505	592	4	18	4	2	17	45	38	1.6
P086	16+0.328	15.3 N BOZEMAN	GALLATIN	10	48	48	2.465	20	20	GRV	385	77	268	0	0	3	3	26	32	38	1.7
P001	180+0.514	16.2 W GLACIER CO	FLATHEAD	1	33	35	3.632	18	20	RMS	827	115	259	0	11	3	0	23	37	38	2.3
P004	57+0.393	2.1 E LAUREL	YELLOWSTONE	11	23	68	.805	55	55	RMS	3305	429	705	3	13	8	1	21	46	38	.4
P005	125+0.445	JCT FAP 38	FLATHEAD	1	60	60	1.488	36	36	PMS	8938	1072	937	5	16	10	10	13	54	38	.7
P006	56+0.095	JCT FAS 556	SANDERS	8	35	49	1.717	20	24	RMS	1041	155	159	0	11	5	7	15	38	38	1.1
P007	49+0.732	1.7 N HAMILTON	RAVALLI	8	53	53	2.249	24	32	RMS	5393	701	1016	0	9	10	11	20	50	38	1.1
P016	25+0.140	MUSSELSHELL CO	MUSSELSHELL	11	34	34	4.505	20	24	RMS	1395	181	277	0	13	6	1	20	40	38	2.7
P024	91+0.218	8.2 E FAS 279	LEWIS AND CLARK	7	48	63	5.818	25	25	RMS	1229	184	132	2	17	8	3	9	39	38	3.5
P028	68+0.573	RED LODGE	CARBON	11	34	57	.117	22	24	RMS	1417	318	508	0	10	8	2	21	41	39	.1
P037	46+0.552	4.2 E LAME DEER	ROSEBUD	12	54	54	7.110	24	24	PMS	883	119	90	4	15	8	1	10	38	39	4.4
P050	81+0.910	JCT FAP 84 85	GALLATIN	10	60	60	5.208	36	36	PMS	5296	794	283	8	26	10	7	0	51	39	2.6
P078	29+0.991	JCT FAS RTE 419	STILLWATER	11	35	45	15.864	20	24	RMS	1169	192	450	0	10	5	1	24	40	39	9.5
P001	218+0.818	2.9 W BROWNING	GLACIER	2	39	63	1.575	26	30	RMS	1399	195	289	0	13	7	1	20	41	39	.9
P001	21+0.505	4.6 E FAP 56	LINCOLN	1	37	70	3.927	24	26	RMS	1954	254	528	0	10	4	7	23	44	39	2.2
P003	23+1.038	FAIRFIELD	TETON	6	21	32	1.492	20	22	BST	1088	141	420	0	12	3	0	25	40	39	.9
P006	105+0.123	1.4 W DIXON	SANDERS	8	22	34	1.062	22	24	RMS	890	132	378	0	9	3	1	25	38	39	.7
P006	72+0.578	3.1 W PLAINS	SANDERS	8	31	34	3.141	18	24	RMS	1524	227	597	0	8	6	4	24	42	39	1.8
P006	64+0.701	8.6 E FAS 556	SANDERS	8	39	39	3.997	26	26	BST	1217	181	294	0	11	6	2	21	40	39	2.4
P024	116+0.832	CASCADE CO	CASCADE	6	52	52	10.632	24	26	RMS	1337	200	277	0	13	7	2	19	41	39	6.3
P023	2+0.111	MILES CITY LIMITS	CUSTER	12	20	36	.061	25	25	RMS	3282	426	243	C	15	8	20	4	47	39	
P057	26+0.568	4.7 E GEYSER	JUDITH BASIN	6	36	50	6.610	24	25	RMS	2067	245	418	C	10	6	8	21	45	40	3.6
P001	89+0.548	9.2 E FLATHEAD CO	FLATHEAD	1	36	57	9.847	24	25	RMS	1017	132	220	0	12	6	1	21	40	40	5.9
P001	49+0.289	13.5 E FAS 482	LINCOLN	1	35	39	6.869	20	24	RMS	971	126	228	0	11	4	3	22	40	40	4.1
P006	88+0.718	3.6 E JCT FAP 35	SANDERS	8	24	38	1.869	20	24	RMS	825	122	307	0	11	4	0	24	39	40	1.1
P006	85+0.033	JCT FAP 35	SANDERS	8	31	51	3.637	20	24	RMS	814	121	391	0	9	4	1	25	39	40	2.2
P007	51+0.984	JCT FAS 373	RAVALLI	8	53	53	7.046	24	32	RMS	3904	507	648	2	11	10	9	18	50	40	3.5

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	BT	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P023	2+0.172	JCT FAI RTE 94	CUSTER	12	20	36	3.282	25	25	RMS	1530	198	307	0	13	8	2	20	43	40	1.9
P024	55+0.670	JCT FAP 41	POWELL	8	61	61	9.806	24	26	PMS	1247	205	132	5	17	10	2	7	41	40	5.8
P049	3+0.037	3.0 E FAI RTE 15	BEAVERHEAD	9	46	62	3.798	24	26	RMS	1403	182	284	0	13	8	2	20	43	41	2.2
P082	5+0.451	1.4 W FAP 52	FLATHEAD	1	55	55	1.472	24	24	RMS	2342	339	243	4	14	10	10	9	47	41	.8
P001	240+0.263	4.8 E FAS 444	GLACIER	2	27	60	6.784	24	24	RMS	1327	199	838	0	10	4	3	26	43	41	3.9
P001	229+0.880	1.1 E BLACKFOOT	GLACIER	2	25	63	2.119	24	24	RMS	1207	193	772	0	10	5	1	26	42	41	1.2
P005	5+0.530	5.2 N JCT FAI 90	MISSOULA	8	64	76	9.496	36	36	PMS	3992	582	239	9	26	10	6	0	51	41	4.7
P004	50+0.814	YELLOWSTONE CO	YELLOWSTONE	11	49	65	1.390	28	32	RMS	4796	623	616	4	15	9	9	15	52	41	.7
P010	52+0.380	LOMA	CHOUTEAU	6	34	55	2.762	22	24	RMS	1215	157	367	6	10	8	2	22	42	41	1.6
P008	13+0.008	JCT FAP RTE 41	POWELL	8	33	66	10.200	22	24	RMS	1346	174	573	0	9	6	3	25	43	41	5.8
P006	94+0.088	1.1 W PERMA	SANDERS	8	24	38	1.276	20	24	RMS	840	125	201	0	15	3	1	21	40	41	.8
P011	55+0.874	LIVINGSTON	PARK	10	34	34	2.078	20	24	PMS	1940	252	654	0	12	7	3	24	46	41	1.1
P014	133+0.003	2.5 E RYEGATE	GOLDEN VALLEY	11	37	37	3.978	20	24	RMS	835	108	283	0	9	6	1	24	40	41	2.4
P024	26+0.710	5.2 W FAP 83	MISSOULA	8	49	49	5.164	25	25	BST	1645	271	438	0	10	8	5	21	44	41	2.9
P024	109+0.051	JCT FAP RTE 9	LEWIS AND CLARK	7	52	52	7.790	24	26	RMS	1105	165	277	0	11	8	2	21	42	41	4.5
P028	70+0.311	REO LODGE	CARBON	11	21	54	11.712	22	24	RMS	1698	339	544	0	11	8	6	21	46	42	6.3
P038	7+0.760	0.3 E COL FALLS	FLATHEAD	1	77	77	.303	36	36	PMS	4791	670	376	9	28	10	3	3	53	42	.1
P028	64+0.237	4.5 S RED LODGE	CARBON	11	34	57	4.147	22	22	RMS	731	164	510	0	6	8	1	25	40	42	2.5
P057	54+0.311	MOCCASIN	JUDITH BASIN	6	33	71	2.337	22	24	RMS	2126	252	352	3	17	7	1	19	47	42	1.2
P052	18+0.000	YELLOW BAY	LAKE	1	37	65	5.585	24	24	RMS	1302	192	336	0	15	7	1	21	44	42	3.1
P057	33+0.205	11.3 E GEYSER	JUDITH BASIN	6	37	37	3.438	24	30	RMS	2109	250	737	0	9	9	4	25	47	42	1.8
P061	13+0.075	12.0 N ROUNDUP	MUSSELSHELL	11	35	66	8.809	22	24	RMS	897	116	239	0	12	5	1	23	41	42	5.2
P057	212+0.180	JCT FAP RTE 18	GARFIELD	5	37	47	.268	22	24	RMS	1251	191	263	0	12	8	5	19	44	42	.2
P001	37+0.882	5.1 E LIBBY	LINCOLN	1	36	51	6.395	24	24	RMS	1632	212	515	0	10	7	4	24	45	42	3.5
P001	103+0.175	3.8 E MARION	FLATHEAD	1	40	63	3.262	24	24	RMS	1356	176	249	0	13	8	4	19	44	42	1.8
P004	55+0.309	LAUREL	YELLOWSTONE	11	23	68	2.084	55	55	RMS	3554	462	872	4	14	8	3	22	51	42	1.0
P005	27+0.503	JCT FAP 6	LAKE	1	56	66	2.550	44	44	PMS	3430	500	578	4	17	10	3	17	51	42	1.2
P003	68+0.264	PONDERA CO	PONDERA	6	32	32	6.905	20	24	BST	470	113	391	0	6	4	1	26	37	42	4.4
P003	41+0.952	CHOTEAU	TETON	6	21	61	12.944	20	22	RMS	933	224	397	0	13	5	1	22	41	42	7.6
P006	99+0.246	3.6 E PERMA	SANDERS	8	24	38	2.956	20	25	RMS	880	131	406	0	10	4	2	25	41	42	1.7
P024	100+0.420	JCT FAS RTE 434	LEWIS AND CLARK	7	51	51	8.627	25	25	BST	1233	184	217	0	12	8	6	17	43	42	4.9
P020	32+0.967	1.0 N SAVAGE	RICHLAND	4	34	57	9.055	20	24	RMS	1670	217	608	0	8	8	5	25	46	42	4.9
P019	57+0.499	HALL FAS 512 & 513	GRANITE	8	25	52	5.079	20	22	RMS	799	115	471	0	10	3	1	26	40	42	3.0
P025	44+0.761	1.8 S ROOSEVELT	MCCONE	4	37	37	1.744	20	25	RMS	694	90	126	0	13	6	1	19	39	42	1.1
P036	7+0.436	7.5 N FAP 6	SANDERS	8	34	47	6.403	20	24	BST	508	76	115	0	11	6	1	20	38	43	4.0
P048	1+0.060	JCT FAI 90	BIG HORN	11	70	70	.284	40	40	RMS	1738	243	151	7	23	10	1	6	47	43	.2
P060	88+0.360	2.0 E GREAT FALLS	CASCADE	6	39	71	2.019	32	32	RMS	4246	551	290	4	17	10	20	2	53	43	.9
P058	3+0.397	3.5 W BROWNING	GLACIER	2	35	51	6.369	22	24	RMS	891	173	386	0	9	8	2	23	42	43	3.7
P067	0+0.715	SHELBY LIMITS	TOOLE	2	28	52	1.040	20	24	RMS	1407	182	288	3	13	7	1	21	45	43	.6
P001	80+0.387	FLATHEAD CO LINE	FLATHEAD	1	52	52	9.172	28	28	RMS	1009	131	187	0	12	7	5	19	43	43	5.2
P001	71+0.596	8.7 W FLATHEAD CO	LINCOLN	1	37	53	6.645	22	24	RMS	962	125	243	6	14	5	2	22	43	43	3.8
P001	233+0.191	4.4 E BLACKFOOT	GLACIER	2	25	61	7.073	24	24	RMS	1298	207	805	0	9	7	3	26	45	43	3.9
P001	210+0.124	0.9 E EAST GLAC	GLACIER	2	43	62	1.211	26	30	RMS	1384	193	400	0	12	9	1	23	45	43	.7
P005	61+0.600	0.6 N POLSON	LAKE	1	54	54	2.852	24	32	PMS	2989	403	584	0	17	10	4	20	51	43	1.4
P005	61+0.013	POLSON	LAKE	1	66	66	.587	40	40	PMS	3415	461	326	8	24	10	1	9	52	43	.3
P010	51+0.544	0.6 S LOMA	CHOUTEAU	6	36	36	.677	24	24	RMS	1243	161	264	0	14	8	1	21	44	43	.4
P007	13+0.545	0.8 N SULA	RAVALLI	8	36	39	3.392	24	24	BST	951	123	235	0	13	7	1	22	43	43	1.9
P007	23+0.549	2.9 S FAS 473	RAVALLI	8	36	36	2.932	22	25	RMS	1155	150	273	6	14	6	2	22	44	43	1.6
P026	0+0.000	JCT FAP RTE 20	RICHLAND	4	36	36	.771	22	25	BST	1772	230	392	0	15	10	1	21	47	43	.4
P039	31+0.745	9.0 NC COLSTRIP	ROSEBUD	12	49	70	4.830	24	24	RMS	620	93	243	0	11	5	1	24	41	44	2.8
P045	0+0.535	BIG TIMBER LIMITS	SWEET GRASS	10	35	56	6.788	22	24	RMS	673	87	176	0	12	5	1	23	41	44	4.0
P044	21+0.954	7.6 E VALIER	PONDERA	6	48	48	5.911	20	20	RMS	883	125	374	0	9	6	3	25	43	44	3.4
P057	88+0.245	5.1 E LEWISTOWN	FERGUS	5	37	56	6.022	24	30	RMS	1148	149	261	2	13	8	1	21	45	44	3.3
P061	155+0.525	JCT FAS RTE 363	PHILLIPS	3	38	42	1.398	24	26	RMS	1761	295	259	0	13	8	14	13	48	44	.7
P060	74+0.514	JCT FAS RTE 331	CASCADE	6	52	55	6.955	24	32	PMS	3056	397	340	3	14	10	13	12	52	44	3.3

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS 1ST	8T	1M	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FND	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P001	211+0.317	2.1 E EAST GLAC	GLACIER	2	39	63	1.867	26	30	RMS	1386	194	400	0	12	8	3	23	46	44	1.0
P001	2+0.637	2.6 E IDAHO LINE	LINCOLN	1	49	51	4.352	22	28	PMS	1227	159	338	0	12	8	2	23	45	44	2.4
P001	64+0.847	15.5 W FLATHEAD CO	LINCOLN	1	41	43	6.753	20	24	RMS	991	128	234	0	13	7	2	22	44	44	3.8
P005	0+0.000	JCT FAI 90	MISSOULA	8	76	76	.622	64	64	PMS	4256	621	308	10	30	10	4	0	54	44	.3
P003	59+0.625	4.6 N SYNUM	TETON	6	32	53	8.589	20	24	RMS	450	108	246	0	9	6	1	23	39	44	5.2
P005	47+0.372	RONAN	LAKE	1	70	70	6.021	40	40	PMS	4882	712	309	9	25	10	11	0	55	44	2.7
P007	16+0.756	4.2 N SULA	RAVALLI	8	37	39	3.539	24	24	BST	1054	137	235	0	14	7	2	21	44	44	2.0
P010	55+0.129	2.8 N LOMA	CHOUTEAU	6	34	55	8.768	22	24	RMS	1150	149	355	0	11	8	2	24	45	44	4.8
P007	0+0.000	IDAHO LINE	RAVALLI	8	40	40	.105	22	22	BST	830	107	329	0	13	5	0	25	43	44	.1
P019	24+0.300	3.4 E GRANITE CO	DEER LODGE	9	34	54	3.379	22	24	RMS	893	129	197	0	13	7	3	20	43	44	1.9
P042	73+0.246	JCT FAP RTE 31	VALLEY	3	34	58	2.174	22	26	RMS	1136	181	367	0	12	9	2	23	46	45	1.2
P029	80+0.192	JCT FAS 375	SILVER BOW	9	28	71	3.277	24	30	RMS	1142	148	331	0	14	8	1	23	46	45	1.8
P038	0+0.000	JCT FAP RTE 5	FLATHEAD	1	75	75	4.368	44	44	PMS	3863	536	170	10	30	10	5	0	55	45	2.0
P053	23+0.140	COMANCHE	YELLOWSTONE	11	48	48	8.421	20	24	RMS	1065	138	354	0	12	7	2	24	45	45	4.6
P053	32+0.044	BROADVIEW	YELLOWSTONE	11	48	48	2.171	20	24	RMS	911	118	220	0	14	7	1	22	44	45	1.2
P052	23+0.600	4.7 S FLATHEAD CO	LAKE	1	36	60	2.661	24	25	RMS	1388	205	481	0	12	6	5	24	47	45	1.4
P068	0+0.000	JCT I 15	CASCADE	6	33	53	.174	24	28	RMS	761	231	368	0	14	8	0	21	43	45	.1
P001	224+0.000	JCT FAP RTE 3	GLACIER	2	35	61	4.927	22	24	RMS	1211	193	642	0	10	8	3	25	46	45	2.7
P001	113+0.334	6.0 W KALISPELL	FLATHEAD	1	49	51	6.278	24	31	RMS	2569	326	452	3	14	8	8	19	52	45	3.0
P005	33+0.097	0.3 N ST IGNATIUS	LAKE	1	56	60	1.843	32	32	PMS	3446	503	503	4	13	10	12	15	54	45	.8
P004	42+0.765	JCT FAP 28	CARBON	11	68	68	.160	40	40	PMS	4175	542	432	7	24	10	3	11	55	45	.1
P001	435+0.143	5.8 E FAP 66	BLAINE	2	25	71	4.686	22	24	RMS	860	111	324	0	14	4	1	25	44	45	2.6
P003	54+0.948	SYNUM	TETON	6	32	53	4.648	20	24	RMS	657	158	364	0	11	6	2	23	42	45	2.7
P003	75+0.208	DUPUYER	PONDERA	6	28	52	8.382	22	24	RMS	475	114	672	0	8	4	1	27	40	45	5.0
P007	0+0.105	JCT FAP 46	RAVALLI	8	40	40	7.430	22	22	BST	831	108	329	0	13	5	1	25	44	45	4.2
P007	20+0.475	7.7 N SULA	RAVALLI	8	37	39	3.081	24	24	BST	1117	145	220	0	15	7	4	20	46	45	1.7
P024	4+0.910	4.1 E BONNER	MISSOULA	8	68	68	2.624	40	40	PMS	2391	394	425	5	16	10	4	16	51	45	1.3
P024	138+0.485	SUN RIVER	CASCADE	6	36	71	1.321	25	31	RMS	1946	272	356	3	16	9	2	20	50	45	.7
P025	0+0.054	CIRCLE	MCCONE	4	36	56	7.601	20	24	RMS	780	101	315	0	9	8	1	25	43	45	4.3
P019	27+0.690	GRANITE CO LINE	GRANITE	8	34	40	3.134	20	24	RMS	619	89	224	0	12	6	0	24	42	45	1.8
P019	48+0.325	MAXVILLE	GRANITE	8	31	52	9.137	20	24	RMS	549	79	683	0	8	3	2	28	41	45	5.4
P024	97+0.041	14.0 E FAS 279	LEWIS AND CLARK	7	48	63	3.400	25	25	RMS	1167	175	237	0	15	8	4	19	46	45	1.8
P023	5+0.440	3.3 S FAI RTE 94	CUSTER	12	36	36	9.137	22	25	RMS	918	133	425	0	10	7	2	25	44	45	5.1
P044	14+0.299	VALIER	PONDERA	6	48	48	7.655	20	20	RMS	926	131	585	0	7	6	5	27	45	46	4.2
P037	0+0.000	JCT FAI RTE 90	BIG HORN	11	54	54	7.865	24	24	PMS	987	133	441	0	9	8	4	25	46	46	4.2
P033	1+0.219	0.6 N LIBBY	LINCOLN	1	42	50	8.320	28	28	BST	1444	187	275	3	15	8	3	20	49	46	4.2
P029	19+0.905	5.3 N VIRGINIA CTY	MADISON	9	42	42	5.254	20	24	RMS	954	200	390	0	12	8	4	22	46	46	2.8
P043	3+0.018	2.4 N LEWISTOWN	FERGUS	5	50	50	6.473	24	28	RMS	1536	199	327	0	14	10	4	21	49	46	3.3
P058	9+0.785	9.9 W BROWNING	GLACIER	2	29	35	2.247	20	24	PMS	671	130	480	0	8	8	1	26	43	46	1.3
P063	0+0.000	JCT. FAP RTE 14	WHEATLAND	10	49	54	3.758	24	24	PMS	1026	133	258	0	13	9	2	22	46	46	2.0
P064	3+0.000	3.0 W FAP RTE 50	GALLATIN	10	73	73	4.180	24	24	GRV	199	27	316	0	0	5	1	29	35	46	2.7
P080	4+0.000	1.6 S FT BENTON	CHOUTEAU	6	56	56	1.116	25	25	BST	621	93	257	0	12	4	2	25	43	46	.6
P001	44+0.296	8.5 E FAS 482	LINCOLN	1	36	65	5.006	20	24	RMS	971	126	364	0	9	7	5	25	46	46	2.7
P005	98+0.643	5.2 NE FLATHEAD CO	FLATHEAD	1	63	63	5.548	32	32	PMS	2872	387	589	4	14	10	5	20	53	46	2.6
P005	59+0.004	JCT FAP 52	LAKE	1	58	58	.331	40	40	PMS	7416	1082	326	8	22	10	20	0	60	46	.1
P026	0+0.771	0.8 E JCT FAP 20	RICHLAND	4	33	36	6.762	20	24	BST	538	69	205	0	11	5	1	25	42	46	3.9
P025	7+0.760	7.6 N CIRCLE	MCCONE	4	36	56	13.141	20	25	RMS	669	86	315	0	9	6	2	26	43	46	7.5
P039	42+0.430	8.8 SO JCT I 94	ROSEBUD	12	51	67	2.021	24	24	RMS	659	98	441	0	10	5	2	27	44	47	1.1
P057	94+0.353	11.1 E LEWISTOWN	FERGUS	5	37	57	8.960	24	30	RMS	1021	132	333	0	13	9	1	24	47	47	4.7
P049	0+0.244	OILLON	BEAVERHEAD	9	46	62	2.421	24	26	RMS	2068	268	442	3	17	7	4	21	52	47	1.2
P063	13+0.568	13.3 N HARLOWTON	WHEATLAND	10	49	54	4.288	24	24	PMS	1038	134	297	0	12	10	2	23	47	47	2.3
P001	99+0.410	MARION	FLATHEAD	1	47	61	3.779	24	30	RMS	1323	171	292	0	15	7	6	21	49	47	1.9
P001	6+0.982	3.2 E FAS 508	LINCOLN	1	49	51	6.959	22	28	PMS	1796	233	508	0	14	8	6	23	51	47	3.4
P003	25+0.541	1.5 N FAIRFIELD	TETON	6	21	32	2.698	20	22	BST	1013	131	429	0	12	3	7	25	47	47	1.4
P001	526+0.523	14.1 W GLASGOW	VALLEY	3	50	55	11.109	24	27	PMS	1378	186	308	2	14	10	2	21	49	47	5.7

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS 01ST BT 1M	SECTION LENGTH	WIDTH SRF	RDY	SUF TYP	ADT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P005	30+0.048	2.5 N JCT FAP 6	LAKE	1 56 60	2.564	32	32	PMS	3086	450	503	3	16	10	9	17	55	47	1.2
P007	76+0.872	MISSOULA CO	MISSOULA	8 74 76	6.045	38	38	PMS	6372	828	344	10	28	10	12	0	60	47	2.4
P025	46+0.499	ROOSEVELT CO	ROOSEVELT	3 37 37	.503	20	25	RMS	818	106	250	0	10	10	1	25	46	47	.3
P019	10+0.110	ANACONDA	DEER LODGE	9 51 59	6.813	24	28	PMS	2140	310	454	2	14	8	8	20	52	47	3.3
P023	44+0.152	6.4 N POWDER R CO	CUSTER	12 32 60	3.712	18	24	RMS	423	61	316	0	8	4	2	27	41	47	2.2
P023	83+0.090	JCT FAP RTE 54	POWDER RIVER	12 31 56	2.448	20	24	RMS	693	100	203	0	12	7	2	23	44	47	1.4
P045	8+0.031	7.4 N BIG TIMBER	SWEET GRASS	10 42 42	7.744	20	24	RMS	475	61	387	0	10	4	1	28	43	48	4.4
P033	64+0.921	2.0 E FA 5	LINCOLN	1 40 40	1.975	20	24	RMS	763	99	220	0	14	8	1	23	46	48	1.1
P036	3+0.657	3.7 N FAP 6	SANDERS	8 41 47	3.802	20	25	BST	558	83	206	0	12	6	2	24	44	48	2.1
P037	7+0.879	7.9 E JCT FAI 90	BIG HORN	11 54 54	9.343	24	24	PMS	939	126	469	0	11	8	2	26	47	48	5.0
P053	34+0.273	GOLDEN VALLEY CO	GOLDEN VALLEY	11 48 57	6.295	22	28	RMS	931	121	438	0	10	8	3	26	47	48	3.3
P063	24+0.837	JUDITH BASIN CO	JUDITH BASIN	6 47 62	.581	24	24	RMS	980	127	360	0	12	10	1	25	48	48	.3
P063	36+0.345	FERGUS CO	FERGUS	5 46 60	3.235	24	24	RMS	1093	142	278	3	13	9	2	22	49	48	1.6
P063	18+0.463	JUDITH GAP	WHEATLAND	10 49 54	.733	24	24	PMS	1275	165	258	4	15	10	1	20	50	48	.4
P083	0+0.000	JCT FAP 24	MISSOULA	8 52 52	14.761	24	24	RMS	945	166	438	0	13	7	4	24	48	48	7.7
P001	56+0.167	20.4 E FAS 482	LINCOLN	1 38 50	8.685	20	26	RMS	1004	130	278	0	13	6	6	23	48	48	4.5
P001	254+0.122	0.6 W OF CUT BANK	GLACIER	2 55 55	.402	42	42	PMS	2623	314	817	4	16	10	1	24	55	48	.2
P003	18+0.076	2.1 S TETON CO	CASCADE	6 21 32	2.110	22	22	BST	999	129	420	0	11	4	8	25	48	48	1.1
P010	72+0.462	6.9 S BIG SANDY	CHOUTEAU	6 34 55	6.870	22	24	RMS	1074	139	318	0	12	8	5	23	48	48	3.6
P024	31+0.845	JCT FAP 83	MISSOULA	8 54 54	3.823	24	30	RMS	1348	222	499	0	10	10	7	23	50	48	1.9
P023	79+0.767	BROADUS	POWDER RIVER	12 40 40	3.346	24	24	RMS	1122	162	297	0	11	9	7	22	49	48	1.7
P022	43+0.383	JCT FAP 30	SHERIDAN	3 33 40	9.226	20	24	RMS	1052	157	352	0	14	9	2	23	48	48	4.8
P028	82+0.066	ROBERTS	CARBON	11 36 36	8.931	21	24	RMS	1135	227	486	0	13	8	5	23	49	48	4.6
P039	36+0.575	13.8 NO COLSTRIP	ROSEBUD	12 53 67	5.855	24	24	RMS	629	94	414	0	10	8	1	27	46	49	3.2
P052	10+0.345	10.3 N FAP 5	LAKE	1 48 65	7.657	24	25	RMS	1451	214	522	0	14	8	6	24	52	49	3.7
P062	20+0.286	4.6 N FAS 201	RICHLAND	4 40 49	4.651	24	26	RMS	761	114	255	0	13	8	3	23	47	49	2.5
P093	0+0.000	MONT-IDAHO LINE	MISSOULA	8 64 64	6.815	30	30	PMS	803	128	238	3	13	8	1	22	47	49	3.6
P083	65+0.165	17.7 N LAKE CO.	LAKE	1 58 63	12.634	24	24	RMS	492	86	299	0	10	6	2	26	44	49	7.1
P001	383+0.815	HAVRE	HILL	2 46 54	7.204	24	30	PMS	3104	403	565	6	18	10	4	19	57	49	3.1
P005	41+0.154	5.4 S RONAN	LAKE	1 66 66	5.018	40	40	PMS	4432	647	599	5	16	10	14	14	59	49	2.1
P005	93+0.536	FLATHEAD CO	FLATHEAD	1 64 64	5.181	32	32	PMS	1788	241	307	3	13	10	9	18	53	49	2.4
P001	629+0.422	3.2 E BROCKTON	ROOSEVELT	3 46 50	5.368	24	32	RMS	1086	141	302	0	16	9	2	23	50	49	2.7
P008	52+0.831	3.0 E EAST HELENA	LEWIS AND CLARK	7 69 69	1.669	40	40	PMS	2833	433	320	8	25	10	3	10	56	49	.7
P006	57+0.808	1.7 E FAS 556	SANDERS	8 34 49	6.899	20	24	RMS	1058	157	364	0	10	5	10	24	49	49	3.5
P007	74+0.820	FLORENCE	RAVALLI	8 74 76	2.051	38	38	PMS	5614	729	344	10	27	10	14	0	61	49	.8
P006	49+0.684	0.8 THOMPSON FALLS	SANDERS	8 48 54	.787	24	28	PMS	2206	322	211	6	17	9	16	7	55	49	.4
P025	35+0.506	11.0S ROOSEVELT CC	MCCONE	4 37 37	9.233	20	25	RMS	645	83	185	0	14	6	3	23	46	49	5.0
P021	0+0.825	3.0 S CONRAD	PONDERA	6 34 64	2.834	24	26	RMS	991	128	632	0	12	8	2	27	49	49	1.4
P023	33+0.176	17.2 N POWDER R CC	CUSTER	12 31 60	10.961	18	24	RMS	450	65	438	0	7	4	4	28	43	49	6.2
P036	0+0.000	JCT FAP RTE 6	SANDERS	8 44 47	3.661	20	28	BST	676	101	283	0	10	7	5	25	47	50	1.9
P036	13+0.871	13.9 N FAP 6	SANDERS	8 41 41	2.385	20	26	BST	528	79	267	0	9	6	4	26	45	50	1.3
P036	31+0.138	LAKE CO	LAKE	1 40 40	.511	20	25	BST	521	78	308	0	11	7	1	26	45	50	.3
P057	36+0.650	JCT FAP RTE 80	JUDITH BASIN	6 37 37	5.169	24	30	RMS	2347	279	518	0	8	9	17	22	56	50	2.3
P047	0+0.000	JCT FAP RTE 19	DEER LODGE	9 49 49	5.991	20	26	RMS	1185	165	535	0	13	8	5	25	51	50	2.9
P064	7+0.180	MADISON CO LINE	MADISON	9 73 73	2.450	24	24	GRV	107	14	268	0	0	5	1	29	35	50	1.6
P062	24+0.961	JCT FAS 201	RICHLAND	4 40 49	4.749	24	26	RMS	1022	153	277	0	16	8	4	22	50	50	2.4
P062	29+0.721	4.7 S JCT FAS 201	RICHLAND	4 38 49	3.628	24	26	RMS	1247	187	387	2	16	8	3	23	52	50	1.7
P072	14+0.502	6.9 S JCT FAP 4	CARBON	11 48 48	6.987	24	24	RMS	1023	163	396	3	15	6	2	24	50	50	3.5
P075	0+0.000	JCT FAP RTE 57	FERGUS	5 49 61	1.680	24	28	RMS	1420	168	249	3	18	8	3	20	52	50	.8
P077	0+0.000	JCT FAP RTE 36	SANDERS	8 41 41	1.746	20	26	BST	833	124	749	0	8	6	7	28	49	50	.9
P072	10+0.384	BELFRY	CARBON	11 49 49	1.126	24	24	BST	909	145	673	2	14	5	1	27	49	50	.6
P083	14+0.735	SEELEY LAKE	MISSOULA	8 52 52	8.364	22	26	PMS	547	96	192	0	14	7	2	23	46	50	4.5
P001	123+0.228	KALISPELL U L	FLATHEAD	1 67 67	1.404	44	44	PMS	5700	684	731	8	23	10	5	16	62	50	.5
P001	429+0.077	0.6 E FAP 66	BLAINE	2 36 62	5.241	28	30	RMS	988	128	453	0	12	10	2	26	50	50	2.6
P002	4+0.822	MILES CITY	CUSTER	12 50 50	1.527	20	24	RMS	1649	214	551	3	13	10	4	24	54	50	.7

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	BT	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	ADT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS FND	SRF	ORN	SAF	CAP	TDT	AOJ	DEFIC MILES
P014	6+0.412	4.0 E FAS 284	BROADWATER	7	37	66	7.187	24	25	RMS	496	74	409	0	10	7	1	27	45	50	4.0
P027	29+0.146	JCT FAS RTE 322	FALLON	12	48	48	5.510	25	25	BST	779	101	393	0	7	9	6	26	48	50	2.9
P022	42+0.348	PLENTYWOOD	SHERIDAN	3	33	40	1.033	20	24	RMS	1952	292	526	0	13	10	10	22	55	50	.5
P025	28+0.107	4.2 N FAS 254	MCCONE	4	40	40	7.404	20	24	RMS	599	77	357	0	10	7	2	27	46	50	4.0
P024	76+0.133	3.9 E LINCOLN	LEWIS AND CLARK	7	60	60	5.888	24	24	PMS	1444	216	258	6	18	10	2	17	53	50	2.8
P042	59+0.181	2.9 N VALLEY CO	VALLEY	3	34	34	11.343	22	26	RMS	671	107	324	0	15	7	1	25	48	51	5.9
P037	42+0.082	LAME DEER FAP 39	ROSEBUD	12	54	54	4.469	24	24	PMS	1190	160	237	2	14	9	7	20	52	51	2.1
P039	22+0.745	COLSTRIP	ROSEBUD	12	49	67	3.309	24	24	RMS	834	125	249	4	15	8	1	22	50	51	1.7
P036	26+0.128	7.1 N FAP 77	SANDERS	8	40	40	4.999	20	25	BST	584	87	536	0	8	7	4	28	47	51	2.6
P057	103+0.269	9.6 W FAP 61	FERGUS	5	40	55	9.667	24	32	RMS	955	146	526	0	13	9	3	26	51	51	4.7
P057	206+0.821	5.3 W FA RTE 18	GARFIELD	5	36	57	5.344	22	26	RMS	393	60	360	0	8	7	1	28	44	51	3.0
P057	7+0.062	JUDITH BASIN CO	JUDITH BASIN	6	61	61	3.343	32	32	PMS	1910	227	362	5	18	10	2	21	56	51	1.5
P050	47+0.941	JCT FAP RTE 64	GALLATIN	10	55	55	12.950	28	28	PMS	1418	222	283	5	19	9	2	18	53	51	6.1
P057	10+0.428	JCT FAS RTE 427	JUDITH BASIN	6	64	64	7.500	32	32	PMS	2249	267	315	5	16	10	9	17	57	51	3.2
P062	12+0.175	8.3 S RICHLAND CO	RICHLAND	4	40	49	8.089	24	26	RMS	633	94	255	0	14	8	2	24	48	51	4.2
P061	1+0.021	ROUNDUP	MUSSELSHELL	11	50	54	5.953	24	30	PMS	1125	146	308	0	13	10	6	23	52	51	2.9
P086	18+0.793	12.7 S PARK CO	GALLATIN	10	45	45	12.699	20	20	GRV	119	17	204	0	0	2	6	29	37	51	8.0
P083	30+0.815	15.9 N SEELEY LAKE	MISSOULA	8	59	59	11.071	24	24	PMS	624	109	221	2	14	6	3	23	48	51	5.8
P003	1+0.866	1.4 W VAUGHN	CASCADE	6	36	48	6.230	24	31	RMS	3621	470	631	3	18	8	12	19	60	51	2.5
P002	70+0.895	PLEVNA	FALLON	12	39	39	11.726	24	30	RMS	851	110	286	0	14	10	2	24	50	51	5.9
P005	32+0.761	ST IGNATIUS	LAKE	1	69	69	.340	44	44	RMS	3327	485	310	5	17	10	20	7	59	51	.1
P002	6+0.885	0.7 E JCT FAI 94	CUSTER	12	50	50	6.326	20	24	RMS	638	82	228	0	13	9	1	25	48	51	3.3
P010	86+0.041	3.4 S HILL CO	CHOUTEAU	6	33	41	3.371	20	24	BST	1309	170	739	0	9	7	10	27	53	51	1.6
P010	63+0.940	11.6 N LOMA	CHOUTEAU	6	34	55	8.465	22	24	RMS	1045	135	333	0	17	8	2	24	51	51	4.1
P010	109+0.571	1.8 S FAP 1	HILL	2	52	52	1.796	32	32	RMS	1826	237	580	2	13	10	6	24	55	51	.8
P009	53+0.840	7.8 N FAS 408	TETON	6	36	36	6.133	22	25	RMS	479	76	253	0	12	8	1	25	46	51	3.3
P013	88+0.763	BROADWATER CO LINE	BROADWATER	7	32	61	4.247	20	24	RMS	466	60	342	0	10	7	2	27	46	51	2.3
P014	182+0.021	11.9 E ROUNDUP	MUSSELSHELL	11	39	39	5.582	20	24	RMS	527	68	210	0	12	8	1	25	46	51	3.0
P022	29+0.335	ARCHER	SHERIDAN	3	37	62	11.850	20	24	RMS	784	117	435	0	10	9	4	26	49	51	6.0
P029	75+0.032	SILVER BOW CO LINE	SILVER BOW	9	34	62	2.823	24	30	RMS	586	76	302	0	14	7	0	26	47	51	1.5
P029	57+0.250	JCT FAP 55	MADISON	9	36	63	1.155	22	24	RMS	322	48	222	0	12	4	0	27	43	51	.7
P025	20+0.909	20.7 N CIRCLE	MCCONE	4	35	40	7.203	20	24	RMS	571	74	238	0	13	7	2	25	47	51	3.8
P043	9+0.492	JCT FAP RTE 81	FERGUS	5	50	50	5.335	24	28	RMS	1117	145	280	2	14	10	5	22	53	52	2.5
P032	6+0.294	2.5 N FAP RTE 1	ROOSEVELT	3	33	45	7.831	20	24	RMS	458	64	220	0	12	7	1	26	46	52	4.2
P042	70+0.530	2.7 S FAP RTE 31	VALLEY	3	34	34	2.725	22	26	RMS	912	145	795	0	10	9	5	27	51	52	1.3
P049	6+0.804	6.8 E FAI RTE 15	BEAVERHEAD	9	59	59	6.880	24	24	PMS	994	129	220	0	17	10	4	21	52	52	3.3
P059	15+0.395	CLYDE PARK	PARK	10	38	38	5.039	20	24	RMS	611	91	608	0	9	8	3	28	48	52	2.6
P058	0+0.000	JCT FAP RTE 1	GLACIER	2	35	51	3.369	22	24	RMS	1287	250	748	0	8	8	13	25	54	52	1.5
P069	0+0.673	WHITEHALL	JEFFERSON	7	33	55	2.318	32	32	RMS	999	149	629	2	11	10	3	26	52	52	1.1
P065	0+0.000	JCT FAP 1 W GLAC	FLATHEAD	1	38	38	.305	40	40	RMS	1333	269	614	7	16	7	1	23	54	52	.1
P078	27+0.412	2.3 N CARBON CO	STILLWATER	11	35	35	2.579	20	20	RMS	381	62	391	0	10	6	1	28	45	52	1.4
P001	153+0.269	JCT FAP 65	FLATHEAD	1	48	49	3.364	24	28	PMS	874	122	162	6	17	7	2	19	51	52	1.6
P001	372+0.142	8.6 E KREMLIN	HILL	2	60	60	7.002	32	32	PMS	2454	319	648	4	17	10	4	23	58	52	2.9
P001	197+0.816	GLACIER CO LINE	GLACIER	2	52	70	6.390	26	26	PMS	1043	146	223	4	15	10	3	20	52	52	3.1
P005	46+0.161	0.4 S ROMAN	LAKE	1	70	70	.411	40	40	PMS	5512	804	784	8	22	10	8	15	63	52	.2
P002	0+0.000	194 W MILES CITY	CUSTER	12	62	62	.908	32	32	PMS	2054	232	488	6	16	10	2	23	57	52	.4
P018	48+0.498	10.4 N GARFIELD CO	GARFIELD	5	31	35	4.902	20	24	BST	235	30	470	0	7	5	1	29	42	52	2.8
P023	85+0.569	2.4 S JCT FAP 54	POWDER RIVER	12	53	53	10.018	24	28	RMS	738	107	266	0	11	10	5	24	50	52	5.0
P022	7+0.586	7.1 E SCOBEY	DANIELS	3	35	36	10.261	20	24	BST	430	64	210	0	12	8	1	25	46	52	5.5
P029	77+0.863	2.3 E FAS 375	SILVER BOW	9	28	71	2.337	24	30	RMS	745	96	627	0	14	7	1	28	50	52	1.2
P032	48+0.193	2.6 S SCOBEY	DANIELS	3	33	45	2.587	20	24	RMS	450	63	203	0	13	8	1	25	47	53	1.4
P057	218+0.065	JCT FAS RTE 341	GARFIELD	5	36	49	8.693	24	25	BST	414	63	469	0	10	8	1	28	47	53	4.6
P057	192+0.200	3.6 E EDWARDS	GARFIELD	5	36	53	6.889	24	24	RMS	383	58	393	0	8	9	1	28	46	53	3.7
P057	226+0.736	8.7 E FAS 341	GARFIELD	5	37	54	12.201	24	24	RMS	385	58	243	0	11	8	1	26	46	53	6.6
P057	73+0.550	8.5 E FAP 63	FERGUS	5	47	54	3.349	24	31	PMS	1932	229	340	6	19	9	4	20	58	53	1.4

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	BT	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FND	SRF	DRN	SAF	CAP	TOT	ADJ	DEFIC MILES
P057	123+0.198	PETROLEUM CO	PETROLEUM	5	31	58	7.767	20	24	RMS	297	45	561	0	7	4	4	29	44	53	4.3
P057	21+0.888	GEYSER	JUDITH BASIN	6	36	50	4.693	24	25	RMS	1980	235	408	0	11	7	19	21	58	53	2.0
P057	171+0.261	8.1 W SAND SPRINGS	GARFIELD	5	48	52	8.146	22	24	RMS	348	53	406	0	9	7	1	28	45	53	4.5
P063	4+0.083	3.8 N HARLOWTON	WHEATLAND	10	49	54	9.470	24	24	PMS	999	129	408	0	14	10	4	25	53	53	4.5
P061	38+0.689	6.5 S FAP RTE 57	FERGUS	5	41	67	4.893	24	30	RMS	784	101	333	0	15	9	2	25	51	53	2.4
P081	32+0.645	9.8 NW JCT FAP 43	FERGUS	5	51	51	9.827	24	24	BST	414	64	193	0	13	8	1	25	47	53	5.2
P001	626+0.151	BROCKTON	ROOSEVELT	3	43	57	3.243	24	30	RMS	1092	141	414	0	16	10	3	25	54	53	1.5
P005	53+0.399	6.0 N RONAN	LAKE	1	58	58	3.432	32	32	PMS	5268	769	688	8	22	10	11	13	64	53	1.2
P014	170+0.161	ROUNDUP	MUSSELSHELL	11	39	39	11.871	20	24	RMS	742	96	333	0	13	10	2	26	51	53	5.8
P014	137+0.000	6.5 E RYEGATE	GOLDEN VALLEY	11	37	37	9.104	20	24	RMS	872	113	515	0	9	8	8	27	52	53	4.4
P013	49+0.247	ENNIS	MADISON	9	34	34	7.247	20	24	RMS	872	135	431	0	15	8	4	25	52	53	3.5
P014	68+0.503	8.7 W WHEATLAND CO	MEAGHER	10	36	63	4.875	22	24	RMS	378	49	451	0	9	7	2	28	46	53	2.6
P018	23+0.937	3.9 N ROSEBUD CO	ROSEBUD	12	31	35	10.946	20	24	BST	305	39	448	0	8	7	1	29	45	53	6.0
P029	43+0.258	TWIN BRIDGES	MADISON	9	39	39	6.633	20	24	RMS	1171	175	390	0	13	5	13	23	54	53	3.1
P024	35+0.684	POWELL CO	POWELL	8	61	61	7.494	24	26	PMS	1459	240	277	6	18	10	5	17	56	53	3.3
P029	68+0.871	6.1 E JEFF CO LINE	JEFFERSON	7	31	58	6.155	22	26	RMS	485	63	296	0	12	7	2	27	48	53	3.2
P029	14+0.828	VIRGINIA CITY	MADISON	9	45	45	5.116	20	24	RMS	758	159	315	4	17	5	3	22	51	53	2.5
P029	59+0.893	JEFFERSON CO LINE	JEFFERSON	7	36	36	5.790	22	24	RMS	333	49	567	0	10	5	1	29	45	53	3.2
P029	58+0.396	SILVER BOW CO LINE	SILVER BOW	9	36	63	1.489	22	24	RMS	322	48	540	0	10	5	1	29	45	53	.8
P024	0+0.975	MILLTOWN	MISSOULA	8	74	74	.870	44	44	PMS	3945	650	544	10	28	10	2	12	62	53	.3
P019	22+0.028	9.6 W ANACONDA	DEER LODGE	9	51	59	2.255	32	32	PMS	1233	178	456	0	14	8	8	24	54	53	1.0
P023	72+0.957	3.4 N FAP 37	POWDER RIVER	12	28	41	3.379	24	24	BST	492	71	221	2	11	8	2	25	48	53	1.8
P044	2+0.760	2.8 E JCT FAP 3	PONDERA	6	54	54	10.425	24	24	RMS	549	77	530	0	14	7	1	28	50	54	5.2
P032	39+0.888	4.7 N DANIELS CO	DANIELS	3	33	45	4.599	20	24	RMS	266	37	203	0	12	5	1	27	45	54	2.5
P037	17+0.211	17.2 E JCT FAI 90	BIG HORN	11	54	54	7.296	24	24	PMS	906	122	220	0	12	8	11	22	53	54	3.4
P036	31+0.649	FLATHEAD CO	FLATHEAD	1	40	51	4.443	20	26	RMS	510	76	515	0	10	6	5	28	49	54	2.3
P037	24+0.493	BUSBY	BIG HORN	11	54	54	2.712	24	24	PMS	1153	155	683	0	10	10	8	27	55	54	1.2
P057	199+0.094	10.5 E EDWARDS	GARFIELD	5	36	53	7.662	24	24	RMS	390	59	393	0	9	9	1	28	47	54	4.1
P069	5+0.046	4.3 E WHITEHALL	JEFFERSON	7	68	68	1.060	30	30	PMS	950	142	554	0	16	8	4	26	54	54	.5
P059	4+0.559	4.1 N FAI 90	PARK	10	41	41	10.238	20	24	RMS	769	115	400	0	13	9	4	26	52	54	4.9
P059	49+0.499	JCT FAS RTE 294	MEAGHER	10	36	63	8.034	22	24	RMS	431	64	599	0	9	8	3	28	48	54	4.2
P063	19+0.218	FERGUS CO	FERGUS	5	47	73	3.002	24	24	PMS	1205	156	384	3	14	10	4	24	55	54	1.4
P083	23+0.113	8.3 N SEELEY LAKE	MISSOULA	8	52	52	7.694	22	26	PMS	540	95	175	3	17	7	1	22	50	54	3.8
P085	0+0.000	JCT FAP 50 FAP 84	GALLATIN	10	53	53	6.708	24	24	RMS	1953	322	534	5	18	8	7	21	59	54	2.8
P001	299+0.766	7.3 W LIBERTY CO	TOOLE	2	57	62	7.266	32	32	PMS	1011	131	500	0	12	10	6	26	54	54	3.3
P001	439+1.027	6.4 W PHILLIPS CO	BLAINE	2	35	71	6.447	24	24	BST	876	113	469	0	13	6	8	26	53	54	3.0
P001	413+0.431	0.4 E ZURICH	BLAINE	2	49	56	.591	32	32	PMS	1587	206	629	5	16	10	1	25	57	54	.3
P004	42+0.925	0.2 N FAP 28	CARBON	11	49	70	7.959	28	32	RMS	4351	565	580	4	17	10	18	15	64	54	2.9
P001	591+0.423	WOLF POINT	ROOSEVELT	3	58	58	5.798	32	32	PMS	2473	296	648	6	17	10	4	23	60	54	2.3
P005	34+0.947	2.1 N ST IGNATIUS	LAKE	1	72	72	.388	32	32	PMS	3417	498	310	6	20	10	20	6	62	54	.1
P006	47+0.218	2.6 E BELKNAP	SANDERS	8	61	64	2.474	32	32	PMS	1336	195	240	7	18	10	3	18	56	54	1.1
P003	8+0.105	JCT FAP 24	CASCADE	6	36	61	7.139	24	31	RMS	1025	133	469	0	13	8	7	26	54	54	3.3
P013	93+0.363	JCT FAP 8	BROADWATER	7	68	68	.330	40	40	RMS	668	86	67	7	23	10	0	11	51	54	.2
P013	65+0.316	JCT FAP 84	MADISON	9	34	34	9.543	20	24	RMS	426	66	220	0	14	7	1	26	48	54	5.0
P014	13+0.545	11.2 E FAS 284	BROADWATER	7	51	51	9.901	20	26	RMS	397	59	252	0	13	5	3	26	47	54	5.2
P014	160+0.456	7.1 W FAP RTE 16	MUSSELSHELL	11	36	50	7.063	20	24	RMS	404	52	377	0	11	6	2	28	47	54	3.7
P014	75+0.152	2.0 W WHEATLAND CO	MEAGHER	10	34	64	2.049	22	24	RMS	409	53	702	0	10	6	3	29	48	54	1.1
P013	47+0.144	9.3 N CAMERON	MADISON	9	36	58	1.492	22	25	RMS	1117	223	601	0	12	9	10	24	55	54	.7
P013	56+0.524	MCALLISTER	MADISON	9	36	57	5.182	22	24	RMS	698	108	311	2	15	7	2	25	51	54	2.5
P013	61+0.592	3.7 S NORRIS	MADISON	9	34	34	3.713	20	24	RMS	613	95	211	3	15	8	1	23	50	54	1.9
P014	187+0.619	17.5 E ROUNDUP	MUSSELSHELL	11	39	39	4.478	20	24	RMS	492	63	354	0	11	8	3	27	49	54	2.3
P023	55+0.758	COALWOOD	POWDER RIVER	12	49	55	8.797	24	24	RMS	386	55	217	0	11	9	1	26	47	54	4.7
P035	0+0.000	ST REGIS	MINERAL	8	60	60	3.381	24	24	PMS	841	138	333	3	17	7	3	24	54	55	1.6
P057	262+0.331	13.9 E FAP 42	MCCONE	4	47	47	5.189	24	24	BST	459	70	492	0	10	8	3	28	49	55	2.6
P057	256+0.590	8.0 E FAP 42	MCCONE	4	40	54	5.800	24	24	RMS	408	62	266	0	12	9	1	27	49	55	3.0

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	ST	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	ADT	OHV	SERVICE VOLUME	FNO	SRF	ORN	SAF	CAP	TOT	ADJ	DEFI MILE
P053	40+0.546	6.3 N GOLD VAL CO	GOLDEN VALLEY	11	56	56	4.841	30	30	BST	968	125	355	0	11	10	9	25	55	55	2.2
P057	148+0.698	9.6 W GARFIELD CO	PETROLEUM	5	51	51	7.983	24	24	BST	394	60	266	0	12	8	1	27	48	55	4.2
P057	213+0.087	JORDAN	GARFIELD	5	37	52	4.996	24	26	RMS	517	79	500	0	12	8	2	28	50	55	2.5
P086	3+0.822	2.8 N BOZEMAN	GALLATIN	10	61	61	5.760	30	30	PMS	1498	299	652	5	19	10	1	23	58	55	2.4
P001	391+0.007	BLAINE CO	BLAINE	2	46	54	2.849	24	31	PMS	2424	315	565	5	18	10	6	22	61	55	1.1
P001	209+0.252	EAST GLACIER	GLACIER	2	63	63	.874	32	32	PMS	1381	193	482	5	17	10	1	24	57	55	.4
P001	251+0.988	2.7 W OF CUT BANK	GLACIER	2	72	72	2.128	50	50	PMS	1851	277	272	7	24	10	3	15	59	55	.9
P001	543+0.809	JCT FAP 31	VALLEY	3	62	62	2.430	36	36	PMS	1787	241	616	5	17	10	3	24	59	55	1.0
P005	18+0.483	3.4 N LAKE CO	LAKE	1	55	60	5.861	32	32	PMS	4139	604	580	6	19	10	15	14	64	55	2.1
P007	59+0.036	VICTOR	RAVALLI	8	56	61	7.721	32	32	PMS	3647	474	720	8	24	10	2	20	64	55	2.8
P009	46+0.001	JCT FAS 408	TETON	6	35	35	7.848	20	24	RMS	367	58	286	0	12	8	1	27	48	55	4.1
P009	43+0.146	TETON CO	TETON	6	35	35	2.847	20	24	RMS	326	52	237	0	11	8	1	27	47	55	1.5
P009	38+0.547	AUGUSTA FAS 434	LEWIS AND CLARK	7	35	35	4.582	20	24	RMS	457	73	364	0	13	7	2	27	49	55	2.3
P009	29+0.380	9.3 N FAP 24	LEWIS AND CLARK	7	32	65	9.092	20	24	RMS	291	46	211	0	11	7	1	27	46	55	4.9
P013	94+0.645	1.1 E GALLATIN CO	GALLATIN	10	38	38	1.106	24	28	RMS	668	86	372	3	13	8	1	27	52	55	.5
P018	38+0.093	GARFIELD CO	GARFIELD	5	31	35	10.392	20	24	BST	202	26	448	0	7	7	1	29	44	55	5.8
P014	151+0.679	MUSSELSHELL CO	MUSSELSHELL	11	37	37	3.424	20	24	RMS	244	31	201	0	12	4	1	28	45	55	1.9
P014	146+0.071	JCT FAP RTE 53	GOLDEN VALLEY	11	37	37	5.631	20	24	RMS	262	34	201	0	13	4	1	27	45	55	3.1
P014	77+0.214	WHEATLAND CO	WHEATLAND	10	34	64	10.825	22	24	RMS	380	49	642	0	9	7	3	29	48	55	5.6
P028	96+0.673	JOLIET	CARBON	11	74	74	4.685	44	44	PMS	1941	388	344	8	26	10	3	13	60	55	1.9
P029	66+0.000	JCT FORMER FAP 2	JEFFERSON	7	31	40	2.000	24	31	RMS	479	62	248	0	13	10	1	26	50	55	1.0
P028	0+0.000	SILVERGATE	PARK	10	36	72	8.703	22	22	BST	442	99	184	4	17	6	0	22	49	55	4.4
P022	17+0.900	SHERIDAN CO	SHERIDAN	3	36	36	3.028	22	25	BST	370	55	280	0	11	8	2	27	48	55	1.6
P030	20+0.630	JCT FAS RTE 516	SHERIDAN	3	40	40	2.757	20	24	RMS	403	56	239	0	12	8	2	26	48	55	1.4
P039	26+0.054	3.3 NC COLSTRIP	ROSEBUD	12	49	70	5.691	24	24	RMS	666	99	301	4	17	6	1	25	53	56	2.7
P057	79+0.285	JCT FAP RTE 75	FERGUS	5	47	54	1.761	24	31	RMS	2117	245	676	7	17	9	3	25	61	56	.7
P057	76+0.912	2.3 W FAP 75	FERGUS	5	47	54	2.366	24	31	PMS	2479	295	522	7	20	9	4	22	62	56	.9
P059	45+0.327	0.3 N RINGLING	MEAGHER	10	36	47	4.192	24	24	RMS	331	49	744	0	9	8	2	29	48	56	2.2
P072	11+0.754	0.5 N BELFRY	CARBON	11	49	49	2.812	20	24	RMS	932	149	431	0	12	4	14	25	55	56	1.3
P061	118+0.176	15.8 N FAP RTE 66	PHILLIPS	3	49	49	6.251	22	22	BST	351	58	245	0	13	7	2	26	48	56	3.3
P082	0+0.000	JCT FAP 5	FLATHEAD	1	52	71	5.474	24	24	PMS	2602	377	514	8	23	8	4	19	62	56	2.1
P001	278+0.091	0.4 W FAI 15	TOOLE	2	60	60	.368	68	68	PMS	1534	230	3440	0	13	10	7	29	59	56	.2
P001	424+0.712	HARLEM	BLAINE	2	68	68	3.805	40	40	PMS	2076	269	281	7	24	10	4	16	61	56	1.5
P001	204+0.366	6.4 E GLACIER CO	GLACIER	2	63	63	4.884	32	32	PMS	1233	172	497	4	15	10	3	25	57	56	2.1
P006	37+0.680	WHITE PINE	SANDERS	8	48	54	8.533	24	28	PMS	905	132	435	0	14	9	7	25	55	56	3.8
P012	0+0.000	IDAHO LINE	GALLATIN	10	61	61	2.272	34	34	PMS	1650	381	252	8	26	10	8	7	59	56	.9
P013	24+0.369	13.3 S CAMERON	MADISON	9	34	34	2.648	20	24	RMS	516	103	792	0	8	7	8	28	51	56	1.3
P014	33+0.493	JCT FAP 59	MEAGHER	10	33	66	8.182	21	24	RMS	851	127	660	0	10	8	10	27	55	56	3.7
P013	83+0.952	SAPPINGTON JCT	JEFFERSON	7	32	48	5.273	24	30	RMS	466	60	286	0	14	8	1	27	50	56	2.6
P018	20+0.059	ROSEBUD CO	ROSEBUD	12	28	35	3.899	20	24	BST	336	43	627	0	8	8	3	29	48	56	2.0
P013	83+0.044	JEFFERSON CO LINE	JEFFERSON	7	34	52	.908	22	24	RMS	361	55	306	0	13	8	1	27	49	56	.5
P024	43+0.145	7.5 E POWELL CO	POWELL	8	61	61	12.512	24	26	PMS	1519	250	299	6	18	10	8	17	59	56	5.1
P037	53+0.681	11.3 E LAME DEER	ROSEBUD	12	54	54	8.693	24	24	PMS	904	122	258	4	17	9	3	23	56	57	3.8
P057	248+0.631	JCT FAP 42	MCCONE	4	40	54	8.010	24	24	RMS	345	52	243	0	12	9	1	27	49	57	4.1
P057	242+0.464	3.5 E FAS 462	GARFIELD	5	38	54	6.092	24	24	RMS	312	47	243	0	12	9	1	27	49	57	3.1
P053	15+0.901	ACTON	YELLOWSTONE	11	48	48	7.281	20	24	RMS	1039	135	584	0	9	9	12	27	57	57	3.1
P059	40+0.703	2.8 MEAGHER CO	MEAGHER	10	36	47	4.600	24	24	RMS	304	45	515	0	10	6	3	29	48	57	2.4
P069	31+0.026	6.0 S BOULDER	JEFFERSON	7	59	59	6.004	24	24	BST	756	113	353	4	16	7	3	25	55	57	2.7
P063	22+0.899	FERGUS CO	FERGUS	5	47	62	1.926	24	24	RMS	980	127	429	0	13	10	8	26	57	57	.8
P058	39+0.819	BABB	GLACIER	2	56	56	3.787	24	28	RMS	881	171	448	3	17	9	3	24	56	57	1.7
P084	20+0.309	ANCENEY	GALLATIN	10	55	55	8.744	24	24	RMS	828	140	365	5	18	8	1	24	56	57	3.8
P001	197+0.193	0.6 W GLACIER CO	FLATHEAD	1	52	70	.623	26	26	PMS	942	131	336	6	17	10	0	24	57	57	.3
P001	354+0.598	1.0 E GILDFORD	HILL	2	36	59	8.956	26	31	RMS	1254	163	530	5	18	10	1	25	59	57	3.7
P005	134+0.691	6.8 N WHITEFISH	FLATHEAD	1	55	59	10.962	24	28	PMS	1206	156	462	3	14	10	6	25	58	57	4.6
P007	83+0.388	JCT FAP 93	MISSOULA	8	68	68	6.756	68	68	PMS	8856	1151	1520	9	25	10	5	21	70	57	2.0

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS GIST	BT	IM	SECTION LENGTH	WIDTH SRF	RDY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P013	37+0.869	CAMERON	MADISON	9	34	34	9.243	20	24	RMS	704	140	486	0	14	8	6	26	54	57	4.3
P008	11+0.262	AVON	POWELL	8	33	66	1.742	22	24	RMS	1356	176	554	0	9	8	17	25	59	57	.7
P010	90+0.926	1.5 N HILL CO	HILL	2	30	73	6.098	22	26	PMS	1290	167	535	0	12	7	15	25	59	57	2.5
P012	2+0.270	2.3 E IDAHO LINE	GALLATIN	10	61	61	5.777	34	34	PMS	1758	406	552	5	15	10	12	19	61	57	2.3
P009	20+0.875	0.8 N FAP 24	LEWIS AND CLARK	7	32	65	8.469	20	24	RMS	294	47	470	0	10	7	2	29	48	57	4.4
P014	63+0.148	18.1 E FAP 60	MEAGHER	10	37	65	5.333	21	24	RMS	345	44	448	0	9	8	3	29	49	57	2.7
P020	50+0.012	JCT FAP RTES 26 51	RICHLAND	4	73	73	1.750	83	83	PMS	5734	745	1700	7	24	10	4	23	68	57	.6
P018	34+0.903	JCT FAS RTE 462	ROSEBUD	12	31	56	3.183	20	24	BST	180	23	422	0	7	7	2	29	45	57	1.8
P017	3+0.200	3.5 N FAP RTE 42	VALLEY	3	38	63	5.422	20	24	RMS	409	61	390	0	13	7	3	28	51	57	2.7
P016	4+0.649	BILLINGS	YELLOWSTONE	11	77	77	7.049	40	40	PMS	1873	243	189	8	26	10	6	11	61	57	2.7
P023	64+0.651	8.8 S COALWOOD	POWDER RIVER	12	29	41	8.397	24	24	BST	438	63	258	0	11	10	4	26	51	57	4.1
P023	47+0.867	2.7 N POWDER R CO	CUSTER	12	52	52	2.703	22	28	PMS	404	58	196	0	11	10	3	26	50	57	1.4
P029	67+0.995	7.0 E JEFF CO LINE	JEFFERSON	7	51	51	.888	34	34	RMS	479	62	243	0	12	10	4	26	52	57	.4
P037	64+0.304	POWDER RIVER CO	POWDER RIVER	12	57	57	5.314	24	28	PMS	728	98	289	0	13	10	8	25	56	58	2.3
P045	28+0.272	WHEATLAND CO	WHEATLAND	10	46	55	5.074	24	26	RMS	429	55	355	0	11	10	3	28	52	58	2.4
P046	65+0.263	0.4 E WISE RIVER	BEAVERHEAD	9	61	61	8.231	26	28	PMS	394	59	311	3	14	6	1	27	51	58	4.0
P043	1+0.366	0.7 N LEWISTOWN	FERGUS	5	77	77	1.652	44	44	PMS	2526	328	296	10	30	10	1	13	64	58	.6
P057	0+0.000	JCT FAP RTE 60	CASCADE	6	60	60	5.418	32	32	PMS	1742	207	1915	4	19	10	1	28	62	58	2.1
P050	8+0.524	0.2 N FAP RTE 87	GALLATIN	10	62	72	1.955	32	32	PMS	1071	168	144	9	25	10	1	13	58	58	.8
P061	124+0.473	22.0 N FAP RTE 66	PHILLIPS	3	47	47	5.924	25	25	BST	333	55	312	0	12	8	3	27	50	58	3.0
P078	6+0.052	5.5 W RED LODGE	CARBON	11	53	53	7.264	24	24	RMS	303	49	278	0	15	6	1	27	49	58	3.7
P078	0+0.472	RED LODGE	CARBON	11	52	52	5.580	24	24	RMS	592	97	556	4	15	7	1	27	54	58	2.6
P001	0+0.000	IDAHO LINE	LINCOLN	1	54	55	2.622	24	30	PMS	1028	133	323	4	16	9	5	24	58	58	1.1
P001	408+0.325	4.2 E CHINOOK	BLAINE	2	40	56	5.091	28	30	PMS	1617	210	612	6	16	10	4	25	61	58	2.0
P001	308+0.048	1.0 E LIBERTY CO	LIBERTY	2	47	60	7.280	26	26	RMS	925	120	387	4	16	10	2	25	57	58	3.1
P001	37+0.373	4.5 E LIBBY	LINCOLN	1	76	76	.509	44	44	PMS	2615	339	222	9	28	10	10	7	64	58	.2
P001	546+0.252	2.4 E FAP 31	VALLEY	3	53	53	8.404	24	30	RMS	1403	189	631	0	14	10	10	26	60	58	3.4
P010	3+0.534	GREAT FALLS	CASCADE	6	40	71	6.102	28	28	PMS	2257	293	480	5	25	9	3	21	63	58	2.3
P010	97+0.042	7.6 N HILL CO	HILL	2	28	41	7.369	22	24	RMS	1435	186	510	0	13	7	15	25	60	58	2.9
P006	106+0.153	2.0 W DIXON	SANDERS	8	44	44	1.991	24	24	BST	894	133	538	0	10	8	13	26	57	58	.9
P013	82+0.240	1.4 N GALLITIN CO	GALLATIN	10	50	50	.830	22	24	RMS	361	55	264	0	15	8	1	27	51	58	.4
P014	73+0.390	3.8 W WHEATLAND CO	MEAGHER	10	36	63	1.779	22	24	RMS	399	51	792	0	10	7	5	29	51	58	.9
P024	65+0.472	LEWIS & CLARK CO	LEWIS AND CLARK	7	60	60	6.787	24	24	PMS	1363	224	328	5	21	10	4	20	60	58	2.7
P032	28+0.175	7.0 S DANIELS CO	ROOSEVELT	3	33	45	7.041	20	24	RMS	239	33	357	0	10	7	2	29	48	58	3.7
P030	10+0.100	10.1 N JCT RTE 22	SHERIDAN	3	40	40	10.490	20	24	RMS	327	45	220	0	13	8	2	27	50	58	5.2
P027	7+0.242	6.9 N EKALAKA	CARTER	12	50	50	4.818	22	24	PMS	312	40	220	0	12	10	1	27	50	58	2.4
P045	33+0.365	5.1 N WHEATLAND CO	WHEATLAND	10	35	39	4.535	20	24	RMS	277	36	400	0	11	7	3	29	50	59	2.3
P039	21+0.410	1.3 SO COLSTRIP	ROSEBUD	12	49	67	1.335	24	24	RMS	556	83	218	5	17	8	1	24	55	59	.6
P039	0+0.000	JCT 37 LAME DEER	ROSEBUD	12	64	64	4.230	24	24	PMS	585	87	431	4	17	7	0	27	55	59	1.9
P057	238+0.925	JCT FAS 462	GARFIELD	5	38	54	2.537	24	24	RMS	303	46	312	0	12	9	1	28	50	59	1.3
P050	0+0.554	WEST YELLOWSTONE	GALLATIN	10	68	68	7.129	40	40	PMS	1845	405	234	8	21	10	20	4	63	59	2.6
P050	60+0.889	12.9 N FAP RTE 64	GALLATIN	10	67	67	9.312	28	28	PMS	1442	226	203	9	28	10	1	13	61	59	3.6
P061	33+0.803	7.2 N FERGUS CO	FERGUS	5	52	52	4.896	24	28	RMS	789	102	333	3	14	10	5	25	57	59	2.1
P078	45+0.855	0.5 S COLUMBUS	STILLWATER	11	57	57	.591	28	28	RMS	1734	286	425	8	24	10	1	20	63	59	.2
P093	16+0.488	16.0 W FAP RTE 7	MISSOULA	8	64	78	4.609	30	30	PMS	1362	217	189	9	28	10	1	13	61	59	1.8
P093	6+0.837	6.8 E IDAHO LINE	MISSOULA	8	64	64	9.654	30	30	PMS	1026	164	549	5	15	10	3	26	59	59	4.0
P001	521+0.454	20.0 E VALLEY CO	VALLEY	3	50	55	5.116	24	27	PMS	1198	161	471	3	18	10	4	25	60	59	2.0
P001	393+0.855	2.8 E BLAINE CO	BLAINE	2	38	59	9.717	24	30	RMS	3006	390	663	5	18	10	12	21	66	59	3.3
P005	92+0.740	4.9 N ROLLINS	LAKE	1	64	64	.749	32	32	PMS	1531	206	278	4	14	10	15	19	62	59	.3
P004	53+0.841	3.0 N YELLOWST CO	YELLOWSTONE	11	64	64	.432	68	68	PMS	5775	750	1424	7	22	10	9	22	70	59	.1
P002	84+0.000	BAKER	FALLON	12	68	68	5.059	40	40	PMS	985	128	599	3	16	10	3	27	59	59	2.1
P003	28+0.226	4.2 N FAIRFIELD	TETON	6	40	40	12.297	24	30	RMS	918	119	600	0	15	7	9	27	58	59	5.2
P006	4+0.625	4.6 E IDAHO LINE	SANDERS	8	52	64	3.629	24	28	RMS	652	95	220	5	15	9	3	24	56	59	1.6
P010	80+0.000	BIG SANDY	CHOUTEAU	6	33	63	4.793	24	26	RMS	1478	192	889	0	8	7	20	27	62	59	1.8
P008	49+0.577	EAST HELENA	LEWIS AND CLARK	7	78	78	3.266	44	44	PMS	3060	468	320	10	30	10	8	8	66	59	1.1

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	8T	IM	SECTION LENGTH	WIDTH SRF	RDY	SUF TYP	AOT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS FND	SRF	DRN	SAF	CAP	TOT	ADJ	DEFIC MILES
P008	65+0.437	0.7 S WINSTON	BROADWATER	7	56	65	11.540	32	32	PMS	1894	246	648	5	18	10	6	24	63	59	4.3
P020	63+0.923	FAIRVIEW	RICHLAND	4	56	56	.349	24	32	RMS	1810	235	963	7	19	10	1	26	63	59	.1
P024	82+0.008	1.0 W JCT FAS 279	LEWIS AND CLARK	7	57	64	4.105	28	30	PMS	1363	204	333	6	18	10	6	21	61	59	1.6
P024	72+0.242	LINCOLN	LEWIS AND CLARK	7	60	60	3.867	24	24	PMS	1444	216	450	5	17	10	6	23	61	59	1.5
P029	34+0.189	SHERIDAN	MADISON	9	39	39	8.029	22	24	RMS	1085	227	812	0	10	8	16	26	60	59	3.2
P055	0+0.000	JCT FAP 29	MADISON	9	53	53	2.142	24	24	RMS	792	130	297	6	18	8	3	23	58	60	.9
P048	1+0.344	0.8 N HARDIN	BIG HORN	11	41	63	5.459	21	24	RMS	831	116	453	3	17	8	5	26	59	60	2.2
P053	4+0.315	BILLINGS	YELLOWSTONE	11	63	63	2.024	32	32	PMS	4563	593	565	8	24	10	13	14	69	60	.6
P050	40+0.132	8.9 N PARK BDY	GALLATIN	10	60	60	7.823	28	28	PMS	1297	203	354	6	19	10	6	21	62	60	3.0
P062	1+0.524	CULBERTSON	ROOSEVELT	3	61	61	.496	36	36	PMS	986	147	560	7	16	10	1	26	60	60	.2
P061	142+0.098	14.7 S MALTA	PHILLIPS	3	42	42	5.277	20	24	RMS	312	52	220	0	15	9	2	26	52	60	2.5
P063	33+0.456	JUDITH BASIN CO	JUDITH BASIN	6	41	70	2.021	24	24	RMS	1053	136	360	4	14	10	8	24	60	60	.8
P063	26+0.629	1.2 N FERGUS CO	FERGUS	5	41	70	6.838	24	24	RMS	1068	138	278	7	18	10	2	23	60	60	2.7
P083	41+0.890	5.8 S LAKE CO LINE	MISSOULA	8	59	59	5.856	24	24	PMS	570	100	429	2	14	7	6	27	56	60	2.6
P001	166+0.253	12.7 E WEST GLAC	FLATHEAD	1	57	59	2.834	26	26	PMS	846	118	489	5	17	10	1	26	59	60	1.2
P001	78+0.265	2.1 W FLATHEAD CO	LINCOLN	1	37	53	2.143	22	24	RMS	943	122	187	0	14	6	20	20	60	60	.9
P001	404+0.087	CHINOOK	BLAINE	2	44	56	4.248	28	30	PMS	1938	251	612	5	17	10	8	24	64	60	1.5
P001	231+0.966	3.2 E BLACKFOOT	GLACIER	2	50	63	1.203	24	30	RMS	1205	192	530	4	16	10	6	25	61	60	.5
P010	9+0.609	6.1 N GR FALLS	CASCADE	6	51	57	6.489	30	30	PMS	1809	235	333	4	17	10	14	19	64	60	2.3
P020	23+0.110	RICHLAND CO	RICHLAND	4	54	54	5.787	28	28	RMS	1368	177	301	0	14	10	17	21	62	60	2.2
P014	23+0.519	MEAGHER CO	MEAGHER	10	55	55	9.978	24	27	PMS	463	69	264	4	14	9	1	26	54	60	4.6
P014	207+0.150	ROSEBUD CO	ROSEBUD	12	46	57	5.287	20	24	RMS	351	55	333	0	11	10	3	28	52	60	2.5
P014	192+0.108	JCT FAS 310	MUSSELSHELL	11	39	39	3.283	20	24	RMS	461	59	357	0	9	8	9	28	54	60	1.5
P022	20+0.923	3.0 E SHERIDAN CO	SHERIDAN	3	36	36	8.441	22	25	BST	413	61	464	0	12	9	5	28	54	60	3.9
P018	1+0.000	MILES CITY LIMITS	CUSTER	12	57	57	1.135	32	32	BST	1438	186	456	6	20	10	2	24	62	60	.4
P032	14+0.125	10.0 N JCT FAP 1	ROOSEVELT	3	33	45	9.277	20	24	RMS	290	40	203	0	16	7	1	27	51	60	4.5
P029	5+0.698	5.5 W ENNIS	MADISON	9	51	51	5.030	28	32	RMS	540	113	243	5	16	8	4	23	56	60	2.2
P032	35+0.227	DANIELS CO	DANIELS	3	33	45	4.667	20	24	RMS	249	34	185	0	13	8	2	27	50	60	2.3
P029	0+0.244	ENNIS LIMITS	MADISON	9	50	50	5.436	24	24	RMS	589	123	420	5	16	7	2	26	56	60	2.4
P055	2+0.411	SIL BOW-JEFFERSON	JEFFERSON	7	53	53	9.717	24	24	RMS	964	159	258	6	17	8	9	21	61	61	3.8
P078	13+0.316	12.8 W REO LODGE	CARBON	11	57	57	6.370	24	24	PMS	206	33	591	0	13	6	2	29	50	61	3.2
P060	53+0.694	4.2 N MONARCH	CASCADE	6	40	40	6.667	26	26	BST	463	69	448	0	14	9	4	28	55	61	3.0
P072	5+0.604	4.8 S BELFRY	CARBON	11	61	61	4.864	30	30	PMS	747	119	384	4	17	7	6	25	59	61	2.0
P060	38+0.998	NEIHART	CASCADE	6	52	52	10.527	22	26	PMS	488	73	355	5	14	8	2	27	56	61	4.6
P081	29+0.558	12.9 NW JCT FAP 43	FERGUS	5	73	73	3.087	24	24	RMS	324	50	193	4	14	8	1	26	53	61	1.5
P083	47+0.765	LAKE CO. LINE	LAKE	1	58	58	6.789	24	24	PMS	414	72	384	2	15	6	5	27	55	61	3.1
P084	11+0.483	MADISON-GALLATIN	GALLATIN	10	55	55	8.808	24	24	RMS	416	70	243	4	15	9	1	26	55	61	4.0
P001	454+0.550	DODSON	PHILLIPS	3	49	78	3.137	26	26	RMS	1167	151	500	3	19	8	7	25	62	61	1.2
P001	278+0.809	0.3 E FAI 15	TOOLE	2	56	56	.440	60	60	PMS	4515	632	1620	3	14	9	20	24	70	61	.1
P001	156+0.627	3.2 E WEST GLACIER	FLATHEAD	1	65	65	.521	24	28	RMS	869	121	378	6	19	10	0	25	60	61	.2
P001	542+0.429	GLASGOW	VALLEY	3	62	62	1.386	68	68	PMS	3211	433	3600	6	18	10	6	28	68	61	.4
P001	499+1.054	SACO	PHILLIPS	3	55	55	1.515	24	28	RMS	1214	163	586	0	11	10	15	26	62	61	.6
P005	145+0.620	OLNEY	FLATHEAD	1	55	60	11.263	26	26	PMS	844	109	255	0	14	9	13	24	60	61	4.5
P001	634+0.794	8.6 E BROCKTON	ROOSEVELT	3	52	52	4.409	24	30	RMS	1011	131	442	0	15	10	10	26	61	61	1.7
P007	7+0.530	7.4 N JCT FAP 46	RAVALLI	8	40	40	6.016	24	24	BST	838	108	289	0	13	6	17	24	60	61	2.4
P020	13+0.047	11.3 N GLENDIVE	DAWSON	4	69	69	5.607	40	40	PMS	1304	169	184	6	22	10	9	16	63	61	2.1
P028	101+0.121	0.6 S FAP 4	CARBON	11	68	68	.587	40	40	PMS	2328	465	662	6	19	10	12	19	66	61	.2
P027	12+0.063	FALLON CO	FALLON	12	50	50	10.442	22	24	PMS	298	38	387	0	7	10	6	29	52	61	5.0
P032	23+0.431	11.8 S DANIELS CO	ROOSEVELT	3	33	45	4.759	20	24	RMS	240	33	220	0	14	8	1	28	51	61	2.3
P031	0+0.000	JCT FAP 42	VALLEY	3	62	62	1.443	28	28	PMS	512	77	396	4	14	9	2	27	56	61	.6
P037	69+0.625	6.3 E POWDER R CO	POWDER RIVER	12	67	67	9.659	28	28	PMS	621	83	435	3	13	10	6	27	59	62	4.0
P050	76+0.436	5.4 S FAP 84 85	GALLATIN	10	64	64	5.455	32	32	PMS	2798	439	696	8	23	10	6	21	68	62	1.7
P056	27+0.876	6.7 S FAP 1	LINCOLN	1	56	56	6.764	24	24	PMS	594	89	249	5	17	9	2	25	58	62	2.8
P058	25+0.516	6.0 S ST MARYS	GLACIER	2	58	64	6.011	44	44	PMS	931	181	455	6	19	10	2	24	61	62	2.3
P061	136+0.797	18.9 S FAS 363	PHILLIPS	3	42	42	5.282	20	24	RMS	306	51	421	0	15	8	3	28	54	62	2.4

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	8T	1M	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FND	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P061	147+0.379	9.5 S MALTA	PHILLIPS	3	38	42	8.114	24	26	RMS	555	93	573	0	10	8	12	28	58	62	3.4
P069	28+0.186	8.8 S BOULDER	JEFFERSON	7	57	57	2.840	24	24	BST	608	91	301	5	18	7	3	25	58	62	1.2
P059	37+1.030	MEAGHER CO	MEAGHER	10	42	52	2.756	24	24	RMS	304	45	774	0	8	8	8	29	53	62	1.3
P001	581+0.089	ROOSEVELT CO	ROOSEVELT	3	57	61	9.308	32	32	PMS	1452	196	616	3	17	10	9	25	64	62	3.4
P001	597+0.243	JCT FAP RTE 32	ROOSEVELT	3	58	58	4.565	32	32	PMS	1814	217	648	6	18	10	7	25	66	62	1.6
P001	271+0.001	7.6 E TOOLE CO	TOOLE	2	53	66	7.061	32	32	RMS	1210	181	503	0	17	10	11	25	63	62	2.6
P005	64+0.489	3.5 N POLSON	LAKE	1	54	54	2.938	24	32	PMS	2416	326	411	4	16	10	20	18	68	62	.9
P001	644+1.008	CULBERTSON	ROOSEVELT	3	56	61	3.010	32	32	PMS	1114	150	629	6	16	10	5	26	63	62	1.1
P006	12+0.353	1.0 E BULL RIVER	SANDERS	8	58	58	1.214	32	32	BST	764	111	210	7	19	10	2	22	60	62	.5
P009	60+0.000	4.0 S CHOTEAU	TETON	6	36	36	4.013	22	25	RMS	694	111	486	0	14	8	10	27	59	62	1.6
P017	8+0.774	3.1 S NASHUA	VALLEY	3	38	63	1.783	20	24	RMS	448	67	265	4	17	8	1	26	56	62	.8
P019	16+0.911	4.4 W ANACONDA	DEER LODGE	9	51	59	5.072	24	28	PMS	1367	198	501	2	14	10	14	24	64	62	1.8
P014	224+0.418	5.1 W INGOMAR	ROSEBUD	12	48	63	5.122	25	25	RMS	281	44	258	0	14	10	2	27	53	62	2.4
P023	50+0.580	POWDER RIVER CO	POWDER RIVER	12	52	60	5.179	24	28	RMS	379	54	642	0	10	10	6	29	55	62	2.3
P027	0+0.355	EKALAKA	CARTER	12	50	50	6.902	22	24	PMS	348	45	377	0	13	10	3	28	54	62	3.2
P023	108+0.475	HAMMOND	CARTER	12	55	73	11.000	28	28	PMS	763	110	486	0	11	10	12	27	60	62	4.4
P032	44+0.481	9.3 N DANIELS CO	DANIELS	3	33	45	3.711	20	24	RMS	311	43	372	0	13	8	5	28	54	62	1.7
P046	51+0.396	DEER LODGE CO LINE	DEER LODGE	9	61	61	5.577	26	28	PMS	271	40	413	0	13	10	2	29	54	63	2.6
P057	83+0.163	LEWISTOWN	FERGUS	5	42	42	5.079	24	30	PMS	1426	185	377	4	17	10	11	23	65	63	1.8
P050	8+0.373	JCT FAP RTE 87	GALLATIN	10	64	64	.151	52	52	PMS	1134	178	260	8	24	10	2	20	64	63	.1
P056	22+0.022	5.4 N LINCOLN CO	LINCOLN	1	60	60	5.854	24	24	PMS	457	69	289	5	17	7	2	26	57	63	2.5
P054	0+0.000	WYOMING LINE	POWDER RIVER	12	59	66	9.121	24	24	BST	230	29	327	0	11	10	2	29	52	63	4.4
P061	45+0.150	JCT FAP RTE 57	FERGUS	5	62	62	9.658	30	30	PMS	246	41	485	0	11	10	3	29	53	63	4.5
P063	35+0.473	0.9 S FERGUS CO	JUDITH BASIN	6	46	59	.876	24	24	RMS	1062	138	450	0	12	8	18	25	63	63	.3
P069	10+0.026	3.9 N FAS RTE 359	JEFFERSON	7	64	64	3.662	28	28	PMS	567	85	312	3	17	10	3	26	59	63	1.5
P001	164+0.714	11.2 E WEST GLAC	FLATHEAD	1	57	59	1.514	26	26	PMS	851	119	403	6	18	10	2	26	62	63	.6
P001	159+0.503	6.0 E WEST GLACIER	FLATHEAD	1	57	59	5.217	26	26	PMS	858	120	403	5	16	8	7	26	62	63	2.0
P001	36+0.664	4.0 E LIBBY	LINCOLN	1	76	76	.709	62	62	PMS	2790	362	272	8	27	10	14	10	69	63	.2
P001	278+0.459	JCT FAI 15	TOOLE	2	60	60	.350	68	68	PMS	3857	539	3240	0	13	10	20	28	71	63	.1
P001	508+0.040	6.6 E VALLEY CO	VALLEY	3	66	66	7.595	40	40	PMS	1243	167	296	5	22	10	5	22	64	63	2.7
P006	0+0.000	IDAHO LINE	SANDERS	8	52	65	2.260	24	28	RMS	609	88	289	6	18	8	3	25	60	63	.9
P006	29+0.459	TROUT CREEK	SANDERS	8	48	54	8.234	24	28	PMS	728	106	462	3	12	9	10	27	61	63	3.2
P006	23+0.327	TUSCOR	SANDERS	8	59	64	6.097	32	32	PMS	801	116	500	3	17	10	4	27	61	63	2.4
P003	101+0.021	9.2 S FAP RTE 1	GLACIER	2	51	51	2.132	26	28	RMS	692	166	454	4	16	10	5	25	60	63	.9
P007	73+0.547	1.0 S FLORENCE	RAVALLI	8	74	76	.674	44	44	PMS	4185	544	320	9	27	10	20	5	71	63	.2
P007	74+0.249	0.4 S FLORENCE	RAVALLI	8	74	76	.571	64	64	PMS	4549	591	2136	8	24	10	4	26	72	63	.2
P014	130+0.503	RYEGATE	GOLDEN VALLEY	11	37	37	2.478	20	24	RMS	844	109	333	0	11	6	20	25	62	63	.9
P014	195+0.388	3.3 E FAS 310	MUSSELSHELL	11	39	39	8.309	20	24	RMS	404	52	354	0	13	9	7	28	57	63	3.6
P028	47+0.309	2.3 N WYO BDRY	CARBON	11	65	65	6.415	28	28	PMS	442	99	291	5	17	10	0	25	57	63	2.8
P027	35+0.755	BAKER	FALLON	12	57	60	8.648	28	28	RMS	712	92	492	0	8	10	16	27	61	63	3.4
P037	62+0.327	ASHLAND	ROSEBUD	12	57	57	1.966	24	28	PMS	876	118	435	4	16	10	7	26	63	64	.7
P046	58+0.864	.8 E BEAVERHEAD CO	BEAVERHEAD	9	61	61	6.050	26	28	PMS	336	50	327	2	15	8	3	28	56	64	2.7
P057	56+0.674	2.3 E MOCCASIN	JUDITH BASIN	6	55	55	1.138	24	32	RMS	2140	254	503	3	14	10	20	22	69	64	.4
P057	330+0.553	0.3 W GLENDIVE	DAWSON	4	48	50	.222	24	34	PMS	2554	306	361	6	19	8	20	17	70	64	.1
P057	121+0.739	8.7 E FAP 61	FERGUS	5	29	58	1.467	18	24	RMS	323	49	369	0	8	5	15	28	56	64	.6
P057	267+0.491	JCT FAS RTE 253	MCCONE	4	41	56	10.951	24	25	RMS	553	84	515	0	8	10	14	28	60	64	4.4
P069	13+0.688	7.5 N FAS RTE 359	JEFFERSON	7	61	61	8.498	26	26	PMS	537	80	291	6	18	9	1	26	60	64	3.4
P061	43+0.570	1.6 S FAP RTE 57	FERGUS	5	62	62	1.564	32	32	PMS	741	124	500	4	16	10	6	26	62	64	.6
P061	26+0.604	FERGUS CO	FERGUS	5	63	63	1.120	30	30	PMS	790	102	333	7	19	10	1	25	62	64	.4
P080	46+0.112	CHOUTEAU-FERGUS CO	FERGUS	5	62	62	3.745	24	24	PMS	194	29	276	2	14	5	3	28	52	64	1.8
P072	0+0.000	MONT-WYOMING LINE	CARBON	11	61	61	5.184	30	30	PMS	645	103	414	0	15	8	12	26	61	64	2.0
P061	88+0.068	PHILLIPS CO	PHILLIPS	3	60	60	5.580	28	28	PMS	348	58	584	0	9	10	9	29	57	64	2.4
P001	315+0.301	6.5 W CHESTER	LIBERTY	2	47	60	5.785	26	26	RMS	916	119	438	6	17	10	4	26	63	64	2.1
P001	363+0.532	APPR TO KREMLIN	HILL	2	36	70	8.591	28	32	RMS	1432	186	648	7	18	10	5	26	66	64	2.9
P004	33+0.798	0.6 N FROMBERG	CARBON	11	68	68	8.918	40	40	PMS	2732	355	643	7	22	10	9	22	70	64	2.7

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS 1ST	8T	IM	SECTION LENGTH	WIDTH SRF	RDY	SUF TYP	ADT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS FND	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P005	180+0.908	JCT FAP 33	LINCOLN	1	50	50	6.546	24	24	RMS	456	59	307	0	14	9	8	27	58	64	2.7
P004	0+0.516	0.5 N WYO LINE	CARBON	11	56	63	12.924	32	32	PMS	966	125	569	0	17	10	10	27	64	64	4.7
P006	10+0.404	JCT FAP 56	SANDERS	8	52	52	.970	24	28	RMS	753	109	220	6	17	10	6	23	62	64	.4
P011	49+0.902	JCT FAS 540	PARK	10	61	61	1.890	32	32	PMS	2412	518	748	8	25	10	6	20	69	64	.6
P008	54+0.482	JEFFERSON CO	JEFFERSON	7	69	69	1.515	40	40	PMS	2635	403	264	8	25	10	20	7	70	64	.5
P016	38+0.172	8.0 MI S KLEIN	MUSSELSHELL	11	65	65	8.038	32	32	PMS	1428	185	680	4	17	10	9	26	66	64	2.7
P014	229+0.532	INGOMAR	ROSEBUD	12	55	63	12.892	20	20	RMS	280	44	290	0	14	9	4	28	55	64	5.8
P014	108+0.043	7.1 E FAP 63	WHEATLAND	10	53	53	8.427	24	28	RMS	952	123	486	4	15	10	9	26	64	64	3.0
P024	133+0.232	5.7 E SIMMS	CASCADE	6	64	64	5.275	32	32	PMS	1974	276	494	5	23	10	8	22	68	64	1.7
P029	25+0.175	1.9 N FAS RTE 357	MADISON	9	40	40	7.929	20	24	RMS	853	179	702	0	9	8	20	26	63	64	2.9
P048	0+2.507	HARDIN	BIG HORN	11	70	70	.192	40	40	PMS	3486	488	368	8	24	10	20	10	72	65	.1
P058	35+0.813	4.3 N ST MARYS	GLACIER	2	56	64	4.001	32	32	PMS	1198	233	539	8	21	10	3	24	66	65	1.4
P050	31+0.181	YELL PARK BDY	GALLATIN	10	60	60	8.921	28	28	PMS	1042	163	386	6	21	10	4	24	65	65	3.1
P080	2+0.366	FORT BENTON	CHOUTEAU	6	62	62	1.631	30	30	RMS	711	107	410	5	21	10	1	26	63	65	.6
P063	25+0.433	FERGUS CO	FERGUS	5	47	57	1.200	24	24	RMS	1021	132	237	2	12	9	20	22	65	65	.4
P061	70+0.499	3.9 N JCT FAP 43	FERGUS	5	59	63	12.938	28	28	PMS	359	60	510	0	11	10	9	28	58	65	5.4
P083	54+0.540	6.8 N LAKE CO LINE	LAKE	1	55	55	10.638	24	24	PMS	403	70	258	2	15	7	9	26	59	65	4.4
P001	501+0.410	VALLEY CO	VALLEY	3	55	55	6.588	24	28	RMS	1219	164	500	0	12	9	20	25	66	65	2.2
P001	223+0.702	2.8 E BROWNING	GLACIER	2	60	60	.184	32	32	PMS	2106	402	361	7	20	10	20	13	70	65	.1
P001	601+0.789	4.6 E FAP 32	ROOSEVELT	3	60	60	9.761	32	32	PMS	2017	242	680	5	18	10	11	25	69	65	3.0
P005	77+0.587	JCT FAP 36	LAKE	1	62	62	1.837	32	32	PMS	1581	213	662	6	18	10	9	25	68	65	.6
P006	14+0.720	3.4 E BULL RIVER	SANDERS	8	59	64	8.606	32	32	PMS	795	116	290	6	19	10	4	24	63	65	3.2
P013	97+0.115	0.6 E THREE FORKS	GALLATIN	10	64	69	.217	32	32	PMS	1803	234	406	8	26	10	4	21	69	65	.1
P013	96+0.554	THREE FORKS	GALLATIN	10	50	55	.555	32	32	RMS	1948	253	752	3	13	8	20	25	69	65	.2
P007	66+0.762	JCT FAS 269	RAVALLI	8	56	61	6.777	32	32	PMS	3951	513	672	8	24	10	12	19	73	65	1.8
P008	98+0.994	0.8 E JCT FAS 437	BROADWATER	7	52	52	8.944	24	28	RMS	1665	216	401	2	14	10	20	22	68	65	2.9
P017	0+0.000	JCT FAP RTE 42	VALLEY	3	69	69	3.500	24	24	BST	514	77	365	3	17	6	7	27	60	65	1.4
P027	22+0.502	JCT FAS RTE 494	FALLON	12	48	48	6.612	25	25	BST	455	59	418	0	8	9	15	28	60	65	2.6
P036	18+0.961	JCT FAP 77	SANDERS	8	63	63	7.161	28	28	PMS	691	103	629	4	14	10	6	28	62	65	2.7
P041	0+0.000	JCT FAP 8	POWELL	8	61	61	6.348	28	28	PMS	219	36	660	0	10	10	6	29	55	66	2.9
P037	82+0.471	CUSTER FOR BORY	POWDER RIVER	12	67	67	2.271	28	28	PMS	593	80	289	4	16	10	6	26	62	66	.9
P038	8+0.655	1.3 E COL FALLS	FLATHEAD	1	71	71	.242	44	44	RMS	4195	587	795	7	18	10	20	19	74	66	.1
P048	6+0.777	6.1 N HARDIN	BIG HORN	11	45	45	4.865	20	24	RMS	523	73	406	3	17	9	6	27	62	66	1.8
P048	0+0.000	JCT FAI 90	BIG HORN	11	71	71	.294	40	40	PMS	2733	355	464	9	28	10	6	19	72	66	.1
P056	16+0.540	SANDERS-LINCOLN CO	LINCOLN	1	63	63	5.482	28	28	PMS	382	57	187	6	18	8	2	25	59	66	2.2
P058	31+0.544	ST MARYS	GLACIER	2	64	64	4.279	32	32	PMS	1243	242	511	7	22	10	5	23	67	66	1.4
P057	66+0.986	2.0 E FAP 63	FERGUS	5	47	54	6.539	24	31	PMS	1858	221	522	6	18	9	13	24	70	66	2.0
P056	0+0.000	JCT FAP RTE 6	SANDERS	8	57	57	8.170	24	24	PMS	334	50	289	4	18	8	1	27	58	66	3.4
P063	22+0.221	JUDITH BASIN CO	JUDITH BASIN	6	47	73	.678	24	24	PMS	1057	137	450	3	14	10	14	25	66	66	.2
P062	2+0.037	0.5 S CULBERTSON	ROOSEVELT	3	78	78	1.845	40	40	PMS	815	122	135	9	28	10	2	16	65	66	.6
P080	0+0.000	JCT FAP 10	CHOUTEAU	6	53	53	1.596	24	24	RMS	628	94	217	7	19	10	3	24	63	66	.6
P061	54+0.837	9.7 N FAP RTE 57	FERGUS	5	61	61	11.832	30	30	PMS	266	44	510	0	12	10	6	29	57	66	5.1
P069	2+0.991	2.3 E WHITEHALL	JEFFERSON	7	68	68	2.055	30	30	PMS	970	145	367	5	25	10	2	24	66	66	.7
P084	6+0.425	6.4 E JCT FAP 13	MADISON	9	52	52	5.052	24	24	RMS	399	67	394	5	17	10	1	27	60	66	2.0
P084	0+0.000	JCT FAP 13	MADISON	9	53	53	6.427	24	24	RMS	448	76	374	6	18	9	1	27	61	66	2.5
P001	656+0.309	10.8 W N D LINE	ROOSEVELT	3	55	62	5.246	32	32	PMS	843	113	536	7	17	10	4	27	65	66	1.8
P001	184+0.217	12.6 W GLACIER CO	FLATHEAD	1	67	77	12.259	32	32	PMS	908	127	725	6	16	10	6	27	65	66	4.3
P001	256+0.020	CUT BANK	GLACIER	2	67	67	6.809	40	40	PMS	1420	213	536	5	17	10	12	24	68	66	2.2
P005	67+0.425	6.4 N POLSON	LAKE	1	54	70	3.855	30	30	PMS	1792	241	469	5	24	9	10	22	70	66	1.2
P011	40+0.712	9.1 S FAS 540	PARK	10	65	65	9.177	32	32	PMS	1622	348	696	8	23	10	5	23	69	66	2.8
P010	20+0.058	3.8 N CHOUTEAU CO	CHOUTEAU	6	63	63	9.726	32	32	PMS	1644	213	471	5	19	10	12	23	69	66	3.0
P018	13+0.047	7.0 S ROSEBUD CO	CUSTER	12	63	63	5.000	30	30	PMS	360	46	663	2	13	10	5	29	59	66	2.1
P030	0+0.000	JCT FAP RTE 22	SHERIDAN	3	38	40	10.149	20	24	RMS	463	64	387	0	10	7	16	28	61	66	4.0
P049	0+0.000	OILLON	BEAVERHEAD	9	46	74	.102	40	40	RMS	2327	302	828	4	17	6	20	25	72	67	
P046	56+0.960	SILVER BOW CO LINE	SILVER BOW	9	61	61	1.055	26	28	PMS	270	40	377	3	15	10	2	28	58	67	.4

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS 1ST	FIN YEARS LT	FIN YEARS IM	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P037	33+0.061	5.6 W ROSEBUD CO	BIG HORN	11	74	74	5.621	40	40	PMS	1153	155	151	9	27	10	7	15	68	67	1.8
P048	0+1.916	HARDIN	BIG HORN	11	76	76	.555	48	48	PMS	2286	320	872	9	28	10	1	24	72	67	.2
P049	13+0.697	MADISON CO LINE	MADISON	9	59	59	2.491	24	24	PMS	945	122	333	0	14	8	20	25	67	67	.8
P056	8+0.170	8.1 N FAP RTE 6	SANDERS	8	63	63	8.370	28	28	PMS	340	51	280	6	17	8	2	27	60	67	3.3
P060	49+0.470	MONARCH	CASCADE	6	52	52	4.234	22	26	PMS	562	84	355	7	18	8	4	26	63	67	1.6
P060	28+0.700	CASCADE CO	CASCADE	6	59	63	7.208	26	26	PMS	394	59	260	6	17	10	1	27	61	67	2.8
P060	25+0.339	3.3 S CASCADE CO	MEAGHER	10	59	63	3.335	26	26	PMS	401	60	488	5	17	10	1	28	61	67	1.3
P057	137+0.626	1.1 E WINNETT	PETROLEUM	5	54	54	11.000	24	24	RMS	410	62	384	0	13	10	10	28	61	67	4.3
P086	9+0.582	8.6 N BOZEMAN	GALLATIN	10	73	73	6.746	31	31	PMS	583	116	414	4	21	10	2	26	63	67	2.5
P001	639+0.172	5.0 W CULBERTSON	ROOSEVELT	3	52	52	3.338	24	30	RMS	967	125	414	0	12	10	20	25	67	67	1.1
P001	421+0.341	3.4 W HARLEM	BLAINE	2	39	62	2.572	26	31	RMS	1508	196	612	6	16	10	13	25	70	67	.8
P005	156+0.922	LINCOLN CO	LINCOLN	1	55	60	2.697	26	26	PMS	793	103	255	0	15	9	18	24	66	67	.9
P006	104+0.678	4.5 W DIXON	SANDERS	8	69	69	.388	32	32	PMS	889	132	268	8	24	10	1	23	66	67	.1
P008	87+0.738	TOSTON APPR RD	BROADWATER	7	50	51	11.260	24	26	RMS	1525	198	507	4	15	10	17	24	70	67	3.4
P010	16+0.224	CHOUTEAU CO	CHOUTEAU	6	51	57	3.833	30	30	PMS	1775	230	456	3	16	10	19	22	70	67	1.1
P011	10+0.864	10.7 N GARDINER	PARK	10	69	69	5.766	32	32	BST	996	214	485	8	24	10	2	23	67	67	1.9
P013	27+0.156	10.8 S CAMERON	MADISON	9	34	34	10.807	20	24	RMS	514	102	762	0	10	9	15	28	62	67	4.1
P020	31+0.497	SAVAGE	RICHLAND	4	74	74	1.484	40	40	PMS	1584	205	266	10	30	10	2	18	70	67	.4
P014	212+0.433	5.3 E ROSEBUD CO	ROSEBUD	12	46	57	4.717	20	24	RMS	296	47	357	0	10	10	10	28	58	67	2.0
P046	41+0.858	DEER LODGE CO LINE	DEER LODGE	9	61	61	9.356	26	28	PMS	292	43	354	5	15	9	2	28	59	68	3.8
P081	26+0.723	12.8 SE DENTON	FERGUS	5	73	73	2.835	24	24	RMS	337	52	354	4	17	10	2	28	61	68	1.1
P061	27+0.705	1.1 N FERGUS CO	FERGUS	5	65	65	6.059	30	30	PMS	790	102	355	6	20	10	5	26	67	68	2.0
P066	10+0.608	PHILLIPS-BLAINE CO	BLAINE	2	59	59	12.623	28	28	PMS	355	56	353	3	17	9	4	28	61	68	4.9
P066	0+0.000	JCT FAP RTE 61	PHILLIPS	3	61	61	10.621	28	28	PMS	211	33	608	0	10	10	8	29	57	68	4.6
P001	307+0.040	LIBERTY CO	LIBERTY	2	57	62	.983	32	32	PMS	943	122	552	4	17	10	10	27	68	68	.3
P001	247+0.019	7.7 W OF CUT BANK	GLACIER	2	27	76	4.950	24	24	PMS	1415	212	574	8	28	7	3	24	70	68	1.5
P006	13+0.530	2.2 E BULL RIVER	SANDERS	8	63	63	1.194	28	28	RMS	770	112	391	7	19	10	4	26	66	68	.4
P004	13+0.435	13.4 N WYO LINE	CARBON	11	59	59	5.773	32	32	PMS	1178	153	599	0	14	10	19	26	69	68	1.8
P006	8+0.252	8.2 E IDAHO LINE	SANDERS	8	63	63	2.158	28	28	RMS	676	98	289	8	18	10	4	25	65	68	.8
P006	11+0.402	BULL RIVER	SANDERS	8	63	63	.956	28	28	RMS	758	110	266	8	20	10	4	24	66	68	.3
P018	2+0.123	1.1 N MILES CITY	CUSTER	12	64	64	10.937	32	32	PMS	517	67	580	4	14	10	8	28	64	68	3.9
P014	100+0.898	JCT FAP RTE 63	WHEATLAND	10	65	65	7.126	40	40	PMS	1050	136	247	7	21	10	8	22	68	68	2.3
P014	259+0.489	7.2 E VANADA	ROSEBUD	12	54	54	5.579	24	24	RMS	231	36	450	0	15	10	4	29	58	68	2.3
P022	81+0.351	5.5 S FROID	ROOSEVELT	3	59	59	7.156	32	32	PMS	899	134	362	0	13	10	20	24	67	68	2.4
P020	1+0.761	GLENDIVE	DAWSON	4	64	64	4.375	40	40	PMS	1731	225	222	8	23	10	15	15	71	68	1.3
P034	0+0.000	JCT FAP 22	SHERIDAN	3	51	60	7.029	24	24	PMS	496	69	336	7	17	9	3	27	63	68	2.6
P024	127+0.466	SIMMS	CASCADE	6	59	59	5.720	32	32	PMS	1990	278	565	8	24	10	7	23	72	68	1.6
P024	16+0.038	POTOMAC	MISSOULA	8	68	68	6.575	40	40	PMS	2071	341	385	7	18	10	20	17	72	68	1.8
P050	16+0.625	8.3 N FAP RTE 87	GALLATIN	10	63	63	14.593	32	32	PMS	937	147	500	5	17	10	11	26	69	69	4.5
P057	5+0.302	5.3 E FAP 60	CASCADE	6	61	61	1.770	32	32	PMS	1742	207	362	4	17	10	20	21	72	69	.5
P061	66+0.624	JCT FAP RTE 43	FERGUS	5	62	62	3.889	30	30	PMS	504	84	333	3	16	10	10	26	65	69	1.4
P083	86+0.280	3.7 N FAS RTE 209	FLATHEAD	1	59	59	4.733	24	24	PMS	926	155	478	6	17	10	11	25	69	69	1.5
P001	642+0.523	1.7 W CULBERTSON	ROOSEVELT	3	56	61	1.712	32	32	PMS	991	128	428	0	13	10	20	26	69	69	.5
P001	254+0.578	CUT BANK	GLACIER	2	55	55	.229	42	42	PMS	3192	383	817	5	17	10	20	23	75	69	.1
P001	515+0.618	14.2 E VALLEY CO	VALLEY	3	50	55	5.795	24	27	PMS	1215	164	526	4	17	10	14	25	70	69	1.7
P001	33+0.316	0.6 E LIBBY	LINCOLN	1	76	76	3.326	68	68	PMS	5165	671	2040	8	27	10	7	25	77	69	.8
P001	466+0.722	12.1 E ODDSON	PHILLIPS	3	53	53	4.948	24	30	RMS	1292	167	554	0	16	10	20	25	71	69	1.4
P001	661+0.539	5.6 W N D LINE	ROOSEVELT	3	55	62	5.605	32	32	PMS	866	116	352	7	17	10	9	25	68	69	1.8
P004	33+0.199	FROMBERG	CARBON	11	54	54	.599	24	32	RMS	2613	339	828	4	16	10	20	24	74	69	.2
P014	0+0.886	TOWNSEND	BROADWATER	7	64	64	1.514	32	32	PMS	1812	271	569	9	22	10	8	23	72	69	.4
P010	89+0.417	HILL CO	HILL	2	30	70	.189	30	30	RMS	1256	163	702	7	22	10	4	27	70	69	.1
P008	46+0.471	HELENA	LEWIS AND CLARK	7	78	78	2.077	88	88	PMS	8785	1054	2304	10	30	10	6	23	79	69	.4
P017	10+0.569	1.4 S NASHUA	VALLEY	3	57	57	1.424	24	28	RMS	505	76	415	7	17	10	3	27	64	69	.5
P014	252+0.337	VANADA	ROSEBUD	12	54	54	7.162	24	24	RMS	221	35	258	2	15	10	3	28	58	69	3.0
P014	217+0.153	10.0 E ROSEBUD CO	ROSEBUD	12	48	63	7.269	25	25	RMS	248	39	408	0	15	10	5	29	59	69	3.0

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS 1ST	8T	1M	SECTION LENGTH	WIDTH SRF	RDY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	DRN	SAF	CAP	TOT	ADJ	DEFIC MILES
P014	158+0.003	6.3 E MUSSELS CO	MUSSELSHELL	11	56	56	2.482	24	28	RMS	298	38	586	2	15	10	5	29	61	69	1.0
P028	53+0.726	8.7 N WYO BORY	CARBON	11	65	65	6.274	28	28	PMS	442	99	437	7	19	10	1	27	64	69	2.3
P028	45+0.000	MONT WYO BORY	CARBON	11	65	65	2.331	28	28	PMS	442	99	658	6	17	10	3	28	64	69	.8
P042	1+0.983	MCCONE CO	MCCONE	4	60	64	6.310	24	40	BST	143	22	411	0	13	10	4	29	56	70	2.8
P041	6+0.348	6.3 N FAP 8	POWELL	8	62	62	5.406	28	28	PMS	180	30	660	0	8	10	11	29	58	70	2.3
P058	44+0.488	4.7 N BABB	GLACIER	2	56	56	5.856	22	22	RMS	470	91	362	3	13	10	13	26	65	70	2.0
P057	17+0.930	7.5 E FAS 427	JUDITH BASIN	6	64	64	3.967	32	32	PMS	2173	258	471	7	19	10	16	22	74	70	1.0
P059	0+0.000	JCT FAI RTE 90	PARK	10	55	55	1.755	24	36	RMS	1083	162	536	7	17	10	12	25	71	70	.5
P050	70+0.197	11.7 S FAP 84 85	GALLATIN	10	58	60	6.250	32	32	PMS	1832	287	643	8	25	10	7	23	73	70	1.7
P083	82+0.636	JCT FAS RTE 209	FLATHEAD	1	59	59	3.735	24	24	PMS	681	114	301	5	17	10	12	24	68	70	1.2
P080	59+0.331	6.7 N STANFORD	JUDITH BASIN	6	53	53	6.712	24	24	RMS	492	74	469	7	17	10	3	28	65	70	2.3
P080	67+0.052	STANFORD	JUDITH BASIN	6	27	27	.122	24	26	BST	1305	197	728	6	17	3	20	26	72	70	
P083	77+0.797	4.8 S FLATHEAD CO	LAKE	1	62	62	4.859	30	30	PMS	816	143	333	5	19	10	11	24	69	70	1.5
P087	6+0.719	MADISON-GALLATIN	GALLATIN	10	67	67	3.316	30	30	PMS	441	95	189	7	25	10	1	22	65	70	1.2
P004	54+0.307	JCT FAI 90	YELLOWSTONE	11	64	64	.224	68	68	PMS	6973	906	1424	7	22	10	20	20	79	70	
P011	0+0.000	YELL PARK BORY	PARK	10	75	75	1.016	48	48	PMS	1084	233	504	9	28	10	1	23	71	70	.3
P014	55+0.917	10.8 E FAP 60	MEAGHER	10	56	58	7.271	28	28	PMS	306	39	371	3	16	10	5	28	62	70	2.8
P034	7+0.070	RAYMOND	SHERIDAN	3	51	60	8.604	24	24	PMS	267	37	336	7	17	8	1	28	61	70	3.4
P023	95+0.564	6.0 N CARTER CO	POWDER RIVER	12	54	54	6.028	24	28	RMS	741	107	732	0	10	10	20	28	68	70	1.9
P036	40+0.186	LAKE CO	LAKE	1	37	65	6.526	24	26	RMS	496	74	357	0	11	7	20	27	65	70	2.3
P048	0+0.294	0.3 S FAI 90	BIG HORN	11	76	76	.897	44	44	PMS	2756	358	806	9	28	10	6	23	76	71	.2
P041	16+0.875	14.6 N FAP 8	POWELL	8	70	70	2.966	30	30	PMS	216	36	292	4	16	10	2	28	60	71	1.2
P053	46+0.272	LAVINA	GOLDEN VALLEY	11	56	56	.418	30	30	BST	978	127	535	2	13	10	20	26	71	71	.1
P061	102+0.308	JCT FAP RTE 66	PHILLIPS	3	57	59	8.062	24	29	PMS	307	51	531	0	14	10	10	29	63	71	3.0
P061	83+0.411	4.6 S PHILLIPS CO	FERGUS	5	60	60	4.583	28	28	PMS	336	56	584	0	7	10	18	29	64	71	1.6
P061	110+0.333	8.1 N FAP RTE 66	PHILLIPS	3	57	59	7.800	24	29	PMS	311	52	353	0	13	10	12	28	63	71	2.9
P080	50+0.880	FERGUS-J BASIN CO	JUDITH BASIN	6	53	53	8.418	24	24	RMS	282	42	469	6	17	9	2	29	63	71	3.1
P002	89+0.046	5.1 E BAKER	FALLON	12	68	68	6.442	40	40	PMS	602	78	629	3	17	10	10	28	68	71	2.1
P001	280+0.100	SHELBY	TOOLE	2	54	59	11.649	32	32	PMS	1190	154	500	0	17	10	20	25	72	71	3.3
P001	29+0.863	2.0 W LIBBY	LINCOLN	1	71	76	2.036	68	68	PMS	4911	638	1720	9	28	10	8	24	79	71	.4
P020	18+0.596	4.2 S RICHLAND CO	DAWSON	4	54	54	4.170	28	28	RMS	1277	166	434	0	18	10	20	24	72	71	1.2
P036	36+0.100	4.4 N FLATHEAD CO	FLATHEAD	1	37	61	4.101	24	26	RMS	483	72	889	0	10	7	20	29	66	71	1.4
P031	16+0.960	JCT AIRBASE ROAD	VALLEY	3	64	64	8.673	30	30	PMS	372	56	367	4	16	10	7	28	65	71	3.0
P043	29+0.037	FERGUS	FERGUS	5	63	63	6.226	28	30	PMS	419	54	554	5	18	10	5	29	67	72	2.1
P046	64+0.920	WISE RIVER	BEAVERHEAD	9	70	70	.398	44	44	PMS	392	58	464	8	19	10	1	28	66	72	.1
P047	6+0.790	WARM SPRINGS	DEER LODGE	9	78	78	.063	48	48	PMS	707	212	103	10	30	10	20	0	70	72	
P050	7+0.330	7.2 N WEST YELL	GALLATIN	10	64	64	1.047	34	34	PMS	1593	350	552	7	18	10	20	20	75	72	.3
P041	19+0.841	7.6 S FAS 271	POWELL	8	65	65	7.654	30	30	BST	242	40	323	5	15	10	5	28	63	72	2.8
P059	15+0.310	CLYDE PARK	PARK	10	38	38	.061	20	24	RMS	637	95	582	0	13	8	20	28	69	72	
P079	0+0.000	JCT FAI 94 HYSHAM	TREASURE	11	64	64	1.953	30	30	PMS	552	71	576	5	22	10	3	28	68	72	.6
P087	20+0.240	2.1 W JCT FAP 50	GALLATIN	10	67	67	2.194	30	30	PMS	630	136	655	7	22	10	3	27	69	72	.7
P093	21+0.095	11.4 W FAP RTE 7	MISSOULA	8	64	78	11.465	30	30	PMS	1683	269	512	9	28	10	6	22	75	72	2.9
P001	556+0.131	NASHUA	VALLEY	3	56	70	8.685	32	32	PMS	1603	135	696	7	23	10	5	27	72	72	2.4
P001	332+0.615	HILL CO	HILL	2	71	71	9.281	40	40	PMS	1025	133	244	9	27	10	4	22	72	72	2.6
P001	348+0.215	HINGHAM	HILL	2	60	60	6.381	32	32	PMS	958	124	621	8	22	10	5	27	72	72	1.8
P001	213+0.173	3.9 E EAST GLAC	GLACIER	2	77	77	5.712	48	48	PMS	1392	194	258	10	30	10	5	19	74	72	1.5
P001	157+0.164	3.7 E WEST GLACIER	FLATHEAD	1	48	49	2.350	24	28	PMS	866	121	194	6	17	7	20	21	71	72	.7
P001	177+0.633	19.1 W GLACIER CO	FLATHEAD	1	69	69	2.884	34	34	PMS	786	110	514	9	22	10	3	27	71	72	.8
P005	71+0.313	6.2 S FAP 36	LAKE	1	62	62	6.212	32	32	PMS	1618	218	447	5	21	10	16	23	75	72	1.6
P004	0+0.000	WYOMING LINE	CARBON	11	49	49	.516	24	30	RMS	900	117	648	8	21	10	5	27	71	72	.1
P008	27+0.319	0.3 W L & C CO	POWELL	8	77	77	.308	56	56	PMS	1582	205	1152	8	27	10	3	27	75	72	.1
P008	27+0.627	LEWIS & CLARK CO	LEWIS AND CLARK	7	77	77	2.263	56	56	PMS	1637	212	1152	8	27	10	3	27	75	72	.6
P008	108+0.854	1.0 S FAI 90	BROADWATER	7	68	68	.321	44	44	RMS	591	76	128	10	27	10	1	21	69	72	.1
P009	12+0.412	12.4 N FAI 15	LEWIS AND CLARK	7	63	63	7.749	32	32	PMS	245	39	352	3	16	10	5	28	62	72	2.9
P014	124+0.946	2.4 E GOLD VAL CO	GOLDEN VALLEY	11	56	71	4.540	28	28	PMS	853	110	486	3	16	10	15	27	71	72	1.3

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	BT	IM	SECTION LENGTH	WIDTH SRF	RDY	SUF TYP	AOT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P023	76+0.303	JCT FAP RTE 37	PCWOER RIVER	12	69	69	1.530	28	28	PMS	1298	188	276	8	26	10	10	20	74	72	.4
P023	101+0.585	CARTER CO	CARTER	12	54	54	6.878	24	28	RMS	713	103	462	2	11	10	20	27	70	72	2.1
P031	32+0.480	15.5 N AIR8ASE RO	VALLEY	3	54	54	6.850	24	24	PMS	356	53	266	4	17	10	7	27	65	72	2.4
P046	58+0.032	8EAVERHEAD CO LINE	8EAVERHEAD	9	61	61	.832	30	33	PMS	277	41	476	6	16	10	4	29	65	73	.3
P042	46+0.037	10.2 S VALLEY CO	MCCONE	4	57	64	6.173	24	32	8ST	130	20	724	0	10	10	9	30	59	73	2.5
P051	9+0.094	0.8 E OAWSON CO	GAWSON	4	59	59	9.669	28	28	PMS	234	32	371	0	13	10	11	29	63	73	3.6
P081	13+0.840	OENTON	FERGUS	5	73	73	12.883	24	24	PMS	377	58	312	6	23	10	1	27	67	73	4.3
P061	93+0.534	5.6 N PHILLIPS CO	PHILLIPS	3	60	60	8.793	28	28	PMS	347	58	732	0	7	10	20	29	66	73	3.0
P087	10+0.026	3.3 E MAOISON CO	GALLATIN	10	67	67	10.223	30	30	PMS	479	103	439	6	22	10	5	26	69	73	3.2
P001	291+0.748	6.8 E FAS 417	TGGLE	2	56	59	8.023	32	32	PMS	1028	133	526	0	17	10	20	26	73	73	2.2
P008	3+0.919	3.8 E GARRISON	POWELL	8	57	64	7.362	32	32	PMS	1485	193	406	7	20	10	15	23	75	73	1.8
P010	89+0.606	0.2 N HILL CO	HILL	2	70	70	1.319	32	32	PMS	1274	165	720	8	25	10	4	27	74	73	.3
P008	57+0.136	1.1 E 8ROADWATER	8ROADWATER	7	72	72	8.302	34	34	PMS	1904	247	504	7	23	10	13	23	76	73	2.0
P016	29+0.682	4.5 N MUSSELSH CO	MUSSELSHELL	11	66	66	8.466	32	32	PMS	1288	167	548	7	21	10	11	25	74	73	2.2
P014	242+0.413	AHLES	ROSE8UD	12	50	63	9.949	20	24	RMS	235	37	354	0	14	9	12	28	63	73	3.7
P014	205+0.177	MELSTONE	MUSSELSHELL	11	46	63	1.991	20	24	RMS	449	71	538	0	10	10	20	28	68	73	.6
P018	18+0.057	2.0 S ROSE8UD CO	CUSTER	12	28	35	2.023	20	24	8ST	347	45	655	0	9	8	26	29	66	73	.7
P019	63+0.222	0.6 S DRUMMOND	GRANITE	8	66	66	.449	32	32	PMS	881	127	720	9	25	10	1	27	72	73	.1
P020	42+0.055	7.9 S FA RTE 51	RICHLAND	4	73	73	7.955	40	40	PMS	2465	320	281	10	27	10	18	13	78	73	1.8
P033	54+0.527	0.7 N RES 8R	LINCOLN	1	71	71	10.394	34	34	PMS	480	62	324	7	24	10	1	27	69	73	3.2
P047	5+0.988	JCT FORMER US 10	DEER LODGE	9	31	42	.802	24	30	RMS	1131	160	398	6	17	8	20	24	75	74	.2
P043	0+0.633	LEWISTOWN LIMITS	FERGUS	5	77	77	.748	48	48	PMS	3262	424	1428	9	28	10	7	26	80	74	.1
P043	14+0.838	JCT FAS RTE 236	FERGUS	5	63	63	10.462	28	30	PMS	681	88	367	3	17	10	16	26	72	74	2.9
P037	79+0.284	15.0 E POWDER R CO	PGWOER RIVER	12	67	67	3.193	28	28	PMS	552	74	252	5	17	10	13	26	71	74	.9
P046	26+0.350	WISDOM	8EAVERHEAD	9	65	65	5.256	28	28	PMS	294	44	569	7	17	10	3	29	66	74	1.8
P060	9+0.718	9.5 N FAP 14	MEAGHER	10	59	63	7.386	26	26	PMS	488	73	418	7	21	10	5	27	70	74	2.2
P057	306+0.463	2 MI E LINDSAY	DAWSON	4	67	67	10.240	40	40	PMS	804	104	296	7	25	10	6	25	73	74	2.8
P059	2+0.267	1.8 N FAI 90	PARK	10	41	41	2.293	20	24	RMS	981	147	421	3	17	9	20	25	74	74	.6
P080	49+0.826	JCT FAP RTE 81	FERGUS	5	53	53	1.024	24	24	RMS	273	41	494	6	17	9	5	29	66	74	.3
P087	1+0.460	1.3 E FAP 13	MADISON	9	72	72	1.586	30	30	PMS	436	94	384	7	25	10	1	26	69	74	.5
P001	228+0.797	8LACKFOOT	GLACIER	2	57	57	1.050	24	32	RMS	1208	193	680	4	15	10	20	26	75	74	.3
P008	0+0.000	JCT FAI 90	POWELL	8	78	78	3.789	40	40	PMS	1517	197	224	10	30	10	9	17	76	74	.9
P004	23+0.235	1.5 S FAP 72	CARBON	11	72	72	1.501	40	40	PMS	1656	215	266	8	26	10	15	18	77	74	.3
P006	46+0.236	1.6 E 8ELKNAP	SANDERS	8	58	58	.985	32	32	8ST	1104	161	405	5	16	10	20	24	75	74	.2
P010	104+0.366	6.9 S FAP 1	HILL	2	67	67	5.125	40	40	PMS	1806	234	304	7	22	10	20	18	77	74	1.2
P012	8+0.047	0.6 W WEST YELL	GALLATIN	10	30	30	.571	34	34	RMS	2092	483	728	8	27	3	20	20	78	74	.1
P022	63+0.803	MEDICINE LAKE	SHERIDAN	3	63	63	.265	32	32	PMS	777	116	728	7	23	10	5	28	73	74	.1
P028	90+0.985	80YD	CARBON	11	74	74	4.433	40	40	PMS	1301	260	309	9	28	10	11	17	75	74	1.1
P046	76+0.492	0.6 W OLIVIDE	SILVER BOW	9	34	76	.490	32	32	PMS	391	58	607	5	15	10	10	29	69	75	.2
P042	31+0.776	29.8 N MCCONE CO	MCCONE	4	56	64	5.463	24	34	8ST	112	17	482	0	15	10	6	29	60	75	2.2
P061	21+0.885	PETROLEUM CO	PETROLEUM	5	63	63	4.713	30	30	PMS	781	101	485	6	18	10	13	27	74	75	1.2
P057	279+0.793	CIRCLE	MCCONE	4	66	66	1.016	32	32	PMS	1363	208	640	7	25	10	10	25	77	75	.2
P062	3+0.941	RICHLAND CO	RICHLAND	4	78	78	4.895	40	40	PMS	665	99	190	9	28	10	4	22	73	75	1.3
P066	23+0.241	12.6 N PHILLIPS CO	8LAINE	2	59	59	14.057	28	28	PMS	433	69	353	4	18	10	11	27	70	75	4.2
P072	5+0.118	5.1 N WYO-MONT	CARBON	11	70	70	.486	30	30	PMS	694	111	402	6	21	10	10	26	73	75	.1
P001	648+0.067	3.0 E CULBERTSON	ROOSEVELT	3	61	61	8.291	32	32	PMS	820	110	629	3	14	10	20	27	74	75	2.2
P001	423+0.924	0.8 W HARLEM	8LAINE	2	68	68	.797	40	40	PMS	1640	213	281	8	25	10	16	19	78	75	.2
P003	15+0.375	7.3 N FAP 24	CASCADE	6	42	42	1.479	24	30	RMS	966	125	600	4	16	8	20	27	75	75	.4
P003	84+0.363	JCT FAP 44	PONDERA	6	66	66	4.863	34	34	PMS	692	166	640	8	24	10	5	26	73	75	1.3
P021	0+0.000	115 S CONRAD	PONDERA	6	73	73	.825	40	40	PMS	705	91	662	7	26	10	2	28	73	75	.2
P031	2+0.075	0.6 N FAP 1	VALLEY	3	65	65	14.871	32	32	PMS	1001	151	616	5	18	10	16	26	75	75	3.7
P027	66+0.022	10.3 N FAS 413	WIBAUX	4	65	65	5.304	28	28	PMS	415	53	504	8	22	10	2	28	70	75	1.6
P043	25+0.294	10.5 N FAS 236	FERGUS	5	63	63	3.738	28	30	PMS	450	58	391	5	19	10	9	28	71	76	1.1
P045	23+0.831	4.4 S WHEATLAND CO	SWEET GRASS	10	46	78	4.429	24	24	PMS	566	73	312	7	28	10	2	26	73	76	1.2
P041	27+0.495	JCT FAS 271	POWELL	8	57	72	5.017	24	24	PMS	277	46	301	7	20	10	3	28	68	76	1.6

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS 01ST BT IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	----SUFFICIENCY RATINGS---- FNO	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P045	7+0.339	6.7 N BIG TIMBER	SWEET GRASS	10 69 69	.695	30	30	RMS	461	59	486	7	23	10	3	28	71	76	.2
P045	15+0.771	15.2 N BIG TIMBER	SWEET GRASS	10 48 78	7.041	24	24	PMS	579	75	349	7	28	10	1	27	73	76	1.9
P059	20+0.487	5.1 N CLYDE PARK	PARK	10 73 73	4.228	32	32	PMS	537	80	643	7	23	10	4	28	72	76	1.2
P057	64+0.958	JCT FAP RTE 63	FERGUS	5 71 71	2.017	32	32	PMS	1830	217	621	9	27	10	8	25	79	76	.4
P055	2+0.123	MADISON-SILVER BOW	SILVER BOW	9 53 53	.288	24	24	RMS	849	140	348	6	17	8	20	24	75	76	.1
P069	22+0.186	14.8 S BOULDER	JEFFERSON	7 57 71	6.000	24	24	PMS	532	79	554	7	22	10	6	28	73	76	1.6
P061	130+0.356	25.0 S FAS RTE 363	PHILLIPS	3 42 42	6.399	20	24	RMS	307	51	400	0	13	8	20	28	69	76	2.0
P081	0+0.000	JCT FAP RTE 80	FERGUS	5 59 59	12.943	24	24	PMS	307	47	386	7	22	10	2	28	69	76	4.0
P002	34+0.095	2.6 E LOCATE	CUSTER	12 65 65	11.760	40	40	PMS	399	51	569	5	17	10	10	29	71	76	3.4
P001	489+0.049	9.9 W SACO	PHILLIPS	3 67 67	9.965	40	40	PMS	1300	175	569	6	18	10	18	25	77	76	2.3
P001	472+0.410	MALTA	PHILLIPS	3 67 67	8.975	40	40	PMS	1522	197	266	8	23	10	18	19	78	76	2.0
P011	1+0.365	1.3 N GARDINER	PARK	10 71 71	4.308	34	34	PMS	1038	223	453	7	25	10	11	23	76	76	1.0
P011	19+0.339	0.4 S FAS 540	PARK	10 61 61	11.618	32	32	PMS	896	192	696	8	25	10	7	26	76	76	2.8
P011	30+0.977	JCT COUNTY ROAD	PARK	10 61 61	9.708	32	32	PMS	1372	294	696	8	25	10	11	24	78	76	2.1
P014	88+0.034	11.2 W HARLOWTON	WHEATLAND	10 66 66	4.784	40	40	PMS	445	57	680	7	18	10	7	29	71	76	1.4
P019	38+0.582	.4 N PHILIPSBURG	GRANITE	8 60 60	9.701	32	32	PMS	610	88	428	5	16	10	15	27	73	76	2.6
P033	53+0.851	RESERV BR APPR	LINCOLN	1 71 71	.676	34	34	PMS	390	50	114	9	27	10	1	23	70	76	.2
P027	54+0.746	W18AUX CO	W18AUX	4 65 65	11.265	28	28	PMS	401	52	522	7	21	10	4	29	71	76	3.3
P032	60+0.935	9.2 N SCOBEY	DANIELS	3 45 68	4.884	24	24	RMS	113	15	333	4	16	10	2	29	61	76	1.9
P027	73+0.386	5.7 S W18AUX	W18AUX	4 65 65	5.731	28	28	PMS	532	69	480	8	22	10	4	28	72	76	1.6
P048	11+0.644	11.0 N HARDIN	BIG HORN	11 54 54	6.665	24	24	RMS	317	44	494	4	18	10	9	29	70	77	2.0
P044	0+0.000	JCT FAP 3	PONDERA	6 54 54	2.760	24	24	RMS	442	62	534	3	14	7	20	28	72	77	.8
P050	10+0.485	2.4 N FAP RTE 87	GALLATIN	10 63 63	6.020	32	32	PMS	981	154	405	6	17	10	20	24	77	77	1.4
P057	316+0.709	12.0 E FAS 470	DAWSON	4 61 61	8.026	32	32	PMS	952	123	666	4	21	10	15	27	77	77	1.8
P057	57+0.839	3.4 E MOCCASIN	JUDITH BASIN	6 71 71	6.520	32	32	PMS	2387	284	666	8	25	10	14	24	81	77	1.2
P055	12+0.988	WHITEHALL	JEFFERSON	7 66 66	.090	32	32	PMS	1855	306	299	9	26	10	20	15	80	77	
P070	0+0.200	1.0 W SUPERIOR	MINERAL	8 31 52	1.035	22	24	RMS	87	11	544	0	5	5	20	30	60	77	.4
P066	37+0.321	12.7 S JCT FAP 1	BLAINE	2 59 59	12.714	28	28	PMS	467	74	377	4	17	10	15	27	73	77	3.4
P002	6+0.197	I 94 E MILES CITY	CUSTER	12 62 62	.688	32	32	PMS	638	82	235	7	19	10	14	25	75	77	.2
P001	262+0.815	TOOLE CO	TOOLE	2 67 67	.272	40	40	PMS	1256	188	629	5	17	10	20	26	78	77	.1
P003	95+0.089	5.9 N GLACIER CO	GLACIER	2 66 66	5.926	34	34	PMS	692	166	504	9	26	10	5	25	75	77	1.5
P006	2+0.265	2.3 E IDAHO LINE	SANDERS	8 63 63	2.361	28	28	RMS	627	91	243	5	17	9	20	24	75	77	.6
P014	155+0.157	3.4 E MUSSELS CO	MUSSELSHELL	11 56 56	2.851	24	28	RMS	273	35	301	0	12	9	20	28	69	77	.9
P014	122+0.568	GOLDEN VALLEY CO	GOLDEN VALLEY	11 67 67	2.375	40	40	PMS	847	110	260	7	23	10	12	24	76	77	.6
P008	55+0.996	BROADWATER CO	BROADWATER	7 69 69	1.139	40	40	PMS	2066	268	320	8	25	10	20	17	80	77	.2
P016	21+0.519	3.5 S MUSSEL CO	YELLOWSTONE	11 68 68	1.739	40	40	PMS	1565	203	403	7	23	10	17	22	79	77	.4
P019	5+0.559	JCT FAP RTE 47	DEER LODGE	9 61 61	1.543	76	76	PMS	5576	724	2208	9	25	10	15	25	84	77	.2
P031	25+0.657	8.6 N AIRBASE ROAD	VALLEY	3 55 55	6.846	24	24	PMS	372	56	312	4	16	9	15	27	71	77	2.0
P027	71+0.318	7.9 S W18AUX	W18AUX	4 65 65	2.083	28	28	PMS	424	55	312	9	24	10	2	27	72	77	.6
P033	9+0.560	8.9 N LIBBY	LINCOLN	1 67 67	4.431	34	34	PMS	494	64	520	8	24	10	3	28	73	77	1.2
P037	95+0.715	EPSIE	POWDER RIVER	12 60 69	7.908	28	28	PMS	699	94	368	7	25	10	7	26	75	77	2.0
P033	14+0.002	13.3 N LIBBY	LINCOLN	1 74 74	3.652	34	34	PMS	286	37	220	8	24	10	1	27	70	77	1.1
P057	112+0.981	JCT FAP RTE 61	FERGUS	5 51 78	8.723	24	24	PMS	404	61	424	8	27	9	1	28	73	78	2.4
P080	5+0.120	2.7 S FORT BENTON	CHOUTEAU	6 56 78	9.572	24	24	PMS	463	69	331	9	30	7	1	27	74	78	2.5
P080	45+0.606	0.5 N FERGUS CO	CHOUTEAU	6 62 62	.497	24	24	PMS	161	24	518	0	12	5	20	29	66	78	.2
P001	263+0.107	0.3 E TOOLE CO	TOOLE	2 65 65	7.491	32	32	PMS	1220	183	666	8	21	10	14	26	79	78	1.6
P003	103+0.350	7.1 S FAP RTE 1	GLACIER	2 60 60	7.233	32	32	RMS	692	166	485	4	17	10	20	25	76	78	1.7
P003	16+0.870	8.8 N FAP 24	CASCADE	6 62 62	1.232	35	35	BST	976	126	616	4	17	10	20	27	78	78	.3
P013	93+0.693	GALLATIN CO LINE	GALLATIN	10 49 49	1.107	28	28	RMS	668	86	586	3	15	10	20	28	76	78	.3
P020	6+0.132	4.4 N GLENDIVE	DAWSON	4 67 67	6.856	40	40	PMS	1356	176	643	7	23	10	14	26	80	78	1.4
P022	0+0.523	SCOBEY	DANIELS	3 65 65	7.070	32	32	PMS	652	97	722	6	19	10	13	28	76	78	1.7
P031	39+0.360	11.0 S OPHEIM	VALLEY	3 52 71	11.080	24	24	RMS	339	51	294	8	26	10	1	27	72	78	3.1
P029	10+0.756	2.3 E VIRGINIA CTY	MADISON	9 56 56	2.337	28	28	PMS	540	113	324	4	16	10	20	25	75	78	.6
P035	7+0.680	MINERAL-SANDERS CO	SANDERS	8 65 69	3.803	30	30	PMS	579	95	410	9	26	10	3	27	75	78	1.0
P087	3+0.037	6.7 E FAP 13	MADISON	9 63 63	3.728	30	30	PMS	436	94	328	7	26	10	6	26	75	79	.9

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	BT	IM	SECTION LENGTH	WIDTH SRF	RDY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P001	32+0.748	LIBBY	LINCOLN	1	71	76	.561	68	68	PMS	7589	910	1800	8	26	10	20	22	86	79	.1
P001	457+0.675	3.1 E DODSON	PHILLIPS	3	63	78	9.025	30	30	PMS	1238	160	576	8	30	10	6	26	80	79	1.8
P004	19+0.206	6.5 S BRIDGER	CARBON	11	72	72	4.035	40	40	PMS	1313	170	448	4	22	10	20	24	80	79	.8
P008	30+0.041	2.2E LEW & CL CO	LEWIS AND CLARK	7	78	78	4.151	56	56	PMS	1778	231	1920	10	30	10	4	28	82	79	.7
P022	52+0.606	9.2 S JCT FAP 30	SHERIDAN	3	63	63	11.140	32	32	PMS	758	113	616	6	19	10	16	27	78	79	2.5
P035	3+0.381	3.3 N ST REGIS	MINERAL	8	72	72	4.299	30	30	PMS	630	103	453	8	25	10	7	27	77	79	1.0
P036	16+0.265	0.1 SW FAS 382	SANDERS	8	63	63	2.732	28	28	PMS	798	119	595	5	16	10	20	27	78	79	.6
P037	84+0.754	2.1 E FOR BORY	POWDER RIVER	12	58	69	10.979	28	28	PMS	685	92	435	5	18	10	17	27	77	79	2.5
P046	0+0.000	JCT FAP RTE 7	RAVALLI	8	60	63	.105	28	28	PMS	270	40	498	9	25	10	0	29	73	80	
P046	36+0.881	4.9 W DEER LODGE CO	BEAVERHEAD	9	65	65	4.966	26	26	PMS	257	38	398	7	18	10	8	29	72	80	1.4
P060	0+0.000	JCT FAP RTE 14	MEAGHER	10	55	69	9.550	28	28	PMS	464	69	495	8	26	10	4	28	76	80	2.3
P060	60+0.343	10.7 N MONARCH	CASCADE	6	69	69	1.923	48	48	PMS	444	66	520	9	27	10	2	28	76	80	.5
P060	17+0.022	11.6 S CASCADE CO	MEAGHER	10	59	63	8.316	26	26	PMS	420	63	418	6	21	10	10	28	75	80	2.1
P086	31+0.492	GALLATIN-PARK CO	PARK	10	63	63	6.738	28	28	PMS	156	23	477	4	16	10	9	29	68	80	2.2
P069	6+0.106	JCT FAS RTE 359	JEFFERSON	7	70	70	3.920	32	32	PMS	585	87	456	3	17	10	20	27	77	80	.9
P001	446+0.310	PHILLIPS CO	PHILLIPS	3	73	73	7.360	40	40	PMS	1058	137	281	6	21	10	20	23	80	80	1.5
P001	171+0.169	25.6 W GLACIER CO	FLATHEAD	1	66	66	6.460	32	32	PMS	827	115	482	6	17	10	20	26	79	80	1.4
P001	564+0.858	8.8 E NASHUA	VALLEY	3	61	61	6.923	32	32	PMS	1043	140	720	7	28	10	8	27	80	80	1.4
P006	102+0.193	6.6 E PERMA	SANDERS	8	69	69	.754	32	32	PMS	884	131	694	6	22	10	15	27	80	80	.2
P018	73+0.587	14.7 N COHAGEN	GARFIELD	5	58	65	9.391	28	28	PMS	347	45	472	6	22	10	7	29	74	80	2.4
P025	46+1.002	JCT FAP 32	ROOSEVELT	3	78	78	5.381	40	40	PMS	1004	130	720	10	30	10	3	27	80	80	1.1
P032	51+0.736	SCOBEY	DANIELS	3	58	68	9.191	24	26	PMS	234	32	456	8	22	10	2	29	71	80	2.7
P035	12+0.947	8.4 SW FAP 6	SANDERS	8	65	69	3.151	30	30	PMS	584	96	550	10	28	10	2	27	77	80	.7
P046	75+0.066	SILVER BOW CO LINE	SILVER BOW	9	68	68	1.422	34	34	PMS	392	58	470	9	26	10	3	28	76	81	.3
P048	29+0.507	0.3 S JCT I 94	YELLOWSTONE	11	74	74	.302	34	34	PMS	657	91	359	10	30	10	2	27	79	81	.1
P046	7+0.770	6.6 E IDAHO LINE	BEAVERHEAD	9	60	63	9.393	28	28	PMS	270	40	448	7	22	10	6	29	74	81	2.4
P080	29+0.129	GERALDINE	CHOUTEAU	6	64	64	5.317	28	28	PMS	257	38	600	5	23	10	7	29	74	81	1.4
P064	0+0.000	JCT FAP RTE 50	GALLATIN	10	72	77	3.000	30	30	PMS	649	90	400	10	30	10	2	27	79	81	.6
P070	1+0.506	SUPERIOR	MINERAL	8	31	52	.062	22	24	RMS	150	19	716	0	14	5	20	30	69	81	
P078	25+0.103	CARBON-STILLWATER	STILLWATER	11	60	60	2.309	24	24	PMS	282	46	348	9	27	9	1	28	74	81	.6
P022	73+0.852	2.0 S ROOSEVELT CO	ROOSEVELT	3	71	71	1.992	32	32	PMS	740	111	468	9	25	10	10	26	80	81	.4
P014	270+0.888	FORSYTH SPUR	ROSEBUD	12	77	77	.332	28	28	PMS	1889	245	448	8	24	10	20	22	84	81	.1
P035	11+0.483	3.8 NE MINERAL CO	SANDERS	8	63	69	1.464	30	30	PMS	581	95	432	10	28	10	3	27	78	81	.3
P046	73+0.646	8.3 E WISE RIVER	BEAVERHEAD	9	68	68	1.323	34	34	PMS	394	59	425	8	24	10	7	28	77	82	.3
P051	18+0.776	10.5 E DAWSON CO	DAWSON	4	59	59	8.456	28	28	PMS	234	32	342	0	15	10	20	29	74	82	2.2
P043	35+0.280	ROY	FERGUS	5	62	62	7.565	30	30	PMS	462	60	554	3	18	10	19	28	78	82	1.7
P057	330+0.190	GLENDIVE SPUR	DAWSON	4	60	60	.363	72	88	PMS	3144	377	1920	7	22	10	20	27	86	82	.1
P001	481+0.373	9.0 E MALTA	PHILLIPS	3	67	67	7.671	40	40	PMS	1187	154	281	8	23	10	20	22	83	82	1.3
P010	29+0.728	13.5 N CHOUTEAU CO	CHOUTEAU	6	64	64	9.834	32	32	PMS	1764	229	585	7	23	10	20	24	84	82	1.6
P014	116+0.456	6.1 W GOLO VAL	WHEATLAND	10	67	67	6.108	40	40	PMS	894	116	247	8	24	10	17	23	82	82	1.1
P019	30+0.851	7.7 S PHILIPSBURG	GRANITE	8	57	76	7.703	32	32	PMS	713	103	504	8	26	10	10	27	81	82	1.5
P019	62+0.597	1.0 S DRUMMOND	GRANITE	8	66	66	.628	40	40	PMS	808	117	240	9	26	10	13	23	81	82	.1
P019	0+0.000	JCT FAI RTE 90	DEER LODGE	9	64	64	2.889	76	76	PMS	2411	313	2208	8	25	10	14	28	85	82	.4
P039	13+0.279	9.5 SO COLSTRIP	ROSEBUD	12	58	78	.664	26	26	PMS	332	49	264	9	30	10	1	27	77	82	.2
P042	8+0.299	6.3 N MCCONE CO	MCCONE	4	63	64	11.418	24	42	BST	118	18	795	0	10	10	20	30	70	83	3.4
P042	0+0.000	JCT FAP RTE 57	GARFIELD	5	60	64	1.990	24	40	BST	153	24	662	0	13	10	20	29	72	83	.6
P042	19+0.720	17.7 N MCCONE CO	MCCONE	4	62	71	12.052	30	30	PMS	112	17	434	3	19	10	9	29	70	83	3.6
P054	9+0.128	BIDDLE	POWDER RIVER	12	68	68	8.767	30	32	PMS	296	38	529	7	24	10	7	29	77	83	2.0
P058	43+0.622	3.8 N BABB	GLACIER	2	61	61	.866	28	28	RMS	567	110	415	6	19	10	20	26	81	83	.2
P001	571+0.774	FRAZER	VALLEY	3	58	76	9.318	24	32	PMS	1264	170	720	4	24	10	20	26	84	83	1.5
P006	90+0.589	4.6 W PERMA	SANDERS	8	69	69	3.542	32	32	PMS	833	124	431	7	19	10	20	26	82	83	.6
P009	0+0.000	JCT FAI 15	LEWIS AND CLARK	7	67	67	2.209	30	30	PMS	274	43	604	8	25	10	4	29	76	83	.5
P014	42+0.708	WHITE SULPHUR	MEAGHER	10	65	65	2.417	40	40	PMS	813	121	281	7	21	10	20	24	82	83	.4
P019	2+0.896	OPPORTUNITY	DEER LODGE	9	61	61	2.670	76	76	PMS	3334	433	2208	8	24	10	18	27	87	83	.3
P031	1+0.443	JCT FAP 1	VALLEY	3	62	62	.642	32	32	PMS	1083	163	672	7	21	10	20	26	84	83	.1

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	BT	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FND	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P033	42+0.817	11.0 S RES BR APPR	LINCOLN	1	74	74	11.169	34	34	PMS	224	29	201	9	27	10	1	28	75	83	2.8
P037	41+0.208	0.8 W LAME DEER	ROSEBUD	12	75	75	.872	48	48	PMS	1549	209	272	10	30	10	17	18	85	83	.1
P033	17+0.654	LIBBY DAM APPR	LINCOLN	1	74	74	12.374	34	34	PMS	271	35	201	9	28	10	2	27	76	83	3.0
P051	0+0.000	JCT FAP RTE 57	MCCONE	4	60	61	3.326	30	30	PMS	535	74	655	6	21	10	17	28	82	84	.6
P042	37+0.240	35.3 N MCCONE CO	MCCONE	4	57	64	8.785	24	32	BST	113	18	482	0	12	10	20	29	71	84	2.5
P051	3+0.340	3.3 E FAP RTE 57	MCCONE	4	60	61	5.001	30	30	PMS	347	48	414	4	17	10	20	28	79	84	1.1
P057	289+0.828	DAWSON CO	DAWSON	4	64	64	7.066	32	32	PMS	651	84	448	6	21	10	18	27	82	84	1.3
P078	19+0.686	ROSCOE	CARBON	11	60	60	4.234	24	24	PMS	217	35	440	7	26	9	5	29	76	84	1.0
P003	89+0.220	GLACIER CO	GLACIER	2	68	68	5.858	34	34	PMS	692	166	529	9	26	10	13	25	83	84	1.0
P001	341+0.907	0.3 E FAS RTE 432	HILL	2	60	60	5.813	32	32	PMS	1268	164	666	7	22	10	20	26	85	84	.9
P002	45+0.879	5.9 W FALLON CO	CUSTER	12	67	67	5.873	40	40	PMS	405	52	406	6	16	10	20	28	80	84	1.2
P002	51+0.731	FALLON CO	FALLON	12	67	67	6.054	40	40	PMS	432	56	431	6	16	10	20	28	80	84	1.2
P014	100+0.394	HARLOWTON	WHEATLAND	10	65	65	.504	40	40	PMS	1493	194	806	8	22	10	20	26	86	84	.1
P008	107+0.894	JCT FAI 90	BROADWATER	7	52	52	.961	24	28	RMS	591	76	503	7	18	10	19	28	82	84	.2
P010	84+0.818	4.8 N BIG SANDY	CHOUTEAU	6	70	70	1.223	32	32	PMS	1382	179	720	6	23	10	20	26	85	84	.2
P011	16+0.633	3.1 S FAS 540	PARK	10	61	61	2.712	32	32	PMS	1002	215	696	9	26	10	14	25	84	84	.4
P020	28+0.894	5.8 N RICHLAND CO	RICHLAND	4	75	75	2.598	40	40	PMS	1518	197	296	9	27	10	20	20	86	84	.4
P033	30+0.033	FIVE MILE CR	LINCOLN	1	74	74	12.783	34	34	PMS	247	32	220	9	28	10	2	28	77	84	2.9
P037	38+0.689	ROSEBUD CO	ROSEBUD	12	75	75	.873	40	40	PMS	1211	163	168	10	30	10	20	15	85	84	.1
P042	52+0.226	4.0 S VALLEY CO	MCCONE	4	36	66	4.061	28	28	RMS	200	32	501	6	24	10	8	29	77	85	.9
P044	27+0.865	0.5 W JCT 115	PONDERA	6	72	72	.523	34	34	PMS	800	113	640	9	28	10	10	27	84	85	.1
P046	4+0.107	2.9 E IDAHO LINE	BEAVERHEAD	9	60	63	3.674	28	28	PMS	270	40	501	5	15	10	20	29	79	85	.8
P060	62+0.121	9.2 S FAP RTE 57	CASCADE	6	69	69	9.198	40	40	PMS	508	76	504	9	27	10	8	28	82	85	1.7
P057	161+0.578	3.1 E GARFIELD CO	GARFIELD	5	68	68	9.598	36	36	PMS	332	50	425	4	18	10	20	28	80	85	1.9
P080	39+0.544	1.5 S SQUARE BUTTE	CHOUTEAU	6	64	64	6.073	28	28	PMS	161	24	377	0	17	10	20	29	76	85	1.5
P068	1+0.259	CASCADE	CASCADE	6	63	63	.235	30	30	PMS	1170	175	317	9	25	10	20	22	86	85	
P002	57+0.772	JCT. FAS RTE. 320	FALLON	12	58	72	12.362	32	32	PMS	542	70	592	6	24	10	15	28	83	85	2.1
P001	554+0.658	0.5 W NASHUA	VALLEY	3	56	70	.526	32	32	PMS	1298	175	544	7	24	10	20	25	86	85	.1
P001	428+0.518	JCT FAP 66	BLAINE	2	68	68	.553	40	40	PMS	1092	141	244	9	26	10	20	21	86	85	.1
P013	74+0.873	0.5 S HARRISON	MADISON	9	76	76	5.908	32	32	PMS	412	63	643	8	27	10	7	29	81	85	1.1
P018	63+0.374	4.4 N COHAGEN	GARFIELD	5	67	67	10.222	30	30	PMS	278	36	702	7	23	10	10	29	79	85	2.1
P057	330+0.775	0.5 W GLENDIVE	DAWSON	4	69	69	.405	24	24	PMS	1923	230	678	8	25	10	20	25	88	86	
P001	414+0.015	1.0 E ZURICH	BLAINE	2	56	73	7.314	32	32	PMS	1552	201	666	8	27	10	18	25	88	86	.9
P001	555+0.899	NASHUA	VALLEY	3	56	70	.095	32	32	PMS	1578	213	528	9	25	10	20	24	88	86	
P014	92+0.813	6.5 W HARLOWTON	WHEATLAND	10	68	68	6.513	40	40	PMS	576	74	680	7	19	10	20	28	84	86	1.0
P010	40+0.641	JCT FAP 80	CHOUTEAU	6	74	74	10.901	32	32	PMS	1252	162	546	9	28	10	14	26	87	86	1.4
P027	44+0.455	8.6 N BAKER	FALLON	12	58	78	10.261	28	28	PMS	428	55	368	9	27	10	9	28	83	86	1.7
P031	50+0.833	OPHEIM	VALLEY	3	57	66	10.022	28	28	PMS	94	14	448	7	21	8	6	30	72	86	2.8
P041	11+0.754	11.7 N FAP 8	POWELL	8	77	77	5.121	28	28	PMS	187	31	401	9	28	10	2	29	78	86	1.1
P046	1+0.166	IDAHO LINE	BEAVERHEAD	9	60	63	2.945	28	28	PMS	270	40	387	5	18	10	20	28	81	87	.6
P051	49+0.250	LAMBERT	RICHLAND	4	56	77	10.645	24	28	PMS	337	47	436	8	30	10	7	28	83	87	1.8
P046	16+0.966	9.2 W WISDOM	BEAVERHEAD	9	62	62	9.226	30	30	PMS	330	49	600	5	18	10	20	29	82	87	1.7
P057	287+0.710	7.0 E FAP 51	MCCONE	4	64	64	2.137	32	32	PMS	668	86	403	6	23	10	20	27	86	87	.3
P061	7+0.094	6.0 N ROUNDUP	MUSSELSHELL	11	77	77	6.000	40	40	PMS	1064	138	200	10	30	10	17	20	87	87	.8
P080	14+0.671	12.2 S FT BENTON	CHOUTEAU	6	62	62	9.506	30	30	PMS	338	51	367	6	19	10	20	28	83	87	1.6
P013	0+0.000	IDAHO LINE	MADISON	9	62	76	8.564	34	34	BST	135	27	478	7	26	10	5	29	77	87	2.0
P014	265+0.114	12.6 E VANADA	ROSEBUD	12	57	75	5.387	32	32	PMS	300	47	546	10	30	10	3	29	82	87	1.0
P014	45+0.138	JCT FAP RTE 60	MEAGHER	10	65	65	3.943	40	40	PMS	349	45	485	6	18	10	20	29	83	87	.7
P011	5+0.566	5.0 N GARDINER	PARK	10	69	69	5.149	34	34	PMS	987	212	529	8	25	10	20	24	87	87	.7
P039	4+0.230	NO CHEYENNE IND R	ROSEBUD	12	64	78	9.049	26	26	PMS	314	47	418	9	30	10	5	28	82	87	1.6
P040	0+0.000	JCT FAI 94	PRAIRIE	4	72	72	.116	40	40	PMS	1119	145	257	9	27	10	20	22	88	87	
P035	16+0.098	5.3 SW FAP 6	SANDERS	8	68	69	5.348	30	30	PMS	590	97	367	10	28	10	11	26	85	87	.8
P039	13+0.943	8.8 SC COLSTRIP	ROSEBUD	12	58	77	7.467	26	26	PMS	393	58	396	9	30	10	7	28	84	87	1.2
P037	27+0.205	2.7 E BUSBY	BIG HORN	11	76	76	5.843	40	40	PMS	1153	155	296	8	28	10	20	22	88	87	.7
P048	18+0.321	4.4 S YELLOWSTONE	BIG HORN	11	63	63	4.388	28	28	PMS	211	29	353	9	27	10	6	29	81	88	.8

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS 1ST	FIN YEARS BT	FIN YEARS 1M	SECTION LENGTH	WIDTH SRF	WIDTH RDY	SUF TYP	ADT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TCT	ADJ	DEFIC MILES
P046	51+0.307	BEAVERHEAD CO LINE	BEAVERHEAD	9	61	61	.089	26	28	PMS	335	50	501	7	18	10	20	29	84	88	
P057	296+0.860	7.1 E DAWSON CO	DAWSON	4	76	76	9.622	32	32	PMS	684	88	666	8	28	10	13	28	87	88	1.3
P062	8+0.836	5.0 S RICHLAND CO	RICHLAND	4	70	70	3.328	34	34	PMS	640	96	360	8	23	10	20	26	87	88	.4
P003	83+0.648	8.4 N DUPUYER	PONDERA	6	66	66	.713	34	34	PMS	521	125	544	9	26	10	14	27	86	88	.1
P001	169+0.063	15.8 E WEST GLAC	FLATHEAD	1	75	75	2.107	32	32	PMS	840	117	539	7	24	10	20	27	88	88	.3
P001	322+0.620	CHESTER	LIBERTY	2	77	77	3.787	40	40	PMS	1386	180	281	10	30	10	19	20	89	88	.4
P008	23+0.219	2.3 E ELLISTON	POWELL	8	73	73	2.363	56	56	PMS	1483	192	1920	8	26	10	16	29	89	88	.3
P008	78+0.114	TOWNSEND	BROADWATER	7	39	78	9.674	30	32	PMS	1853	240	720	10	30	10	15	25	90	88	1.0
P013	93+0.067	0.3 W FAP 8	BROADWATER	7	68	68	.296	40	40	RMS	466	60	88	9	26	10	20	20	85	88	
P009	1+0.951	1.9 N FAI 15	LEWIS AND CLARK	7	59	59	10.453	32	32	PMS	306	48	324	6	20	10	20	28	84	88	1.7
P009	20+0.149	JCT FAP 24	LEWIS AND CLARK	7	63	63	.726	32	32	PMS	278	44	365	7	18	10	20	28	83	88	.1
P028	60+0.000	8.7 S RED LODGE	CARBON	11	69	69	4.227	34	34	PMS	485	109	447	8	25	10	17	26	86	88	.6
P037	39+0.577	0.8 E ROSEBUD CO	ROSEBUD	12	75	75	1.113	48	48	PMS	1345	181	272	9	30	10	20	20	89	88	.1
P051	27+0.527	RICHEY	DAWSON	4	58	77	5.039	24	32	PMS	208	29	592	8	30	10	6	29	83	89	.9
P046	31+0.616	5.3 E WISDOM	BEAVERHEAD	9	65	65	5.283	26	26	PMS	275	41	595	8	18	10	20	29	85	89	.8
P054	17+0.695	8.8 N BIDDLE	POWDER RIVER	12	74	75	5.910	30	30	PMS	344	44	530	8	27	10	11	29	85	89	.9
P051	59+0.918	10.6 E LAMBERT	RICHLAND	4	55	77	11.192	24	28	PMS	563	78	395	8	30	10	13	27	88	89	1.3
P045	37+0.865	6.0 S HARLOWTON	WHEATLAND	10	70	70	5.994	32	32	PMS	350	45	569	8	19	10	20	29	86	89	.8
P057	280+0.776	JCT FAP RTE 51	MCCONE	4	66	66	6.933	32	32	PMS	733	95	621	6	24	10	20	28	88	89	.8
P057	64+0.443	FERGUS CO	FERGUS	5	71	71	.515	32	32	PMS	2123	252	621	9	28	10	20	24	91	89	
P080	34+0.440	5.3 S GERALDINE	CHOUTEAU	6	65	65	5.097	28	28	PMS	177	26	586	4	19	10	20	29	82	89	.9
P087	0+0.000	JCT FAP 13	MADISON	9	63	63	1.393	30	30	PMS	436	94	390	7	24	10	20	26	87	89	.2
P004	24+0.737	JCT FAP 72	CARBON	11	72	72	.940	40	40	PMS	2364	307	828	9	28	10	20	24	91	89	.1
P001	321+0.077	0.6 W CHESTER	LIBERTY	2	77	77	.701	40	40	PMS	1114	144	214	10	30	10	20	20	90	89	.1
P002	13+0.171	7.0 E JCT FAI 94	CUSTER	12	70	70	7.734	34	34	PMS	600	78	448	7	24	10	20	27	88	89	.9
P008	25+0.582	1.9 W L & C CO	POWELL	8	73	73	1.668	56	56	PMS	1549	201	1920	8	27	10	17	28	90	89	.2
P006	95+0.631	PERMA	SANDERS	8	57	76	3.633	30	30	PMS	871	129	432	8	27	8	20	26	89	89	.4
P013	16+0.388	7.7 N FAP 87	MADISON	9	69	69	4.975	40	40	PMS	531	106	568	8	22	10	20	27	87	89	.6
P021	4+0.995	CONRAD	PONDERA	6	73	73	.178	40	40	PMS	1258	163	326	9	28	10	20	23	90	89	
P022	75+0.881	FROID	ROOSEVELT	3	71	71	5.469	32	32	PMS	829	124	520	9	24	10	20	26	89	89	.6
P023	130+0.301	9.6 N WYO LINE	CARTER	12	65	78	9.551	34	34	PMS	870	130	585	7	25	10	20	27	89	89	1.1
P023	119+0.471	20.4 N WYO LINE	CARTER	12	55	78	10.845	26	26	PMS	780	113	513	7	25	10	20	27	89	89	1.2
P042	56+0.288	VALLEY CO	VALLEY	3	36	66	2.293	30	36	RMS	222	35	774	8	26	10	11	29	84	90	.4
P057	241+0.447	2.5 E FAS 462	GARFIELD	5	68	68	1.022	36	36	RMS	305	46	212	7	22	10	20	27	86	90	.1
P057	180+0.288	SAND SPRINGS	GARFIELD	5	73	73	11.848	32	32	PMS	366	55	400	7	24	10	18	28	87	90	1.5
P078	47+0.250	COLUMBUS	STILLWATER	11	72	72	.433	44	44	PMS	1365	177	795	8	26	10	20	27	91	90	
P080	24+0.255	3.9 N GERALDINE	CHOUTEAU	6	64	64	3.984	30	30	PMS	400	60	576	6	23	10	20	28	87	90	.5
P013	8+0.630	JCT FAP 87	MADISON	9	66	66	7.813	40	40	PMS	546	109	596	8	24	10	20	27	89	90	.9
P014	2+0.399	JCT FAS RTE 284	BROADWATER	7	64	64	4.000	32	32	PMS	550	82	487	8	23	10	20	27	88	90	.5
P023	27+0.820	22.7 N POWDER R CO	CUSTER	12	77	77	5.365	34	34	PMS	477	69	585	9	28	10	13	28	88	90	.6
P045	22+0.797	5.4 S WHEATLAND CO	SWEET GRASS	10	69	78	1.029	24	24	PMS	569	73	248	9	25	10	20	26	90	91	.1
P001	326+0.338	3.8 E CHESTER	LIBERTY	2	76	76	6.154	40	40	PMS	1118	145	281	10	30	10	20	22	92	91	.5
P013	21+0.332	9.3 S FAS 357	MADISON	9	71	71	2.992	40	40	PMS	522	104	511	8	25	10	20	27	90	91	.3
P051	8+0.342	DAWSON CO	DAWSON	4	60	61	.775	30	30	PMS	234	32	702	7	22	10	20	29	88	92	.1
P059	24+0.884	JCT FAP RTE 86	PARK	10	73	73	4.765	32	32	PMS	278	41	666	7	22	10	20	29	88	92	.6
P011	1+0.019	GARDINER NO	PARK	10	75	75	.346	34	34	PMS	1078	231	640	9	28	10	20	25	92	92	
P014	270+0.819	FORSYTH	ROSEBUD	12	77	77	.068	40	40	PMS	765	121	230	10	30	10	20	22	92	92	
P042	58+0.581	JCT FAP RTE 17	VALLEY	3	36	66	.600	30	36	RMS	651	104	748	8	26	10	20	28	92	93	
P069	38+0.095	BOULDER	JEFFERSON	7	73	73	.303	40	40	PMS	1819	272	705	10	30	10	20	24	94	93	
P048	22+0.705	YELLOWSTONE CO	YELLOWSTONE	11	63	63	3.682	28	28	PMS	310	43	332	9	27	10	18	28	92	94	.3
P010	39+0.561	0.4 N FT BENTON	CHOUTEAU	6	74	74	1.138	32	32	PMS	1139	148	468	10	30	10	20	25	95	94	.1
P023	14+0.655	12.4 S FAI RTE 94	CUSTER	12	62	76	13.187	28	28	PMS	501	72	522	8	27	10	20	28	93	94	.9
P048	26+0.401	3.7 N YELLOWST CO	YELLOWSTONE	11	63	63	3.103	28	28	PMS	541	75	579	10	27	10	20	28	95	95	.2
P057	156+0.721	1.6 W GARFIELD CO	PETROLEUM	5	73	73	1.663	30	30	PMS	365	55	567	9	28	10	17	29	93	95	.1
P054	23+0.736	5.6 S FA RTE 23	POWDER RIVER	12	76	76	5.516	30	30	PMS	349	45	512	9	27	10	20	29	95	96	.3

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS 1ST	FIN YEARS BT	FIN YEARS IM	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P051	32+0.582	RICHLAND CO	RICHLAND	4	58	77	5.840	24	32	PMS	183	25	425	7	28	10	20	29	94	96	.4
P059	29+0.649	8.3 S MEAGHER CO	PARK	10	73	73	8.379	32	32	PMS	294	44	643	9	27	10	20	29	95	96	.4
P078	23+0.920	CARBON-STILLWATER	STILLWATER	11	60	60	.397	24	24	PMS	235	38	394	9	26	10	20	29	94	96	
P013	80+0.773	GALLATIN CO LINE	GALLATIN	10	76	76	1.444	32	32	PMS	361	55	470	9	28	10	20	28	95	96	.1
P018	53+0.390	5.4 S COHAGEN	GARFIELD	5	77	77	5.433	30	30	PMS	258	33	549	10	30	10	16	29	95	96	.3
P022	71+0.833	ROOSEVELT CO	ROOSEVELT	3	76	76	2.019	32	32	PMS	738	110	546	9	30	10	20	27	96	96	.1
P022	64+0.346	MEDICINE LAKE	SHERIDAN	3	76	76	7.509	32	32	PMS	731	109	494	9	30	10	20	27	96	96	.3
P051	38+0.441	5.8 E RICHLAND CO	RICHLAND	4	57	77	10.781	24	28	PMS	238	33	524	8	30	10	18	29	95	97	.5
P046	77+0.114	DIVIDE EAST	SILVER BOW	9	76	76	.784	34	34	PMS	378	56	315	10	30	10	20	27	97	97	
P057	158+0.394	GARFIELD CO	GARFIELD	5	73	73	3.184	30	30	PMS	333	50	567	9	28	10	20	29	96	97	.1
P078	24+0.317	STILLWATER-CARBON	CARBON	11	60	60	.786	24	24	PMS	235	38	522	9	27	10	20	29	95	97	
P018	58+0.960	COHAGEN	GARFIELD	5	76	76	4.360	30	30	PMS	262	34	678	9	28	10	20	29	96	97	.2
P037	40+0.709	1.3 W LAME DEER	ROSEBUD	12	75	75	.522	56	56	PMS	1456	196	1608	10	30	10	20	28	98	97	
P002	27+0.464	4.1 W LOCATE	CUSTER	12	73	73	6.279	34	34	PMS	415	53	448	10	30	10	20	28	98	98	.1
P002	20+0.912	10.6 W LOCATE	CUSTER	12	75	75	6.532	34	34	PMS	481	62	425	10	30	10	20	28	98	98	.1
P014	48+0.995	3.9 E FAP 60	MEAGHER	10	76	76	6.934	36	36	PMS	293	38	226	10	30	10	20	27	97	98	.2
P049	16+0.192	2.5 E MADISON CO	MADISON	9			10.659	UNDER CONSTRUCTION													
P057	136+0.157	WINNETT	PETROLEUM	5			1.501	UNDER CONSTRUCTION													
P057	131+0.037	7.8 E PETROLEUM CO	PETROLEUM	5			4.886	UNDER CONSTRUCTION													
P001	611+0.926	POPLAR	ROOSEVELT	3			13.687	UNDER CONSTRUCTION													
P001	537+0.618	3.3 W GLASGOW	VALLEY	3			3.326	UNDER CONSTRUCTION													
P001	541+0.059	GLASGOW	VALLEY	3			.345	UNDER CONSTRUCTION													
P039	44+0.451	6.8 SO JCT 1 94	ROSEBUD	12			6.767	UNDER CONSTRUCTION													
P032	0+0.000	JCT FAP RTE 25	ROOSEVELT	3			3.704	UNDER CONSTRUCTION													
P032	3+0.720	JCT FAP RTE 1	ROOSEVELT	3			2.548	UNDER CONSTRUCTION													
		SYSTEM TOTAL					5266.401														392080.1